

FINAL SAFETY ANALYSIS REPORT

TABLE OF CONTENTS

TIER 1

| | | |
|--------|---|---------|
| 1.0 | INTRODUCTION | 1.1-1 |
| 1.1 | Definitions..... | 1.1-1 |
| 1.2 | General Provisions | 1.2-1 |
| 1.2.1 | Design Descriptions | 1.2-1 |
| 1.2.2 | Implementation of ITAAC | 1.2-2 |
| 1.2.3 | Discussion of Matters Related to Operations | 1.2-2 |
| 1.2.4 | Interpretation of Figures | 1.2-3 |
| 1.2.5 | Rated Reactor Core Thermal Power | 1.2-3 |
| 1.3 | Legend for Figures and Acronyms and Abbreviations | 1.3-1 |
| 2.0 | SYSTEM BASED DESIGN DESCRIPTION OF ITAAC | 2.1-1 |
| 2.1 | Structures | 2.1-1 |
| 2.1.1 | Nuclear Island | 2.1-1 |
| 2.1.2 | Emergency Power Generating Buildings..... | 2.1-65 |
| 2.1.3 | Nuclear Auxiliary Building | 2.1-73 |
| 2.1.4 | Radioactive Waste Processing Building..... | 2.1-76 |
| 2.1.5 | Essential Service Water Building | 2.1-79 |
| 2.2 | Nuclear Island Systems..... | 2.2-1 |
| 2.2.1 | Reactor Coolant System | 2.2-1 |
| 2.2.2 | In-Containment Refueling Water Storage Tank System | 2.2-44 |
| 2.2.3 | Safety Injection System and Residual Heat Removal System | 2.2-63 |
| 2.2.4 | Emergency Feedwater System | 2.2-99 |
| 2.2.5 | Fuel Pool Cooling and Purification System | 2.2-119 |
| 2.2.6 | Chemical and Volume Control System..... | 2.2-135 |
| 2.2.7 | Extra Borating System | 2.2-153 |
| 2.2.8 | Fuel Handling System | 2.2-168 |
| 2.2.9 | Reactor Boron and Makeup Water System..... | 2.2-176 |
| 2.2.10 | Coolant Supply and Storage System | 2.2-177 |
| 2.2.11 | Coolant Degasification System | 2.2-178 |

| | | |
|--------|--|---------|
| 2.2.12 | Coolant Purification System | 2.2-179 |
| 2.2.13 | Coolant Treatment System | 2.2-180 |
| 2.3 | Severe Accident Systems | 2.3-1 |
| 2.3.1 | Combustible Gas Control System | 2.3-1 |
| 2.3.2 | Core Melt Stabilization System | 2.3-12 |
| 2.3.3 | Severe Accident Heat Removal System | 2.3-14 |
| 2.3.4 | Severe Accident Sampling System | 2.3-25 |
| 2.4 | Instrumentation and Control Systems | 2.4-1 |
| 2.4.1 | Protection System | 2.4-1 |
| 2.4.2 | Safety Information and Control System | 2.4-29 |
| 2.4.3 | Deleted..... | 2.4-41 |
| 2.4.4 | Safety Automation System..... | 2.4-42 |
| 2.4.5 | Priority and Actuator Control System | 2.4-69 |
| 2.4.6 | Plant Fire Alarm System | 2.4-85 |
| 2.4.7 | Seismic Monitoring System..... | 2.4-88 |
| 2.4.8 | Leakage Detection System | 2.4-92 |
| 2.4.9 | Process Automation System | 2.4-94 |
| 2.4.10 | Process Information and Control System..... | 2.4-98 |
| 2.4.11 | Boron Concentration Measurement System | 2.4-104 |
| 2.4.12 | Vibration Monitoring System | 2.4-113 |
| 2.4.13 | Control Rod Drive Control System | 2.4-114 |
| 2.4.14 | Hydrogen Monitoring System | 2.4-124 |
| 2.4.15 | Reactor Control, Surveillance, and Limitation System | 2.4-131 |
| 2.4.16 | Reactor Pressure Vessel Level Measurement System | 2.4-132 |
| 2.4.17 | Excore Instrumentation System | 2.4-133 |
| 2.4.18 | Fatigue Monitoring System | 2.4-142 |
| 2.4.19 | Incore Instrumentation System | 2.4-143 |
| 2.4.20 | Loose Parts Monitoring System | 2.4-154 |
| 2.4.21 | Deleted..... | 2.4-155 |
| 2.4.22 | Radiation Monitoring System | 2.4-156 |
| 2.4.23 | Turbine-Generator I&C..... | 2.4-167 |
| 2.4.24 | Diverse Actuation System | 2.4-168 |
| 2.4.25 | Signal Conditioning and Distribution System | 2.4-176 |
| 2.4.26 | Rod Position Measurement System | 2.4-198 |
| 2.5 | Electrical Power..... | 2.5-1 |
| 2.5.1 | Class 1E Emergency Power Supply System | 2.5-1 |

| | | |
|--------|---|---------|
| 2.5.2 | Class 1E Uninterruptible Power Supply | 2.5-21 |
| 2.5.3 | Station Blackout Alternate AC Source | 2.5-36 |
| 2.5.4 | Emergency Diesel Generator | 2.5-42 |
| 2.5.5 | Preferred (Offsite) Power Supply System | 2.5-96 |
| 2.5.6 | Power Transmission (Main Generator) System | 2.5-99 |
| 2.5.7 | Non-Class 1E Uninterruptible Power Supply..... | 2.5-101 |
| 2.5.8 | Lightning Protection and Grounding System..... | 2.5-107 |
| 2.5.9 | Lighting System..... | 2.5-110 |
| 2.5.10 | Normal Power Supply System..... | 2.5-113 |
| 2.5.11 | 12-Hour Uninterruptible Power Supply System | 2.5-118 |
| 2.5.12 | Communication System | 2.5-121 |
| 2.6 | HVAC Systems..... | 2.6-1 |
| 2.6.1 | Main Control Room Air Conditioning System..... | 2.6-1 |
| 2.6.2 | Access Building Ventilation System | 2.6-25 |
| 2.6.3 | Annulus Ventilation System | 2.6-26 |
| 2.6.4 | Fuel Building Ventilation System..... | 2.6-41 |
| 2.6.5 | Nuclear Auxiliary Building Ventilation System (NABVS) | 2.6-58 |
| 2.6.6 | Safeguard Building Controlled-Area Ventilation System | 2.6-65 |
| 2.6.7 | Electrical Division of Safeguard Building Ventilation System | 2.6-89 |
| 2.6.8 | Containment Building Ventilation System | 2.6-116 |
| 2.6.9 | Emergency Power Generating Building Ventilation System | 2.6-135 |
| 2.6.10 | Radioactive Waste Processing Building Ventilation System | 2.6-153 |
| 2.6.11 | Smoke Confinement System..... | 2.6-156 |
| 2.6.12 | Main Steam and Feedwater Valve Room Ventilation System | 2.6-157 |
| 2.6.13 | Essential Service Water Pump Building Ventilation System | 2.6-158 |
| 2.6.14 | Station Blackout Room Ventilation System..... | 2.6-167 |
| 2.6.15 | Turbine Island Ventilation Systems | 2.6-168 |
| 2.7 | Support Systems..... | 2.7-1 |
| 2.7.1 | Component Cooling Water System..... | 2.7-1 |
| 2.7.2 | Safety Chilled Water System | 2.7-41 |
| 2.7.3 | Sprinkler System | 2.7-67 |
| 2.7.4 | Seal Water Supply System | 2.7-68 |

| | | |
|--------|--|---------|
| 2.7.5 | Fire Water Distribution System..... | 2.7-69 |
| 2.7.6 | Gaseous Fire Extinguishing System | 2.7-75 |
| 2.7.7 | Leak-off System | 2.7-77 |
| 2.7.8 | Spray Deluge System | 2.7-78 |
| 2.7.9 | Demineralized Water Distribution System..... | 2.7-79 |
| 2.7.10 | Potable and Sanitary System..... | 2.7-80 |
| 2.7.11 | Essential Service Water System | 2.7-81 |
| 2.7.12 | Compressed Air System | 2.7-115 |
| 2.7.13 | Turbine Building Closed Cooling Water System | 2.7-116 |
| 2.8 | Steam and Power Conversion Systems..... | 2.8-1 |
| 2.8.1 | Turbine-Generator System..... | 2.8-1 |
| 2.8.2 | Main Steam System | 2.8-9 |
| 2.8.3 | Turbine Seal System..... | 2.8-28 |
| 2.8.4 | Deleted..... | 2.8-29 |
| 2.8.5 | Condensate System..... | 2.8-30 |
| 2.8.6 | Main Feedwater System | 2.8-31 |
| 2.8.7 | Steam Generator Blowdown System | 2.8-45 |
| 2.8.8 | Steam Generator Blowdown Demineralizer System | 2.8-61 |
| 2.8.9 | Secondary Sampling System | 2.8-62 |
| 2.8.10 | Main Condenser Evacuation | 2.8-63 |
| 2.8.11 | Circulating Water Supply System (Inside the Turbine Building) | 2.8-64 |
| 2.9 | Radioactive Waste Management | 2.9-1 |
| 2.9.1 | Liquid Waste Management System | 2.9-1 |
| 2.9.2 | Solid Waste Management System | 2.9-7 |
| 2.9.3 | Gaseous Waste Processing System | 2.9-10 |
| 2.9.4 | Sampling Activity Monitoring System | 2.9-17 |
| 2.9.5 | Nuclear Island Drain and Vent System | 2.9-24 |
| 2.9.6 | Nuclear Sampling System..... | 2.9-29 |
| 2.10 | Other Systems..... | 2.10-1 |
| 2.10.1 | Cranes..... | 2.10-1 |
| 3.0 | NONSYSTEM BASED DESIGN DESCRIPTIONS AND ITAAC | 3.1-1 |
| 3.1 | Security | 3.1-1 |
| 3.1.1 | Design Features | 3.1-1 |
| 3.1.2 | Interface Requirements | 3.1-2 |



3.1.3 Inspections, Tests, Analyses, and Acceptance Criteria 3.1-3

3.2 Reliability Assurance Program 3.2-1

3.3 Initial Test Program 3.3-1

 3.3.1 Design Description 3.3-1

3.4 Human Factors Engineering..... 3.4-1

3.5 Containment Isolation..... 3.5-1

3.6 Plant Cabling 3.6-1

3.7 Post-Accident Monitoring Instrumentation..... 3.7-1

3.8 Pipe Break Hazards Analysis 3.8-1

3.9 Seismic SSC Interaction..... 3.9-1

4.0 INTERFACE REQUIREMENTS 4.0-1

 4.1 Site Specific Structures 4.1-1

 4.2 Fire Protection Storage Tanks and Building..... 4.2-1

 4.3 Switchgear Building..... 4.3-1

 4.4 Turbine Building 4.4-1

 4.5 Deleted..... 4.5-1

 4.6 Buried Conduit and Duct Banks, and Pipe and Pipe Ducts..... 4.6-1

 4.7 Essential Service Water System and Ultimate Heat Sink 4.7-1

 4.8 Fire Water Distribution System 4.8-1

 4.9 Security 4.9-1

 4.10 Offsite Power System..... 4.10-1

 4.11 Power Transmission (Main Generator, Main Transformer,
 Protection & Synchronization)..... 4.11-1

 4.12 Access Building 4.12-1

5.0 SITE PARAMETERS 5.0-1

TIER 2

1.0 INTRODUCTION AND GENERAL DESCRIPTION OF THE PLANT 1.1-1

 1.1 Introduction..... 1.1-1

 1.1.1 Plant Location 1.1-1

 1.1.2 Containment Type..... 1.1-1



| | | |
|-------|---|-------|
| 1.1.3 | Reactor Type..... | 1.1-1 |
| 1.1.4 | Power Output | 1.1-1 |
| 1.1.5 | Schedule | 1.1-1 |
| 1.1.6 | Format and Content | 1.1-2 |
| 1.2 | General Plant Description | 1.2-1 |
| 1.2.1 | Principal Design Criteria, Operating Characteristics, and Safety Considerations | 1.2-1 |
| 1.2.2 | Site Description | 1.2-3 |
| 1.2.3 | Plant Description | 1.2-4 |
| 1.3 | Comparisons with Similar Facility Designs..... | 1.3-1 |
| 1.4 | Identification of Agents and Contractors | 1.4-1 |
| 1.4.1 | Applicant – Program Manager | 1.4-1 |
| 1.4.2 | Other Contractors and Participants | 1.4-1 |
| 1.5 | Requirements for Further Technical Information..... | 1.5-1 |
| 1.6 | Material Referenced..... | 1.6-1 |
| 1.7 | Drawings and Other Detailed Information | 1.7-1 |
| 1.7.1 | Electrical and Instrumentation and Control Drawings | 1.7-1 |
| 1.7.2 | Piping and Instrumentation Diagrams | 1.7-1 |
| 1.8 | Interfaces with Standard Designs and Early Site Permits | 1.8-1 |
| 1.8.1 | COL Information Items | 1.8-3 |
| 1.8.2 | Departures | 1.8-3 |
| 1.9 | Conformance with Regulatory Criteria | 1.9-1 |
| 1.9.1 | Conformance with Regulatory Guides..... | 1.9-1 |
| 1.9.2 | Conformance with the Standard Review Plan..... | 1.9-2 |
| 1.9.3 | Generic Issues | 1.9-2 |
| 1.9.4 | Operational Experience (Generic Communications)..... | 1.9-3 |
| 1.9.5 | Advanced and Evolutionary Light-Water Reactor Design Issues | 1.9-4 |
| 1.9.6 | References..... | 1.9-4 |
| 2.0 | SITE CHARACTERISTICS | 2.1-1 |
| 2.1 | Geography and Demography | 2.1-1 |
| 2.1.1 | Site Location and Description | 2.1-1 |
| 2.1.2 | Exclusion Area Authority and Control | 2.1-1 |
| 2.1.3 | Population Distribution | 2.1-2 |

| | | |
|--------|--|--------|
| 2.2 | Nearby Industrial, Transportation, and Military Facilities..... | 2.2-1 |
| 2.2.1 | Location and Routes | 2.2-1 |
| 2.2.2 | Descriptions | 2.2-1 |
| 2.2.3 | Evaluation of Potential Accidents..... | 2.2-1 |
| 2.2.4 | References..... | 2.2-1 |
| 2.3 | Meteorology..... | 2.3-1 |
| 2.3.1 | Regional Climatology | 2.3-1 |
| 2.3.2 | Local Meteorology..... | 2.3-2 |
| 2.3.3 | Onsite Meteorological Measurement Program..... | 2.3-2 |
| 2.3.4 | Short-Term Atmospheric Dispersion Estimates for Accident Releases | 2.3-3 |
| 2.3.5 | Long-Term Atmospheric Dispersion Estimates for Routine Releases | 2.3-4 |
| 2.3.6 | References..... | 2.3-4 |
| 2.4 | Hydrologic Engineering | 2.4-1 |
| 2.4.1 | Hydrologic Description | 2.4-1 |
| 2.4.2 | Floods | 2.4-1 |
| 2.4.3 | Probable Maximum Flood (PMF) on Streams and Rivers..... | 2.4-1 |
| 2.4.4 | Potential Dam Failures..... | 2.4-1 |
| 2.4.5 | Probable Maximum Surge and Seiche Flooding..... | 2.4-1 |
| 2.4.6 | Probable Maximum Tsunami Flooding..... | 2.4-2 |
| 2.4.7 | Ice Effects | 2.4-2 |
| 2.4.8 | Cooling Water Canals and Reservoirs | 2.4-2 |
| 2.4.9 | Channel Diversions | 2.4-2 |
| 2.4.10 | Flooding Protection Requirements..... | 2.4-3 |
| 2.4.11 | Low Water Considerations | 2.4-3 |
| 2.4.12 | Groundwater | 2.4-3 |
| 2.4.13 | Pathways of Liquid Effluents in Ground and Surface Waters. | 2.4-3 |
| 2.4.14 | Technical Specification and Emergency Operation Requirements..... | 2.4-3 |
| 2.5 | Geology, Seismology, and Geotechnical Engineering | 2.5-1 |
| 2.5.1 | Basic Geologic and Seismic Information..... | 2.5-1 |
| 2.5.2 | Vibratory Ground Motion | 2.5-1 |
| 2.5.3 | Surface Faulting | 2.5-5 |
| 2.5.4 | Stability of Subsurface Materials and Foundations | 2.5-5 |
| 2.5.5 | Stability of Slopes..... | 2.5-13 |

| | | |
|-------|--|---------|
| 2.5.6 | References | 2.5-13 |
| 3.0 | DESIGN OF STRUCTURES, COMPONENTS, EQUIPMENT AND SYSTEMS..... | |
| | 3.1-1 | |
| 3.1 | Compliance with Nuclear Regulatory Commission General Design Criteria | |
| | 3.1-1 | |
| 3.1.1 | Overall Requirements | 3.1-1 |
| 3.1.2 | Protection by Multiple Fission Product Barriers..... | 3.1-4 |
| 3.1.3 | Protection and Reactivity Control Systems | 3.1-12 |
| 3.1.4 | Fluid Systems..... | 3.1-19 |
| 3.1.5 | Reactor Containment | 3.1-29 |
| 3.1.6 | Fuel and Reactivity Control | 3.1-34 |
| 3.1.7 | References | 3.1-37 |
| 3.2 | Classification of Structures, Systems, and Components..... | 3.2-1 |
| 3.2.1 | Seismic Classification | 3.2-2 |
| 3.2.2 | System Quality Group Classification | 3.2-6 |
| 3.2.3 | References | 3.2-230 |
| 3.3 | Wind, Hurricane and Tornado Loadings..... | 3.3-1 |
| 3.3.1 | Wind Loadings | 3.3-1 |
| 3.3.2 | Extreme Wind Loads (Hurricanes and Tornadoes)..... | 3.3-2 |
| 3.3.3 | References | 3.3-5 |
| 3.4 | Water Level (Flood) Design..... | 3.4-1 |
| 3.4.1 | Internal Flood Protection | 3.4-1 |
| 3.4.2 | External Flood Protection | 3.4-3 |
| 3.4.3 | Analysis of Flooding Events | 3.4-4 |
| 3.4.4 | Analysis Procedures | 3.4-17 |
| 3.4.5 | References | 3.4-17 |
| 3.5 | Missile Protection | 3.5-1 |
| 3.5.1 | Missile Selection and Description..... | 3.5-2 |
| 3.5.2 | Structures, Systems, and Components to be Protected from Externally Generated Missiles..... | 3.5-11 |
| 3.5.3 | Barrier Design Procedures | 3.5-12 |
| 3.5.4 | References | 3.5-18 |
| 3.6 | Protection Against Dynamic Effects Associated with Postulated Rupture of Piping..... | 3.6-1 |

| | | |
|--------|--|---------|
| 3.6.1 | Plant Design for Protection Against Postulated Piping Failures in Fluid Systems Outside of Containment | 3.6-1 |
| 3.6.2 | Determination of Rupture Locations and Dynamic Effects Associated with the Postulated Rupture of Piping | 3.6-22 |
| 3.6.3 | Leak-Before-Break Evaluation Procedures | 3.6-43 |
| 3.7 | Seismic Design..... | 3.7-1 |
| 3.7.1 | Seismic Design Parameters | 3.7-3 |
| 3.7.2 | Seismic System Analysis | 3.7-89 |
| 3.7.3 | Seismic Subsystem Analysis..... | 3.7-312 |
| 3.7.4 | Seismic Instrumentation | 3.7-334 |
| 3.8 | Design of Category I Structures | 3.8-1 |
| 3.8.1 | Concrete Containment | 3.8-2 |
| 3.8.2 | Steel Containment..... | 3.8-36 |
| 3.8.3 | Concrete and Steel Internal Structures of Concrete Containment..... | 3.8-54 |
| 3.8.4 | Other Seismic Category I Structures..... | 3.8-90 |
| 3.8.5 | Foundations | 3.8-126 |
| 3.8.6 | References | 3.8-148 |
| 3.9 | Mechanical Systems and Components | 3.9-1 |
| 3.9.1 | Special Topics for Mechanical Components | 3.9-1 |
| 3.9.2 | Dynamic Testing and Analysis of Systems, Components, and Equipment | 3.9-22 |
| 3.9.3 | ASME Code Class 1, 2, and 3 Components, Component Supports, and Core Support Structures | 3.9-37 |
| 3.9.4 | Control Rod Drive System..... | 3.9-62 |
| 3.9.5 | Reactor Pressure Vessel Internals..... | 3.9-72 |
| 3.9.6 | Functional Design, Qualification, and Inservice Testing Programs for Pumps, Valves, and Dynamic Restraints | 3.9-93 |
| 3.10 | Seismic and Dynamic Qualification of Mechanical and Electrical Equipment | 3.10-1 |
| 3.10.1 | Seismic Qualification Criteria | 3.10-4 |
| 3.10.2 | Methods and Procedures for Qualifying Mechanical, Electrical and I&C Equipment | 3.10-6 |
| 3.10.3 | Methods and Procedures for Qualifying Supports of Mechanical and Electrical Equipment and Instrumentation | 3.10-11 |
| 3.10.4 | Test and Analysis Results and Experience Database..... | 3.10-12 |
| 3.10.5 | References | 3.10-13 |

| | | |
|--------|--|---------|
| 3.11 | Environmental Qualification of Mechanical and Electrical Equipment | 3.11-1 |
| 3.11.1 | Equipment Identification and Environmental Conditions | 3.11-2 |
| 3.11.2 | Qualification Tests and Analysis | 3.11-8 |
| 3.11.3 | Qualification Test Results | 3.11-20 |
| 3.11.4 | Loss of Ventilation | 3.11-21 |
| 3.11.5 | Estimated Chemical and Radiation Environment | 3.11-21 |
| 3.11.6 | Qualification of Mechanical Equipment | 3.11-22 |
| 3.11.7 | References | 3.11-22 |
| 3.12 | ASME Code Class 1, 2, and 3 Piping Systems, Piping Components, and their Associated Supports | 3.12-1 |
| 3.12.1 | Introduction | 3.12-1 |
| 3.12.2 | Codes and Standards | 3.12-1 |
| 3.12.3 | Piping Analysis Methods | 3.12-1 |
| 3.12.4 | Piping Modeling Techniques | 3.12-2 |
| 3.12.5 | Piping Stress Analyses Criteria | 3.12-3 |
| 3.12.6 | Piping Support Design Criteria | 3.12-9 |
| 3.12.7 | References | 3.12-11 |
| 3.13 | Threaded Fasteners (ASME Code Class 1, 2, and 3) | 3.13-1 |
| 3.13.1 | Design Considerations | 3.13-2 |
| 3.13.2 | Inservice Inspection Requirements | 3.13-4 |
| 3.13.3 | References | 3.13-4 |
| 3A | Criteria for Distribution System Analysis and Support | 3A-1 |
| 3A.1 | Piping and Supports | 3A-1 |
| 3A.2 | Heating, Ventilation, and Air Conditioning Ducts and Supports | 3A-1 |
| 3A.3 | Cable Tray, Conduit, and Supports | 3A-7 |
| 3A.4 | References | 3A-12 |
| 3B | Dimensional Arrangement Drawings | 3B-1 |
| 3C | Reactor Coolant System Structural Analysis Methods | 3C-1 |
| 3C.1 | Hydraulic Model Development | 3C-1 |
| 3C.2 | Structural Model Development | 3C-7 |
| 3C.3 | Hydraulic Loading Analyses | 3C-14 |
| 3C.4 | Structural Loading Analysis | 3C-18 |
| 3C.5 | Amplified Response Spectra Generation | 3C-27 |
| 3C.6 | Description of Computer Programs | 3C-27 |

| | | | |
|-----|-------------|---|--------|
| | 3C.7 | References | 3C-30 |
| 3D | | Methodology for Qualifying Safety-Related Electrical and Mechanical Equipment | 3D-1 |
| | 3D.1 | Purpose | 3D-1 |
| | 3D.2 | Scope | 3D-1 |
| | 3D.3 | Introduction | 3D-1 |
| | 3D.4 | Qualification Criteria | 3D-2 |
| | 3D.5 | Design Specifications | 3D-10 |
| | 3D.6 | Qualification Methods | 3D-12 |
| | 3D.7 | Equipment Qualification Maintenance Requirements..... | 3D-16 |
| | 3D.8 | Documentation | 3D-19 |
| | 3D.9 | References | 3D-19 |
| | 3D Attach A | Sample Equipment Qualification Data Package (EQDP) | 3D-40 |
| | 3D Attach B | Aging Evaluation Program | 3D-83 |
| | 3D Attach C | Effects of Gamma Radiation Doses Below 10 ⁴ Rads on the Mechanical Properties of Materials | 3D-87 |
| | 3D Attach D | Accelerated Thermal Aging Parameters..... | 3D-89 |
| | 3D Attach E | Seismic Qualification Techniques | 3D-94 |
| | 3D Attach F | Sample Seismic Qualification Data Package (SQDP).... | 3D-109 |
| 3E | | Design Details and Critical Sections for Safety-Related Category I Structures | 3E-1 |
| | 3E.1 | Nuclear Island Structures | 3E-5 |
| | 3E.2 | Emergency Power Generating Buildings..... | 3E-41 |
| | 3E.3 | Essential Service Water Buildings..... | 3E-46 |
| 4.0 | | REACTOR..... | 4.1-1 |
| | 4.1 | Summary Description | 4.1-1 |
| | | 4.1.1 Principal Design Requirements | 4.1-4 |
| | | 4.1.2 References | 4.1-5 |
| | 4.2 | Fuel System Design | 4.2-1 |
| | | 4.2.1 Design Bases | 4.2-2 |
| | | 4.2.2 Description and Design Drawings | 4.2-15 |
| | | 4.2.3 Design Evaluation | 4.2-22 |
| | | 4.2.4 Testing and Inspection Plan | 4.2-44 |
| | | 4.2.5 References | 4.2-53 |

| | | |
|-------|--|--------|
| 4.3 | Nuclear Design..... | 4.3-1 |
| 4.3.1 | Design Bases | 4.3-1 |
| 4.3.2 | Description | 4.3-7 |
| 4.3.3 | Analytical Methods | 4.3-32 |
| 4.3.4 | Changes..... | 4.3-36 |
| 4.3.5 | References..... | 4.3-37 |
| 4.4 | Thermal-Hydraulic Design..... | 4.4-1 |
| 4.4.1 | Design Bases | 4.4-1 |
| 4.4.2 | Description of Thermal-Hydraulic Design of the Reactor Core | 4.4-3 |
| 4.4.3 | Description of the Thermal and Hydraulic Design of the Reactor Coolant System | 4.4-10 |
| 4.4.4 | Evaluation | 4.4-11 |
| 4.4.5 | Testing and Verification..... | 4.4-18 |
| 4.4.6 | Instrumentation Requirements | 4.4-19 |
| 4.4.7 | References..... | 4.4-24 |
| 4.5 | REACTOR MATERIALS | 4.5-1 |
| 4.5.1 | Control Rod Drive System Structural Materials..... | 4.5-1 |
| 4.5.2 | Reactor Internals and Core Support Materials..... | 4.5-3 |
| 4.5.3 | References..... | 4.5-5 |
| 4.6 | Functional Design of Reactivity Control Systems..... | 4.6-1 |
| 4.6.1 | Information for Control Rod Drive System..... | 4.6-2 |
| 4.6.2 | Evaluation of the Control Rod Drive System..... | 4.6-3 |
| 4.6.3 | Testing and Verification of the Control Rod Drive System | 4.6-4 |
| 4.6.4 | Information for Combined Performance of Reactivity Systems | 4.6-5 |
| 4.6.5 | Evaluation of Combined Performance | 4.6-7 |
| 4.6.6 | References..... | 4.6-8 |
| 5.0 | REACTOR COOLANT SYSTEM AND CONNECTED SYSTEMS..... | 5.1-1 |
| 5.1 | Summary Description | 5.1-1 |
| 5.1.1 | Design Bases | 5.1-1 |
| 5.1.2 | System Description | 5.1-2 |
| 5.1.3 | System Components | 5.1-3 |
| 5.1.4 | System Evaluation | 5.1-5 |
| 5.2 | Integrity of the Reactor Coolant Pressure Boundary..... | 5.2-1 |

| | | |
|--------|--|--------|
| 5.2.1 | Compliance with Codes and Code Cases..... | 5.2-1 |
| 5.2.2 | Overpressure Protection | 5.2-2 |
| 5.2.3 | Reactor Coolant Pressure Boundary Materials | 5.2-7 |
| 5.2.4 | Inservice Inspection and Testing of the RCPB..... | 5.2-18 |
| 5.2.5 | RCPB Leakage Detection | 5.2-26 |
| 5.2.6 | References | 5.2-33 |
| 5.3 | Reactor Vessel | 5.3-1 |
| 5.3.1 | Reactor Vessel Materials | 5.3-1 |
| 5.3.2 | Pressure-Temperature Limits, Pressurized Thermal Shock, and Charpy Upper-Shelf Energy Data and Analyses | 5.3-7 |
| 5.3.3 | Reactor Vessel Integrity | 5.3-9 |
| 5.3.4 | References | 5.3-13 |
| 5.4 | Component and Subsystem Design..... | 5.4-1 |
| 5.4.1 | Reactor Coolant Pumps | 5.4-1 |
| 5.4.2 | Steam Generators (PWR)..... | 5.4-7 |
| 5.4.3 | Reactor Coolant Piping | 5.4-23 |
| 5.4.4 | Not Used in U.S. EPR Design | 5.4-26 |
| 5.4.5 | Not Used in U.S. EPR Design | 5.4-26 |
| 5.4.6 | Not Used in U.S. EPR Design | 5.4-26 |
| 5.4.7 | Residual Heat Removal System..... | 5.4-26 |
| 5.4.8 | Not Used in U.S. EPR Design | 5.4-37 |
| 5.4.9 | Not Used in U.S. EPR Design | 5.4-37 |
| 5.4.10 | Pressurizer | 5.4-37 |
| 5.4.11 | Pressurizer Relief Tank | 5.4-42 |
| 5.4.12 | Reactor Coolant System High Point Vents..... | 5.4-44 |
| 5.4.13 | Safety and Relief Valves | 5.4-47 |
| 5.4.14 | Component Supports | 5.4-49 |
| 5.4.15 | References | 5.4-52 |
| 6.0 | ENGINEERED SAFETY FEATURES | 6.1-1 |
| 6.1 | Engineered Safety Features Materials | 6.1-1 |
| 6.1.1 | Metallic Materials | 6.1-1 |
| 6.1.2 | Organic Materials | 6.1-6 |
| 6.1.3 | References | 6.1-17 |
| 6.2 | Containment Systems | 6.2-1 |
| 6.2.1 | Containment Functional Design | 6.2-1 |

| | | |
|-------|--|---------|
| 6.2.2 | Containment Heat Removal Systems | 6.2-239 |
| 6.2.3 | Secondary Containment Functional Design | 6.2-242 |
| 6.2.4 | Containment Isolation System | 6.2-256 |
| 6.2.5 | Combustible Gas Control in Containment | 6.2-291 |
| 6.2.6 | Containment Leakage Testing | 6.2-326 |
| 6.2.7 | Fracture Prevention of Containment Pressure Vessel | 6.2-334 |
| 6.2.8 | References | 6.2-334 |
| 6.3 | Emergency Core Cooling System | 6.3-1 |
| 6.3.1 | Design Bases | 6.3-1 |
| 6.3.2 | System Design | 6.3-6 |
| 6.3.3 | Performance Evaluation | 6.3-16 |
| 6.3.4 | Tests and Inspections | 6.3-23 |
| 6.3.5 | Instrumentation Requirements | 6.3-23 |
| 6.3.6 | References | 6.3-24 |
| 6.4 | Habitability Systems | 6.4-1 |
| 6.4.1 | Design Basis | 6.4-1 |
| 6.4.2 | System Design | 6.4-2 |
| 6.4.3 | System Operational Procedures | 6.4-6 |
| 6.4.4 | Design Evaluations | 6.4-7 |
| 6.4.5 | Testing and Inspection | 6.4-7 |
| 6.4.6 | Instrumentation Requirements | 6.4-8 |
| 6.4.7 | References | 6.4-8 |
| 6.5 | Fission Product Removal and Control Systems | 6.5-1 |
| 6.5.1 | ESF Filter Systems | 6.5-1 |
| 6.5.2 | Containment Spray Systems | 6.5-7 |
| 6.5.3 | Fission Product Control Systems | 6.5-7 |
| 6.5.4 | References | 6.5-9 |
| 6.6 | Inservice Inspection of Class 2 and 3 Components | 6.6-1 |
| 6.6.1 | Components Subject to Examination | 6.6-2 |
| 6.6.2 | Accessibility | 6.6-3 |
| 6.6.3 | Examination Techniques and Procedures | 6.6-4 |
| 6.6.4 | Inspection Intervals | 6.6-5 |
| 6.6.5 | Examination Categories and Requirements | 6.6-6 |
| 6.6.6 | Evaluation of Examination Results | 6.6-6 |
| 6.6.7 | System Pressure Tests | 6.6-7 |

| | | |
|-------|--|---------|
| 6.6.8 | Augmented ISI to Protect against Postulated Piping Failures | 6.6-7 |
| 6.6.9 | References | 6.6-8 |
| 6.7 | Main Steamline Isolation Valve Leakage Control Systems (BWRs) | 6.7-1 |
| 6.8 | Extra Borating System..... | 6.8-1 |
| 6.8.1 | Design Bases | 6.8-1 |
| 6.8.2 | System Description | 6.8-1 |
| 6.8.3 | Safety Evaluation | 6.8-3 |
| 6.8.4 | Inspection and Testing Requirements..... | 6.8-5 |
| 6.8.5 | Instrumentation Requirements | 6.8-5 |
| 7.0 | INSTRUMENTATION AND CONTROLS | 7.1-1 |
| 7.1 | Introduction..... | 7.1-1 |
| 7.1.1 | U.S. EPR I&C Systems | 7.1-5 |
| 7.1.2 | Response Time | 7.1-83 |
| 7.1.3 | Identification of Safety Criteria | 7.1-84 |
| 7.1.4 | References | 7.1-114 |
| 7.2 | Reactor Trip System..... | 7.2-1 |
| 7.2.1 | Description | 7.2-1 |
| 7.2.2 | Analysis | 7.2-22 |
| 7.2.3 | References | 7.2-27 |
| 7.3 | Engineered Safety Features Systems..... | 7.3-1 |
| 7.3.1 | Description | 7.3-1 |
| 7.3.2 | Analysis | 7.3-37 |
| 7.3.3 | References | 7.3-43 |
| 7.4 | Systems Required For Safe Shutdown | 7.4-1 |
| 7.4.1 | Description | 7.4-1 |
| 7.4.2 | Analysis | 7.4-8 |
| 7.4.3 | References | 7.4-11 |
| 7.5 | Information Systems Important to Safety | 7.5-1 |
| 7.5.1 | Description | 7.5-1 |
| 7.5.2 | Analysis | 7.5-2 |
| 7.5.3 | References | 7.5-9 |
| 7.6 | Interlock Systems Important to Safety..... | 7.6-1 |
| 7.6.1 | Description | 7.6-1 |
| 7.6.2 | Analysis | 7.6-12 |

| | | |
|-------|---|--------|
| 7.6.3 | References | 7.6-14 |
| 7.7 | Control Systems Not Required for Safety | 7.7-1 |
| 7.7.1 | Description | 7.7-1 |
| 7.7.2 | Design Basis Information | 7.7-3 |
| 7.7.3 | Analysis | 7.7-28 |
| 7.7.4 | References | 7.7-28 |
| 7.8 | Diverse I&C Systems | 7.8-1 |
| 7.8.1 | Description | 7.8-1 |
| 7.8.2 | Analysis | 7.8-7 |
| 7.8.3 | References | 7.8-8 |
| 7.9 | Data Communication Systems | 7.9-1 |
| 8.0 | ELECTRIC POWER | 8.1-1 |
| 8.1 | Introduction | 8.1-1 |
| 8.1.1 | Offsite Power Description | 8.1-1 |
| 8.1.2 | Onsite Power System Description | 8.1-1 |
| 8.1.3 | Safety-Related Loads | 8.1-3 |
| 8.1.4 | Design Bases | 8.1-3 |
| 8.1.5 | References | 8.1-10 |
| 8.2 | Offsite Power System | 8.2-1 |
| 8.2.1 | Description | 8.2-1 |
| 8.2.2 | Analysis | 8.2-4 |
| 8.2.3 | References | 8.2-7 |
| 8.3 | Onsite Power System | 8.3-1 |
| 8.3.1 | Alternating Current Power Systems | 8.3-1 |
| 8.3.2 | DC Power Systems | 8.3-39 |
| 8.3.3 | References | 8.3-56 |
| 8.4 | Station Blackout | 8.4-1 |
| 8.4.1 | Description | 8.4-1 |
| 8.4.2 | Analysis | 8.4-6 |
| 8.4.3 | References | 8.4-15 |
| 9.0 | AUXILIARY SYSTEMS | 9.1-1 |
| 9.1 | Fuel Storage and Handling | 9.1-1 |
| 9.1.1 | Criticality Safety of New and Spent Fuel Storage and Handling | 9.1-1 |

| | | |
|--------|---|---------|
| 9.1.2 | New and Spent Fuel Storage | 9.1-4 |
| 9.1.3 | Fuel Pool Cooling and Purification System | 9.1-24 |
| 9.1.4 | Fuel Handling System | 9.1-46 |
| 9.1.5 | Overhead Heavy Load Handling System | 9.1-110 |
| 9.2 | Water Systems | 9.2-1 |
| 9.2.1 | Essential Service Water System | 9.2-1 |
| 9.2.2 | Component Cooling Water System | 9.2-25 |
| 9.2.3 | Demineralized Water Distribution System..... | 9.2-113 |
| 9.2.4 | Potable and Sanitary Water Systems (PSWS)..... | 9.2-114 |
| 9.2.5 | Ultimate Heat Sink | 9.2-117 |
| 9.2.6 | Condensate Storage Facilities | 9.2-137 |
| 9.2.7 | Seal Water Supply System | 9.2-138 |
| 9.2.8 | Safety Chilled Water System | 9.2-147 |
| 9.2.9 | Raw Water Supply System | 9.2-177 |
| 9.2.10 | Turbine Building Closed Cooling Water System | 9.2-179 |
| 9.3 | Process Auxiliaries | 9.3-1 |
| 9.3.1 | Compressed Air System | 9.3-1 |
| 9.3.2 | Process Sampling Systems | 9.3-7 |
| 9.3.3 | Equipment and Floor Drainage System | 9.3-42 |
| 9.3.4 | Chemical and Volume Control System (Including Boron Recovery System)..... | 9.3-59 |
| 9.4 | Air Conditioning, Heating, Cooling and Ventilation Systems..... | 9.4-1 |
| 9.4.1 | Main Control Room Air Conditioning System..... | 9.4-1 |
| 9.4.2 | Fuel Building Ventilation System..... | 9.4-20 |
| 9.4.3 | Nuclear Auxiliary Building Ventilation System..... | 9.4-32 |
| 9.4.4 | Turbine Island Ventilation Systems | 9.4-47 |
| 9.4.5 | Safeguard Building Controlled-Area Ventilation System | 9.4-48 |
| 9.4.6 | Electrical Division of Safeguard Building Ventilation System (SBVSE)..... | 9.4-68 |
| 9.4.7 | Containment Building Ventilation System | 9.4-87 |
| 9.4.8 | Radioactive Waste Processing Building Ventilation System | 9.4-107 |
| 9.4.9 | Emergency Power Generating Building Ventilation System | 9.4-118 |
| 9.4.10 | Station Blackout Room Ventilation System | 9.4-129 |
| 9.4.11 | Essential Service Water Pump Building Ventilation System | 9.4-135 |

| | | |
|--------|--|---------|
| 9.4.12 | Main Steam and Feedwater Valve Room Ventilation System | 9.4-144 |
| 9.4.13 | Smoke Confinement System..... | 9.4-149 |
| 9.4.14 | Access Building Ventilation System | 9.4-154 |
| 9.5 | Other Auxiliary Systems | 9.5-1 |
| 9.5.1 | Fire Protection..... | 9.5-1 |
| 9.5.2 | Communication System | 9.5-70 |
| 9.5.3 | Lighting System..... | 9.5-84 |
| 9.5.4 | Diesel Generator Fuel Oil Storage and Transfer System..... | 9.5-90 |
| 9.5.5 | Diesel Generator Cooling Water System | 9.5-105 |
| 9.5.6 | Diesel Generator Starting Air System | 9.5-116 |
| 9.5.7 | Diesel Generator Lubricating Oil System | 9.5-125 |
| 9.5.8 | Diesel Generator Air Intake and Exhaust System..... | 9.5-137 |
| 9A | Fire Protection Analysis..... | 9A-1 |
| 9A.1 | Introduction..... | 9A-1 |
| 9A.2 | Fire Protection Analysis Methodology | 9A-3 |
| 9A.3 | Fire Area-by-Fire Area Evaluation | 9A-11 |
| 9A.4 | References | 9A-47 |
| 10.0 | STEAM AND POWER CONVERSION SYSTEM..... | 10.1-1 |
| 10.1 | Summary Description | 10.1-1 |
| 10.1.1 | General Description | 10.1-2 |
| 10.1.2 | Protective Features | 10.1-2 |
| 10.1.3 | References | 10.1-4 |
| 10.2 | Turbine-Generator..... | 10.2-1 |
| 10.2.1 | Design Bases | 10.2-1 |
| 10.2.2 | General Description | 10.2-2 |
| 10.2.3 | Turbine Rotor Integrity | 10.2-18 |
| 10.2.4 | Safety Evaluation | 10.2-23 |
| 10.2.5 | References..... | 10.2-24 |
| 10.3 | Main Steam Supply System | 10.3-1 |
| 10.3.1 | Design Bases | 10.3-1 |
| 10.3.2 | System Description | 10.3-2 |
| 10.3.3 | Safety Evaluation | 10.3-9 |
| 10.3.4 | Inspection and Testing Requirements..... | 10.3-12 |
| 10.3.5 | Secondary Side Water Chemistry Program | 10.3-13 |

| | | |
|--------|--|---------|
| 10.3.6 | Steam and Feedwater System Materials | 10.3-18 |
| 10.3.7 | References | 10.3-20 |
| 10.4 | Other Features of Steam and Power Conversion System | 10.4-1 |
| 10.4.1 | Main Condensers | 10.4-1 |
| 10.4.2 | Main Condenser Evacuation System | 10.4-6 |
| 10.4.3 | Turbine Gland Sealing System | 10.4-13 |
| 10.4.4 | Turbine Bypass System | 10.4-17 |
| 10.4.5 | Circulating Water System..... | 10.4-21 |
| 10.4.6 | Condensate Polishing System | 10.4-28 |
| 10.4.7 | Condensate and Feedwater System..... | 10.4-32 |
| 10.4.8 | Steam Generator Blowdown System (PWR)..... | 10.4-56 |
| 10.4.9 | Emergency Feedwater System | 10.4-73 |
| 11.0 | RADIOACTIVE WASTE MANAGEMENT | 11.1-1 |
| 11.1 | Source Terms..... | 11.1-1 |
| 11.1.1 | Sources of Radioactivity: Fission, Activation, and Corrosion Products | 11.1-1 |
| 11.1.2 | Design Basis | 11.1-2 |
| 11.1.3 | Reactor Coolant System and Secondary Coolant Realistic Source Terms..... | 11.1-4 |
| 11.1.4 | References | 11.1-5 |
| 11.2 | Liquid Waste Management System..... | 11.2-1 |
| 11.2.1 | Design Basis | 11.2-1 |
| 11.2.2 | System Description | 11.2-6 |
| 11.2.3 | Radioactive Effluent Releases | 11.2-28 |
| 11.2.4 | Liquid Waste Management System Cost-Benefit Analysis | 11.2-34 |
| 11.2.5 | References | 11.2-34 |
| 11.3 | Gaseous Waste Management Systems | 11.3-1 |
| 11.3.1 | Design Basis | 11.3-1 |
| 11.3.2 | System Description | 11.3-5 |
| 11.3.3 | Radioactive Effluent Releases | 11.3-17 |
| 11.3.4 | Gaseous Waste Management System Cost-Benefit Analysis..... | 11.3-22 |
| 11.3.5 | References | 11.3-23 |
| 11.4 | Solid Waste Management Systems | 11.4-1 |
| 11.4.1 | Design Basis | 11.4-1 |

| | | |
|--------|---|---------|
| 11.4.2 | System Description | 11.4-5 |
| 11.4.3 | Radioactive Effluent Releases | 11.4-16 |
| 11.4.4 | Solid Waste Management System Cost-Benefit Analysis .. | 11.4-17 |
| 11.4.5 | Failure Tolerance | 11.4-17 |
| 11.4.6 | Quality Assurance | 11.4-18 |
| 11.4.7 | References | 11.4-18 |
| 11.5 | Process and Effluent Radiological Monitoring and Sampling Systems..... | 11.5-1 |
| 11.5.1 | Design Basis | 11.5-1 |
| 11.5.2 | System Description | 11.5-4 |
| 11.5.3 | Effluent Monitoring and Sampling | 11.5-5 |
| 11.5.4 | Process Monitoring and Sampling | 11.5-15 |
| 11.5.5 | References | 11.5-27 |
| 12.0 | RADIATION PROTECTION | 12.1-1 |
| 12.1 | Ensuring that Occupational Radiation Exposures are As Low As Reasonably Achievable..... | 12.1-1 |
| 12.1.1 | Policy Considerations..... | 12.1-1 |
| 12.1.2 | Design Considerations | 12.1-2 |
| 12.1.3 | Operational Considerations..... | 12.1-7 |
| 12.1.4 | References | 12.1-7 |
| 12.2 | Radiation Sources | 12.2-1 |
| 12.2.1 | Contained Sources..... | 12.2-1 |
| 12.2.2 | Airborne Radioactive Material Sources..... | 12.2-11 |
| 12.2.3 | References | 12.2-12 |
| 12.3 | Radiation Protection Design Features..... | 12.3-1 |
| 12.3.1 | Facility Design Features..... | 12.3-1 |
| 12.3.2 | Shielding | 12.3-15 |
| 12.3.3 | Ventilation | 12.3-21 |
| 12.3.4 | Area Radiation and Airborne Radioactivity Monitoring Instrumentation | 12.3-23 |
| 12.3.5 | Dose Assessment | 12.3-28 |
| 12.3.6 | Minimization of Contamination | 12.3-35 |
| 12.3.7 | References | 12.3-70 |
| 12.4 | Dose Assessment | 12.4-1 |
| 12.5 | Operational Radiation Protection Program..... | 12.5-1 |

| | | |
|---------|--|---------|
| 12.5.1 | References | 12.5-1 |
| 13.0 | CONDUCT OF OPERATIONS..... | 13.1-1 |
| 13.1 | Organizational Structure of Applicant | 13.1-1 |
| 13.2 | Training | 13.2-1 |
| 13.3 | Emergency Planning | 13.3-1 |
| 13.4 | Operational Program Implementation | 13.4-1 |
| 13.5 | Plant Procedures..... | 13.5-1 |
| 13.5.1 | Administrative Procedures | 13.5-1 |
| 13.5.2 | Operating and Maintenance Procedures | 13.5-1 |
| 13.6 | Security | 13.6-1 |
| 13.6.1 | Protected Area and Vital Areas | 13.6-1 |
| 13.6.2 | Security Power System | 13.6-2 |
| 13.6.3 | Security Detection, Surveillance and Lighting | 13.6-3 |
| 13.6.4 | Security Alarm System..... | 13.6-3 |
| 13.6.5 | Security Communications System..... | 13.6-4 |
| 13.6.6 | Security Access Control System | 13.6-4 |
| 13.7 | Fitness for Duty | 13.7-1 |
| 13.8 | References | 13.8-1 |
| 14.0 | VERIFICATION PROGRAMS..... | 14.1-1 |
| 14.1 | Specific Information to be addressed for the Initial Plant Test Program..... | 14.1-1 |
| 14.2 | 71Initial Plant Test Program | 14.2-1 |
| 14.2.1 | Summary of Test Program and Objectives | 14.2-1 |
| 14.2.2 | Organization and Staffing..... | 14.2-8 |
| 14.2.3 | Test Procedures | 14.2-8 |
| 14.2.4 | Conduct of Test Program | 14.2-11 |
| 14.2.5 | Review, Evaluation, and Approval of Test Results..... | 14.2-12 |
| 14.2.6 | Test Records | 14.2-12 |
| 14.2.7 | Conformance of Test Programs with Regulatory Guides... | 14.2-12 |
| 14.2.8 | Utilization of Reactor Operating and Testing Experience in Development of Initial Test Program | 14.2-13 |
| 14.2.9 | Trial Use of Plant Operating and Emergency Procedures . | 14.2-15 |
| 14.2.10 | Initial Fuel Loading and Initial Criticality | 14.2-16 |
| 14.2.11 | Test Program Schedule | 14.2-20 |

| | | |
|---------|---|----------|
| 14.2.12 | Individual Test Descriptions | 14.2-21 |
| 14.2.13 | References | 14.2-389 |
| 14.3 | Inspections, Tests, Analyses, and Acceptance Criteria | 14.3-1 |
| 14.3.1 | Tier 1, Chapter 1, Introduction | 14.3-3 |
| 14.3.2 | Tier 1, Chapter 2, System Based Design Descriptions and ITAAC..... | 14.3-3 |
| 14.3.3 | Tier 1, Chapter 3, Non-System Based Design Descriptions and ITAAC | 14.3-9 |
| 14.3.4 | Tier 1, Chapter 4, Interface Requirements | 14.3-9 |
| 14.3.5 | Tier 1, Chapter 5, Site Parameters | 14.3-9 |
| 14.3.6 | Design Acceptance Criteria..... | 14.3-9 |
| 14.3.7 | References | 14.3-12 |
| 15.0 | TRANSIENT AND ACCIDENT ANALYSES..... | 15.0-1 |
| 15.0.1 | Radiological Consequence Analysis | 15.0-16 |
| 15.0.2 | Computer Codes Used in Analysis..... | 15.0-16 |
| 15.0.3 | Radiological Consequences of Design Basis Accidents | 15.0-17 |
| 15.0.4 | Plant Cooldown | 15.0-42 |
| 15.0.5 | Compliance with Section C.I.15, “Transient and Accident Analyses,” of Regulatory Guide 1.206 | 15.0-42 |
| 15.0.6 | References | 15.0-42 |
| 15.1 | Increase in Heat Removal by the Secondary System | 15.1-1 |
| 15.1.1 | Decrease in Feedwater Temperature..... | 15.1-1 |
| 15.1.2 | Increase in Feedwater Flow | 15.1-6 |
| 15.1.3 | Increase in Steam Flow..... | 15.1-11 |
| 15.1.4 | Inadvertent Opening of a Steam Generator Relief or Safety Valve 15.1-15 | |
| 15.1.5 | Steam System Piping Failures Inside and Outside of Containment (PWR) | 15.1-21 |
| 15.1.6 | References | 15.1-26 |
| 15.2 | Decrease in Heat Removal by the Secondary System | 15.2-1 |
| 15.2.1 | Loss of External Load | 15.2-1 |
| 15.2.2 | Turbine Trip | 15.2-3 |
| 15.2.3 | Loss of Condenser Vacuum | 15.2-8 |
| 15.2.4 | Inadvertent Main Steam Isolation Valve Closure | 15.2-8 |
| 15.2.5 | Steam Pressure Regulator Failure | 15.2-14 |

| | | |
|---------|--|---------|
| 15.2.6 | Loss of Non-Emergency AC Power to the Station Auxiliaries | 15.2-15 |
| 15.2.7 | Loss of Normal Feedwater Flow..... | 15.2-16 |
| 15.2.8 | Feedwater Line Breaks Inside and Outside Containment .. | 15.2-22 |
| 15.2.9 | References | 15.2-30 |
| 15.3 | Decrease in Reactor Coolant System Flow Rate | 15.3-1 |
| 15.3.1 | Partial Loss of Forced Reactor Coolant Flow..... | 15.3-1 |
| 15.3.2 | Complete Loss of Forced Reactor Coolant Flow..... | 15.3-6 |
| 15.3.3 | Reactor Coolant Pump Rotor Seizure | 15.3-10 |
| 15.3.4 | Reactor Coolant Pump Shaft Break | 15.3-14 |
| 15.3.5 | References | 15.3-14 |
| 15.4 | Reactivity and Power Distribution Anomalies..... | 15.4-1 |
| 15.4.1 | Uncontrolled Control Rod Assembly Withdrawal from a Subcritical or Low-Power Startup Condition | 15.4-1 |
| 15.4.2 | Uncontrolled Control Rod Assembly Withdrawal at Power .. | 15.4-6 |
| 15.4.3 | Control Rod Misoperation (System Malfunction or Operator Error) 15.4-10 | |
| 15.4.4 | Startup of an Inactive Reactor Coolant Pump at an Incorrect Temperature..... | 15.4-16 |
| 15.4.5 | Flow Controller Malfunction Causing an Increase in BWR Core Flow Rate | 15.4-20 |
| 15.4.6 | Chemical and Volume Control System Malfunction that Results in a Decrease in the Boron Concentration in the Reactor Coolant 15.4-20 | |
| 15.4.7 | Inadvertent Loading and Operation of a Fuel Assembly in an Improper Position | 15.4-31 |
| 15.4.8 | Spectrum of Rod Ejection Accidents in a PWR..... | 15.4-34 |
| 15.4.9 | Spectrum of Rod Drop Accidents (BWR) | 15.4-40 |
| 15.4.10 | References | 15.4-40 |
| 15.5 | Increase in Reactor Coolant Inventory | 15.5-1 |
| 15.5.1 | Inadvertent Operation of ECCS or EBS | 15.5-1 |
| 15.5.2 | Chemical and Volume Control System Malfunction that Increases Reactor Coolant Inventory | 15.5-6 |
| 15.5.3 | References | 15.5-11 |
| 15.6 | Decrease in Reactor Coolant Inventory Events | 15.6-1 |
| 15.6.1 | Inadvertent Opening of a Pressurizer Safety Relief Valve ... | 15.6-1 |
| 15.6.2 | Radiological Consequences of the Failure of Small Lines Carrying Primary Coolant Outside Containment..... | 15.6-7 |

| | | |
|--------|--|---------|
| 15.6.3 | Steam Generator Tube Failure (PWR)..... | 15.6-7 |
| 15.6.4 | Radiological Consequences of Main Steam Line Failure Outside Containment (BWR)..... | 15.6-18 |
| 15.6.5 | Loss of Coolant Accidents Resulting from Spectrum of Postulated Piping Breaks Within the Reactor Coolant Pressure Boundary | 15.6-18 |
| 15.6.6 | References | 15.6-43 |
| 15.7 | Radioactive Release from a Subsystem or Component..... | 15.7-1 |
| 15.7.1 | Radioactive Gas Waste System Leak or Failure..... | 15.7-1 |
| 15.7.2 | Radioactive Liquid Waste System Leak or Failure..... | 15.7-1 |
| 15.7.3 | Postulated Radioactive Releases due to Liquid-Containing Tank Failures | 15.7-1 |
| 15.7.4 | Radiological Consequences of Fuel Handling Accidents..... | 15.7-1 |
| 15.7.5 | Spent Fuel Cask Drop Accidents | 15.7-1 |
| 15.8 | Anticipated Transients Without Scram | 15.8-1 |
| 15.8.1 | General Background | 15.8-1 |
| 15.8.2 | Anticipated Transients Without Scram | 15.8-4 |
| 15.8.3 | Conclusion | 15.8-8 |
| 15.8.4 | References | 15.8-8 |
| 15.9 | Boiling Water Reactor Stability..... | 15.9-1 |
| 15.10 | Spent Fuel Pool Criticality and Boron Dilution Analysis | 15.10-1 |

16.0 TECHNICAL SPECIFICATIONS

| | | |
|-----|--|-------|
| 1.0 | USE AND APPLICATION | |
| 1.1 | Definitions | 1.1-1 |
| 1.2 | Logical Connectors | 1.2-1 |
| 1.3 | Completion Times | 1.3-1 |
| 1.4 | Frequency | 1.4-1 |
| 2.0 | SAFETY LIMITS (SLs) | |
| 2.1 | SLs | 2.0-1 |
| 2.2 | SL Violations | 2.0-1 |
| 3.0 | LIMITING CONDITION FOR OPERATION (LCO) APPLICABILITY.... | 3.0-1 |
| 3.0 | SURVEILLANCE REQUIREMENT (SR) APPLICABILITY..... | 3.0-4 |
| 3.1 | REACTIVITY CONTROL SYSTEMS | |
| 3.2 | POWER DISTRIBUTION LIMITS | |
| 3.3 | INSTRUMENTATION | |

| | | |
|-------|--|----------|
| 3.4 | REACTOR COOLANT SYSTEM (RCS) | |
| 3.5 | EMERGENCY CORE COOLING SYSTEMS (ECCS) | |
| 3.6 | CONTAINMENT SYSTEMS | |
| 3.7 | PLANT SYSTEMS | |
| 3.8 | ELECTRICAL POWER SYSTEMS | |
| 3.9 | REFUELING OPERATIONS | |
| 4.0 | DESIGN FEATURES | |
| 4.1 | Site Location | 4.0-1 |
| 4.2 | Reactor Core | 4.0-1 |
| 4.3 | Fuel Storage..... | 4.0-1 |
| 5.0 | ADMINISTRATIVE CONTROLS | |
| 5.1 | Responsibility | 5.1-1 |
| 5.2 | Organization | 5.2-1 |
| 5.3 | Unit Staff Qualifications | 5.3-1 |
| 5.4 | Procedures | 5.4-1 |
| 5.5 | Programs and Manuals | 5.5-1 |
| 5.6 | Reporting Requirements | 5.6-1 |
| 5.7 | High Radiation Area | 5.7-1 |
| B 2.0 | SAFETY LIMITS (SLs) | |
| B 3.0 | LIMITING CONDITION FOR OPERATION (LCO) | |
| | APPLICABILITY | B 3.0-1 |
| B 3.0 | SURVEILLANCE REQUIREMENT (SR) APPLICABILITY | B 3.0-12 |
| B 3.1 | REACTIVITY CONTROL SYSTEMS | |
| B 3.2 | POWER DISTRIBUTION LIMITS | |
| B 3.3 | INSTRUMENTATION | |
| B 3.4 | REACTOR COOLANT SYSTEM (RCS) | |
| B 3.5 | EMERGENCY CORE COOLING SYSTEMS (ECCS) | |
| B 3.6 | CONTAINMENT SYSTEMS | |
| B 3.7 | PLANT SYSTEMS | |
| B 3.8 | ELECTRICAL POWER SYSTEMS | |
| B 3.9 | REFUELING OPERATIONS | |
| 17.0 | QUALITY ASSURANCE AND RELIABILITY ASSURANCE | 17.1-1 |
| 17.1 | Quality Assurance During Design | 17.1-1 |
| 17.2 | Quality Assurance During the Operations Phase..... | 17.2-1 |

| | | |
|--------|--|--------|
| 17.3 | Quality Assurance Program Description | 17.3-1 |
| 17.4 | Reliability Assurance Program | 17.4-1 |
| 17.4.1 | Reliability Assurance Program Scope, Stages, and Goals .. | 17.4-1 |
| 17.4.2 | Reliability Assurance Program Implementation..... | 17.4-2 |
| 17.4.3 | Organization, Design Control, Procedures and Instructions, Corrective Actions, and Audit Plans | 17.4-6 |
| 17.4.4 | Reliability Assurance Program Information Needed in a COL Application..... | 17.4-7 |
| 17.4.5 | References | 17.4-7 |
| 17.5 | Quality Assurance Program Description | 17.5-1 |
| 17.5.1 | QA Program Responsibilities | 17.5-1 |
| 17.5.2 | SRP Section 17.5 and the QA Program Description | 17.5-1 |
| 17.5.3 | Evaluation of the QAPD Against the SRP and QAPD Submittal Guidance..... | 17.5-2 |
| 17.5.4 | References | 17.5-2 |
| 17.6 | Description of Applicant's Program for Implementation of 10 CFR 50.65, the Maintenance Rule | 17.6-1 |
| 17.6.1 | Scoping per 10 CFR 50.65(b) | 17.6-1 |
| 17.6.2 | Monitoring per 10 CFR 50.65(a) | 17.6-1 |
| 17.6.3 | Periodic Evaluation per 10 CFR 50.65(a)(3) | 17.6-1 |
| 17.6.4 | Risk Assessment and Management per 10 CFR 50.65(a)(4) | 17.6-1 |
| 17.6.5 | Maintenance Rule Training and Qualification..... | 17.6-1 |
| 17.6.6 | Maintenance Rule Program Role in Implementation of Reliability Assurance Program (RAP) in the Operations Phase | 17.6-2 |
| 17.6.7 | Maintenance Rule Program Relationship with Industry Operating Experience Activities | 17.6-2 |
| 17.6.8 | Maintenance Rule Program Implementation | 17.6-2 |
| 18.0 | HUMAN FACTORS ENGINEERING..... | 18.1-1 |
| 18.1 | Human Factors Engineering Program Management..... | 18.1-1 |
| 18.1.1 | Human Factors Engineering Program Goals, Assumptions and Constraints, and Scope | 18.1-1 |
| 18.1.2 | Human Factors Engineering and Control Room Design Team Organization..... | 18.1-3 |
| 18.1.3 | Human Factors Engineering Processes and Procedures | 18.1-3 |
| 18.1.4 | Human Factors Engineering Issues Tracking | 18.1-5 |

| | | |
|--------|--|---------|
| 18.1.5 | Technical Program | 18.1-6 |
| 18.1.6 | References | 18.1-7 |
| 18.2 | Operating Experience Review | 18.2-1 |
| 18.2.1 | Objectives and Scope | 18.2-1 |
| 18.2.2 | Methodology | 18.2-1 |
| 18.2.3 | Evaluation of Results | 18.2-2 |
| 18.2.4 | References | 18.2-2 |
| 18.3 | Functional Requirements Analysis and Functional Allocation | 18.3-1 |
| 18.3.1 | Objectives and Scope | 18.3-1 |
| 18.3.2 | Functional Requirement Analysis Methodology and Results Summary | 18.3-1 |
| 18.3.3 | Functional Allocation Methodology and Results Summary | 18.3-3 |
| 18.3.4 | Changes to Functional Analysis or Allocation | 18.3-4 |
| 18.3.5 | References | 18.3-4 |
| 18.4 | Task Analysis | 18.4-1 |
| 18.4.1 | Task Analysis Objectives and Scope | 18.4-1 |
| 18.4.2 | Task Analysis Methodology | 18.4-1 |
| 18.4.3 | Results Summary | 18.4-2 |
| 18.4.4 | References | 18.4-3 |
| 18.5 | Staffing and Qualifications | 18.5-1 |
| 18.5.1 | Objectives and Scope of Analysis | 18.5-1 |
| 18.5.2 | Staffing and Qualifications Analysis Methodology | 18.5-2 |
| 18.5.3 | Results | 18.5-2 |
| 18.5.4 | References | 18.5-2 |
| 18.6 | Human Reliability Analysis | 18.6-1 |
| 18.6.1 | Objectives and Scope of HRA / HFE Integration | 18.6-1 |
| 18.6.2 | Methodology | 18.6-1 |
| 18.6.3 | Results | 18.6-2 |
| 18.6.4 | References | 18.6-3 |
| 18.7 | Human System Interface Design | 18.7-1 |
| 18.7.1 | Human System Interface Design Inputs | 18.7-1 |
| 18.7.2 | Concept of Operations | 18.7-10 |
| 18.7.3 | Functional Requirements Specification | 18.7-13 |
| 18.7.4 | HSI Concept Design | 18.7-13 |
| 18.7.5 | Guidance for Local Control Station Design | 18.7-16 |

| | | |
|---------|---|----------|
| 18.7.6 | HSI Detailed Design and Integration | 18.7-18 |
| 18.7.7 | HSI Verification and Validation (Tests and Evaluations).... | 18.7-21 |
| 18.7.8 | HSI Design Results and Documentation | 18.7-22 |
| 18.7.9 | References | 18.7-22 |
| 18.8 | Procedure Development..... | 18.8-1 |
| 18.9 | Training Program Development | 18.9-1 |
| 18.10 | Verification and Validation..... | 18.10-1 |
| 18.10.1 | Objectives | 18.10-1 |
| 18.10.2 | Scope | 18.10-1 |
| 18.10.3 | Methodology..... | 18.10-2 |
| 18.10.4 | References | 18.10-18 |
| 18.11 | Design Implementation..... | 18.11-1 |
| 18.11.1 | Objectives and Scope | 18.11-1 |
| 18.11.2 | Methodology..... | 18.11-1 |
| 18.11.3 | Verification that HFE Issues Tracking Database Items Have Been Addressed | 18.11-2 |
| 18.11.4 | Results Summary | 18.11-3 |
| 18.11.5 | References | 18.11-3 |
| 18.12 | Human Performance Monitoring | 18.12-1 |
| 18.12.1 | Objectives and Scope | 18.12-1 |
| 18.12.2 | Methodology..... | 18.12-2 |
| 18.12.3 | Results Summary | 18.12-5 |
| 18.12.4 | References | 18.12-5 |
| 19.0 | PROBABILISTIC RISK ASSESSMENT AND SEVERE ACCIDENT EVALUATION | 19.0-1 |
| 19.0.1 | NRC Regulatory Requirements and Related Policies | 19.0-1 |
| 19.0.2 | Uses of PRA and Severe Accident Evaluations | 19.0-2 |
| 19.0.3 | Structure of Chapter 19 | 19.0-3 |
| 19.0.4 | References | 19.0-4 |
| 19.1 | Probabilistic Risk Assessment | 19.1-1 |
| 19.1.1 | Uses and Applications of the PRA | 19.1-1 |
| 19.1.2 | Quality of PRA..... | 19.1-2 |
| 19.1.3 | Special Design/Operational Features | 19.1-10 |
| 19.1.4 | Safety Insights from the Internal Events PRA for Operations at Power | 19.1-15 |

| | | |
|--------|--|----------|
| 19.1.5 | Safety Insights from the External Events PRA for Operations at Power | 19.1-114 |
| 19.1.6 | Safety Insights from the PRA for Other Modes of Operation | 19.1-181 |
| 19.1.7 | PRA-Related Input to Other Programs and Processes | 19.1-217 |
| 19.1.8 | Conclusions and Findings | 19.1-218 |
| 19.1.9 | References | 19.1-221 |
| 19.2 | Severe Accident Evaluations..... | 19.2-1 |
| 19.2.1 | Introduction | 19.2-1 |
| 19.2.2 | Severe Accident Prevention | 19.2-1 |
| 19.2.3 | Severe Accident Mitigation..... | 19.2-5 |
| 19.2.4 | Containment Performance Capability..... | 19.2-24 |
| 19.2.5 | Accident Management | 19.2-56 |
| 19.2.6 | Consideration of Potential Design Improvements under 10 CFR 50.34(f) | 19.2-60 |
| 19.2.7 | Beyond Design Basis Large Commercial Aircraft Impact Assessment | 19.2-64 |
| 19.2.8 | Beyond Design Basis Extended Loss of AC Power Assessment..... | 19.2-72 |
| 19.2.9 | References | 19.2-72 |
| 19.3 | Open, Confirmatory, and COL Action Items Identified as Unresolved | 19.3-1 |
| 19.3.1 | Resolution of Open Items..... | 19.3-1 |
| 19.3.2 | Resolution of Confirmatory Items | 19.3-1 |
| 19.3.3 | Resolution of COL Action Items | 19.3-1 |
| 19A | Event Trees for Core Damage Sequences Initiated During Power Operation | 19A-1 |
| 19B | Event Trees for Core Damage Sequences Initiated During Low Power Operation..... | 19B-1 |
| 19C | Containment Event Trees (CET) for Containment Performance Sequences Initiated During Power Operation | 19C-1 |