

CHAPTER 16—TECHNICAL SPECIFICATIONS TABLE OF CONTENTS

16.0 TECHNICAL SPECIFICATIONS

1.0	USE AND APPLICATION	
1.1	Definitions.....	1.1-1
1.2	Logical Connectors.....	1.2-1
1.3	Completion Times.....	1.3-1
1.4	Frequency.....	1.4-1
2.0	SAFETY LIMITS (SLs)	
2.1	SLs	2.0-1
2.2	SL Violations.....	2.0-1
3.0	LIMITING CONDITION FOR OPERATION (LCO) APPLICABILITY	3.0-1
3.0	SURVEILLANCE REQUIREMENT (SR) APPLICABILITY	3.0-4
3.1	REACTIVITY CONTROL SYSTEMS	
3.1.1	SHUTDOWN MARGIN (SDM)	3.1.1-1
3.1.2	Core Reactivity	3.1.2-1
3.1.3	Moderator Temperature Coefficient (MTC)	3.1.3-1
3.1.4	Rod Cluster Control Assembly (RCCA) Group Alignment Limits	3.1.4-1
3.1.5	Shutdown Bank Insertion Limits	3.1.5-1
3.1.6	Control Bank Insertion Limits	3.1.6-1
3.1.7	Rod Cluster Control Assembly (RCCA) Position Indication	3.1.7-1
3.1.8	Anti-Dilution Mitigation (ADM)	3.1.8-1
3.1.9	PHYSICS TESTS Exceptions - MODE 2	3.1.9-1
3.2	POWER DISTRIBUTION LIMITS	
3.2.1	Linear Power Density (LPD).....	3.2.1-1
3.2.2	Nuclear Enthalpy Rise Hot Channel Factor ($F_{\Delta H}^N$)...	3.2.2-1
3.2.3	Departure From Nucleate Boiling Ratio (DNBR)....	3.2.3-1
3.2.4	AXIAL OFFSET (AO)	3.2.4-1
3.2.5	AZIMUTHAL POWER IMBALANCE (AZI).....	3.2.5-1

3.3	INSTRUMENTATION	
3.3.1	Reactor Trip Instrumentation.....	3.3.1-1
3.3.2	Engineered Safety Feature Actuation System (ESFAS) Instrumentation	3.3.2-1
3.3.3	Permissive Instrumentation	3.3.3-1
3.3.4	Containment Isolation Instrumentation.....	3.3.4-1
3.3.5	Chemical and Volume Control System (CVCS) Isolation Instrumentation	3.3.5-1
3.3.6	Reactor Coolant Pump (RCP) Trip Instrumentation.....	3.3.6-1
3.3.7	Control Room Emergency Filtration (CREF) Instrumentation.....	3.3.7-1
3.3.8	Emergency Diesel Generator (EDG) Actuation Instrumentation.....	3.3.8-1
3.3.9	Engineered Safety Feature (ESF) Control Instrumentation.....	3.3.9-1
3.3.10	Essential Auxiliary Support (EAS) Control Instrumentation.....	3.3.10-1
3.3.11	Post Accident Monitoring (PAM) Instrumentation.....	3.3.11-1
3.3.12	Remote Shutdown Station (RSS).....	3.3.12-1
3.3.13	Diverse Actuation Instrumentation	3.3.13-1
3.3.14	Self-Powered Neutron Detectors (SPNDs)	3.3.14-1
3.4	REACTOR COOLANT SYSTEM (RCS)	
3.4.1	RCS Pressure, Temperature, and Flow Departure from Nucleate Boiling (DNB) Limits.....	3.4.1-1
3.4.2	RCS Minimum Temperature for Criticality.....	3.4.2-1
3.4.3	RCS Pressure and Temperature (P/T) Limits	3.4.3-1
3.4.4	RCS Loops - MODES 1 and 2.....	3.4.4-1
3.4.5	RCS Loops - MODE 3.....	3.4.5-1
3.4.6	RCS Loops - MODE 4.....	3.4.6-1
3.4.7	RCS Loops - MODE 5, Loops Filled.....	3.4.7-1
3.4.8	RCS Loops - MODE 5, Loops Not Filled	3.4.8-1
3.4.9	Pressurizer	3.4.9-1
3.4.10	Pressurizer Safety Relief Valves	3.4.10-1

3.4.11	Low Temperature Overpressure Protection (LTOP).....	3.4.11-1
3.4.12	RCS Operational LEAKAGE	3.4.12-1
3.4.13	RCS Pressure Isolation Valve (PIV) Leakage	3.4.13-1
3.4.14	RCS Leakage Detection Instrumentation	3.4.14-1
3.4.15	RCS Specific Activity	3.4.15-1
3.4.16	Steam Generator (SG) Tube Integrity	3.4.16-1
3.4.17	RCS Loops - Test Exceptions	3.4.17-1
3.5	EMERGENCY CORE COOLING SYSTEMS (ECCS)	
3.5.1	Accumulators.....	3.5.1-1
3.5.2	ECCS - Operating	3.5.2-1
3.5.3	ECCS - Shutdown, MODE 4	3.5.3-1
3.5.4	In-Containment Refueling Water Storage Tank (IRWST) - Operating	3.5.4-1
3.5.5	Extra Borating System (EBS).....	3.5.5-1
3.5.6	In-Containment Refueling Water Storage Tank (IRWST) - Shutdown, MODE 5	3.5.6-1
3.5.7	In-Containment Refueling Water Storage Tank (IRWST) - Shutdown, MODE 6	3.5.7-1
3.5.8	ECCS - Shutdown, MODES 5 and 6	3.5.8-1
3.6	CONTAINMENT SYSTEMS	
3.6.1	Containment.....	3.6.1-1
3.6.2	Containment Air Locks	3.6.2-1
3.6.3	Containment Isolation Valves.....	3.6.3-1
3.6.4	Containment Pressure.....	3.6.4-1
3.6.5	Containment Air Temperature	3.6.5-1
3.6.6	Shield Building.....	3.6.6-1
3.6.7	Annulus Ventilation System (AVS).....	3.6.7-1
3.6.8	pH Adjustment.....	3.6.8-1
3.6.9	CONVECT System.....	3.6.9-1
3.6.10	Reactor Containment Building (RCB) Compartment Doors	3.6.10-1
3.7	PLANT SYSTEMS	
3.7.1	Main Steam Safety Valves (MSSVs).....	3.7.1-1

3.7.2	Main Steam Isolation Valves (MSIVs).....	3.7.2-1
3.7.3	Main Feedwater (MFW) Valves.....	3.7.3-1
3.7.4	Main Steam Relief Trains (MSRTs).....	3.7.4-1
3.7.5	Emergency Feedwater (EFW) System.....	3.7.5-1
3.7.6	Emergency Feedwater (EFW) Storage Pools	3.7.6-1
3.7.7	Component Cooling Water (CCW) System	3.7.7-1
3.7.8	Essential Service Water (ESW) System.....	3.7.8-1
3.7.9	Safety Chilled Water (SCW) System.....	3.7.9-1
3.7.10	Control Room Emergency Filtration (CREF).....	3.7.10-1
3.7.11	Control Room Air Conditioning System (CRACS)	3.7.11-1
3.7.12	Safeguard Building Controlled Area Ventilation System (SBVS)	3.7.12-1
3.7.13	Safeguard Building Ventilation System Electrical Division (SBVSED).....	3.7.13-1
3.7.14	Spent Fuel Pool Water Level.....	3.7.14-1
3.7.15	Spent Fuel Pool Boron Concentration and Enrichment	3.7.15-1
3.7.16	Spent Fuel Storage	3.7.16-1
3.7.17	Secondary Specific Activity	3.7.17-1
3.7.18	Main Steam Line Leakage.....	3.7.18-1
3.7.19	Ultimate Heat Sink (UHS).....	3.7.19-1
3.7.20	Main Steam Line Leakage Detection Instrumentation.....	3.7.20-1
3.7.21	Containment Low Flow Purge Subsystem (CLFPS)	3.7.21-1
3.7.22	Steam Generator (SG) Blowdown Transfer Valves.....	3.7.22-1
3.7.23	Spent Fuel Cask Transfer Facility (SFCTF) Barriers.....	3.7.23-1
3.8	ELECTRICAL POWER SYSTEMS	
3.8.1	AC Sources - Operating	3.8.1-1
3.8.2	AC Sources - Shutdown	3.8.2-1
3.8.3	Diesel Fuel Oil, Lubricating Oil, and Starting Air	3.8.3-1
3.8.4	DC Sources - Operating	3.8.4-1



- 3.8.5 DC Sources - Shutdown..... 3.8.5-1
- 3.8.6 Battery Parameters 3.8.6-1
- 3.8.7 Inverters - Operating 3.8.7-1
- 3.8.8 Inverters - Shutdown 3.8.8-1
- 3.8.9 Distribution Systems - Operating..... 3.8.9-1
- 3.8.10 Distribution Systems - Shutdown 3.8.10-1
- 3.9 REFUELING OPERATIONS
 - 3.9.1 Boron Concentration 3.9.1-1
 - 3.9.2 Nuclear Instrumentation 3.9.2-1
 - 3.9.3 Decay Time 3.9.3-1
 - 3.9.4 Residual Heat Removal (RHR) Loops - High Water Level 3.9.4-1
 - 3.9.5 Residual Heat Removal (RHR) Loops - Low Water Level 3.9.5-1
 - 3.9.6 Refueling Cavity Water Level..... 3.9.6-1
 - 3.9.7 Containment Penetrations..... 3.9.7-1
- 4.0 DESIGN FEATURES
 - 4.1 Site Location..... 4.0-1
 - 4.2 Reactor Core 4.0-1
 - 4.3 Fuel Storage 4.0-1
- 5.0 ADMINISTRATIVE CONTROLS
 - 5.1 Responsibility 5.1-1
 - 5.2 Organization 5.2-1
 - 5.3 Unit Staff Qualifications 5.3-1
 - 5.4 Procedures 5.4-1
 - 5.5 Programs and Manuals 5.5-1
 - 5.6 Reporting Requirements..... 5.6-1
 - 5.7 High Radiation Area 5.7-1
- B 2.0 SAFETY LIMITS (SLs)
 - B 2.1.1 Reactor Core SL B 2.1.1-1
 - B 2.1.2 Reactor Coolant System (RCS) Pressure SL B 2.1.2-1
- B 3.0 LIMITING CONDITION FOR OPERATION (LCO) APPLICABILITY B 3.0-1
- B 3.0 SURVEILLANCE REQUIREMENT (SR) APPLICABILITY B 3.0-12
- B 3.1 REACTIVITY CONTROL SYSTEMS

B 3.1.1	SHUTDOWN MARGIN (SDM)	B 3.1.1-1
B 3.1.2	Core Reactivity.....	B 3.1.2-1
B 3.1.3	Moderator Temperature Coefficient (MTC).....	B 3.1.3-1
B 3.1.4	Rod Cluster Control Assembly (RCCA) Group Alignment Limits.....	B 3.1.4-1
B 3.1.5	Shutdown Bank Insertion Limits.....	B 3.1.5-1
B 3.1.6	Control Bank Insertion Limits	B 3.1.6-1
B 3.1.7	Rod Cluster Control Assembly (RCCA) Position Indication.....	B 3.1.7-1
B 3.1.8	Anti-Dilution Mitigation (ADM).....	B 3.1.8-1
B 3.1.9	PHYSICS TESTS Exceptions - MODE 2	B 3.1.9-1
B 3.2	POWER DISTRIBUTION LIMITS	
B 3.2.1	Linear Power Density (LPD).....	B 3.2.1-1
B 3.2.2	Nuclear Enthalpy Rise Hot Channel Factor ($F_{\Delta H}^N$)	B 3.2.2-1
B 3.2.3	Departure From Nucleate Boiling Ratio (DNBR).....	B 3.2.3-1
B 3.2.4	AXIAL OFFSET (AO)	B 3.2.4-1
B 3.2.5	AZIMUTHAL POWER IMBALANCE (AZI)	B 3.2.5-1
B 3.3	INSTRUMENTATION	
B 3.3.1	Reactor Trip Instrumentation.....	B 3.3.1-1
B 3.3.2	Engineered Safety Feature Actuation System (ESFAS) Instrumentation	B 3.3.2-1
B 3.3.3	Permissive Instrumentation.....	B 3.3.3-1
B 3.3.4	Containment Isolation Instrumentation.....	B 3.3.4-1
B 3.3.5	Chemical and Volume Control System (CVCS) Isolation Instrumentation.....	B 3.3.5-1
B 3.3.6	Reactor Coolant Pump (RCP) Trip Instrumentation.....	B 3.3.6-1
B 3.3.7	Control Room Emergency Filtration (CREF) Instrumentation	B 3.3.7-1
B 3.3.8	Emergency Diesel Generator (EDG) Actuation Instrumentation	B 3.3.8-1
B 3.3.9	Engineered Safety Feature (ESF) Control Instrumentation	B 3.3.9-1
B 3.3.10	Essential Auxiliary Support (EAS) Control Instrumentation	B 3.3.10-1
B 3.3.11	Post Accident Monitoring (PAM) Instrumentation	B 3.3.11-1
B 3.3.12	Remote Shutdown Station (RSS).....	B 3.3.12-1
B 3.3.13	Diverse Actuation Instrumentation	B 3.3.13-1

B 3.3.14	Self-Powered Neutron Detectors (SPNDs)	B 3.3.14-1
B 3.4	REACTOR COOLANT SYSTEM (RCS)	
B 3.4.1	RCS Pressure, Temperature, and Flow Departure from Nucleate Boiling (DNB) Limits.....	B 3.4.1-1
B 3.4.2	RCS Minimum Temperature for Criticality.....	B 3.4.2-1
B 3.4.3	RCS Pressure and Temperature (P/T) Limits	B 3.4.3-1
B 3.4.4	RCS Loops - MODES 1 and 2	B 3.4.4-1
B 3.4.5	RCS Loops - MODE 3.....	B 3.4.5-1
B 3.4.6	RCS Loops - MODE 4.....	B 3.4.6-1
B 3.4.7	RCS Loops - MODE 5, Loops Filled	B 3.4.7-1
B 3.4.8	RCS Loops - MODE 5, Loops Not Filled.....	B 3.4.8-1
B 3.4.9	Pressurizer	B 3.4.9-1
B 3.4.10	Pressurizer Safety Relief Valves (PSRVs).....	B 3.4.10-1
B 3.4.11	Low Temperature Overpressure Protection (LTOP)	B 3.4.11-1
B 3.4.12	RCS Operational LEAKAGE	B 3.4.12-1
B 3.4.13	RCS Pressure Isolation Valve (PIV) Leakage.....	B 3.4.13-1
B 3.4.14	RCS Leakage Detection Instrumentation.....	B 3.4.14-1
B 3.4.15	RCS Specific Activity.....	B 3.4.15-1
B 3.4.16	Steam Generator (SG) Tube Integrity.....	B 3.4.16-1
B 3.4.17	RCS Loops - Test Exceptions	B 3.4.17-1
B 3.5	EMERGENCY CORE COOLING SYSTEMS (ECCS)	
B 3.5.1	Accumulators	B 3.5.1-1
B 3.5.2	ECCS - Operating	B 3.5.2-1
B 3.5.3	ECCS - Shutdown, MODE 4	B 3.5.3-1
B 3.5.4	In-Containment Refueling Water Storage Tank (IRWST) - Operating	B 3.5.4-1
B 3.5.5	Extra Borating System (EBS).....	B 3.5.5-1
B 3.5.6	In-Containment Refueling Water Storage Tank (IRWST) - Shutdown, MODE 5	B 3.5.6-1
B 3.5.7	In-Containment Refueling Water Storage Tank (IRWST) - Shutdown, MODE 6	B 3.5.7-1
B 3.5.8	ECCS - Shutdown, MODES 5 and 6.....	B 3.5.8-1
B 3.6	CONTAINMENT SYSTEMS	
B 3.6.1	Containment.....	B 3.6.1-1
B 3.6.2	Containment Air Locks	B 3.6.2-1
B 3.6.3	Containment Isolation Valves.....	B 3.6.3-1

B 3.6.4	Containment Pressure	B 3.6.4-1
B 3.6.5	Containment Air Temperature.....	B 3.6.5-1
B 3.6.6	Shield Building	B 3.6.6-1
B 3.6.7	Annulus Ventilation System (AVS).....	B 3.6.7-1
B 3.6.8	pH Adjustment.....	B 3.6.8-1
3.6.9	CONVECT System.....	3.6.9-1
3.6.10	Reactor Containment Building (RCB) Compartment Doors.....	3.6.10-1
B 3.7 PLANT SYSTEMS		
B 3.7.1	Main Steam Safety Valves (MSSVs).....	B 3.7.1-1
B 3.7.2	Main Steam Isolation Valves (MSIVs).....	B 3.7.2-1
B 3.7.3	Main Feedwater (MFW) Valves.....	B 3.7.3-1
B 3.7.4	Main Steam Relief Trains (MSRTs)	B 3.7.4-1
B 3.7.5	Emergency Feedwater (EFW) System.....	B 3.7.5-1
B 3.7.6	Emergency Feedwater (EFW) Storage Pools	B 3.7.6-1
B 3.7.7	Component Cooling Water (CCW) System.....	B 3.7.7-1
B 3.7.8	Essential Service Water (ESW) System	B 3.7.8-1
B 3.7.9	Safety Chilled Water (SCW) System.....	B 3.7.9-1
B 3.7.10	Control Room Emergency Filtration (CREF).....	B 3.7.10-1
B 3.7.11	Control Room Air Conditioning System (CRACS).....	B 3.7.11-1
B 3.7.12	Safeguard Building Controlled Area Ventilation System (SBVS)	B 3.7.12-1
B 3.7.13	Safeguard Building Ventilation System Electrical Division (SBVSED).....	B 3.7.13-1
B 3.7.14	Spent Fuel Pool Water Level	B 3.7.14-1
B 3.7.15	Spent Fuel Pool Boron Concentration and Enrichment.....	B 3.7.15-1
B 3.7.16	Spent Fuel Storage	B 3.7.16-1
B 3.7.17	Secondary Specific Activity.....	B 3.7.17-1
B 3.7.18	Main Steam Line Leakage	B 3.7.18-1
B 3.7.19	Ultimate Heat Sink (UHS)	B 3.7.19-1
B 3.7.20	Main Steam Line Leakage Detection Instrumentation	B 3.7.20-1
B 3.7.21	Containment Low Flow Purge Subsystem (CLFPS)	B 3.7.21-1
B 3.7.22	Steam Generator (SG) Blowdown Transfer Valves	B 3.7.22-1
B 3.7.23	Spent Fuel Cask Transfer Facility (SFCTF) Barriers ...	B 3.7.23-1
B 3.8 ELECTRICAL POWER SYSTEMS		



B 3.8.1	AC Sources - Operating	B 3.8.1-1
B 3.8.2	AC Sources - Shutdown.....	B 3.8.2-1
B 3.8.3	Diesel Fuel Oil, Lubricating Oil, and Starting Air	B 3.8.3-1
B 3.8.4	DC Sources - Operating.....	B 3.8.4-1
B 3.8.5	DC Sources - Shutdown.....	B 3.8.5-1
B 3.8.6	Battery Parameters	B 3.8.6-1
B 3.8.7	Inverters - Operating	B 3.8.7-1
B 3.8.8	Inverters - Shutdown	B 3.8.8-1
B 3.8.9	Distribution Systems - Operating	B 3.8.9-1
B 3.8.10	Distribution Systems - Shutdown	B 3.8.10-1
B 3.9 REFUELING OPERATIONS		
B 3.9.1	Boron Concentration	B 3.9.1-1
B 3.9.2	Nuclear Instrumentation	B 3.9.2-1
B 3.9.3	Decay Time	B 3.9.3-1
B 3.9.4	Residual Heat Removal (RHR) Loops - High Water Level	B 3.9.4-1
B 3.9.5	Residual Heat Removal (RHR) Loops - Low Water Level	B 3.9.5-1
B 3.9.6	Refueling Cavity Water Level.....	B 3.9.6-1
B 3.9.7	Containment Penetrations.....	B 3.9.7-1