

**Basavaraju, Chakrapani**

94

**From:** Guzman, Richard *NRK*  
**Sent:** Wednesday, October 03, 2012 1:39 PM  
**To:** Cheruvenki, Ganesh  
**Cc:** Sheng, Simon; Basavaraju, Chakrapani; Scarbrough, Thomas  
**Subject:** RE: VY steam dryer cracking  
**Attachments:** BVY 12-061 Steam Dryer RAI Response.pdf

Ganesh,

Please see attached – advanced copy of docketed RAI response from Vermont Yankee. I expect it to be in ADAMS within the next couple of days. Let me know if you have everything at this point, to complete your review. As we discussed during our last internal meeting, please coordinate w/Pani, Tom, and Simon to draft up license conditions, as appropriate. I'd like to target 11/5 as the updated EMCB SE due date. Let me know if that works for you.

Thanks,  
Rich

**Rich Guzman**  
**Sr. Project Manager**  
**NRN/DORL/LPL1-1**  
**US NRC**  
**301-415-1030**

---

**From:** Cheruvenki, Ganesh *NRK*  
**Sent:** Tuesday, September 18, 2012 8:56 AM  
**To:** Guzman, Richard; Sheng, Simon; Basavaraju, Chakrapani; Scarbrough, Thomas  
**Subject:** RE: VY steam dryer cracking

Rich—Since Pani and Tom will not be here on 9/20, can we meet next week?

---

**From:** Guzman, Richard  
**Sent:** Monday, September 17, 2012 2:59 PM  
**To:** Cheruvenki, Ganesh; Sheng, Simon; Basavaraju, Chakrapani; Scarbrough, Thomas  
**Subject:** RE: VY steam dryer cracking

All – please see revised draft response from VY and provide your thoughts/comments and whether it adequately addresses the RAI question(s). I'd like to target Wedn a.m. to discuss internally and then have our call w/the licensee. Please update your calendar for wedn as I plan to use the outlook scheduler to check your availabilities.

Thanks,  
Rich

---

**From:** Cheruvenki, Ganesh  
**Sent:** Thursday, September 13, 2012 3:11 PM  
**To:** Sheng, Simon; Basavaraju, Chakrapani; Scarbrough, Thomas; Guzman, Richard  
**Subject:** VY steam dryer cracking

All—I agree with Rich—We will wait for the final submittal and discuss the course of action.

*B/166*