

## IPRenewal NPEmails

---

**From:** Green, Kimberly  
**Sent:** Wednesday, August 21, 2013 2:13 PM  
**To:** Waters, Roger M.  
**Cc:** IPRenewal NPEmails  
**Subject:** RE: Draft Follow-Up RAI on Cathodic Protection

Roger,

Thanks for the response. I will get the formal RAI out to Entergy as soon as I return to the office next week.

Kim

---

**From:** Waters, Roger M. [rwater1@entergy.com]  
**Sent:** Wednesday, August 21, 2013 12:20 PM  
**To:** Green, Kimberly  
**Subject:** RE: Draft Follow-Up RAI on Cathodic Protection

Kim,

Entergy has no comments on the draft RAI.

Roger

**From:** Green, Kimberly [<mailto:Kimberly.Green@nrc.gov>]  
**Sent:** Wednesday, August 14, 2013 4:36 PM  
**To:** Waters, Roger M.  
**Cc:** Holston, William; IPRenewal NPEmails  
**Subject:** Draft Follow-Up RAI on Cathodic Protection

Roger,

As mentioned in the telephone conference call yesterday, the staff has a follow-up RAI regarding your previous response to the RAI on cathodic protection. Attached is the draft RAI. Please review and let me know if Entergy needs to have a phone call for clarification. As a reminder, Bill Holston and I will be out of the office next week on travel, so if a call is needed, we can try to have one this week, or it will have to wait until the week of August 26.

Kim

**Hearing Identifier:** IndianPointUnits2and3NonPublic\_EX  
**Email Number:** 4362

**Mail Envelope Properties** (F5A4366DF596BF458646C9D433EA37D7010D2D021D38)

**Subject:** RE: Draft Follow-Up RAI on Cathodic Protection  
**Sent Date:** 8/21/2013 2:12:52 PM  
**Received Date:** 8/21/2013 2:14:09 PM  
**From:** Green, Kimberly

**Created By:** Kimberly.Green@nrc.gov

**Recipients:**  
"IPRenewal NPEmails" <IPRenewal.NPEmails@nrc.gov>  
Tracking Status: None  
"Waters, Roger M." <rwater1@entergy.com>  
Tracking Status: None

**Post Office:** HQCLSTR01.nrc.gov

<b>Files</b>	<b>Size</b>	<b>Date &amp; Time</b>
MESSAGE	1101	8/21/2013 2:14:09 PM

**Options**  
**Priority:** Standard  
**Return Notification:** No  
**Reply Requested:** No  
**Sensitivity:** Normal  
**Expiration Date:**  
**Recipients Received:**