

July 1, 2013

702032  
(LDS) CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
DEBBIE HOWELL  
MAINTENANCE  
3333 BACKMEYER ROAD  
RICHMOND, IN 47374-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

725346  
3M  
ERIC PICKETT  
MAINTENANCE SUPERVISOR  
5457 W. 79TH STREET  
INDIANAPOLIS, IN 46268-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

652845  
3M COMPANY  
LYLE HAWKINSON  
CURRENT SAFETY OFFICER  
601 SOUTH 22ND AVENUE, P.O. BO  
BROOKINGS, SD 57006-5227

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

725090  
3M COMPANY  
FRED ENTWISTLE  
CURRENT SAFETY OFFICER  
3211 E CHESTNUT EXPWY  
ATTN: JANE ANN VENABLE 1-1-1  
SPRINGFIELD, MO 65802-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726386  
ABERDEEN WWTP  
RICHARD MAYER  
MAINTENANCE  
2695 W 1750 S.  
ABERDEEN, ID 83210-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

722196  
ABLE MANUFACTURING & ASSEMBLY  
BILL CLINTON  
CURRENT SAFETY OFFICER  
1000 SOUTH SCHIFFERDECKER AVE  
PO # 164671  
JOPLIN, MO 64801-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

702808  
ACROFAB, INC.  
DOUG HARMSSEN  
SAFETY DIRECTOR  
130 EAST ROOSEVELT  
PO# 14506  
ZEELAND, MI 49464-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

722200  
ACRYLIC DESIGNS INC.  
TRAVIS PARKER  
SHOP SUPERVISOR  
36 PRECISION DRIVE  
NORTH SPRINGFIELD, VT 05150-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001



July 1, 2013

702668  
ADVANCED INPUT DEVICES  
SHANNON CRAGGETT  
SAFETY OFFICER  
600 W. WILBUR AVE  
COEUR D ALENE, ID 83815-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

700342  
AGILENT TECHNOLOGIES  
DAVID BENNETT  
RSO  
2850 CENTERVILLE  
WILMINGTON, DE 19808-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726349  
AKI BUILDING  
COURTNEY LEWIS  
PROPERTY MANAGER  
1400 EAST BENSON  
ANCHORAGE, AK 99503-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726346  
ALASKA NATIVE CHARTER SCHOOL  
SK SONG  
BUILDING OWNER  
100 MULDOON ROAD  
ANCHORAGE, AK 99507-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726345  
ALASKA WAREHOUSE SPECIALISTS  
CATHY MOSLEY  
OPERATIONS  
12050 INDUSTRY WAY  
BLDG 0, UNIT 2  
ANCHORAGE, AK 99515-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

723294  
ALBEMARLE CORPORATION M-140  
KEN SALOME  
ELECTRICAL MAINTENANCE  
09250 M-140 HIGHWAY  
PO# 9501002989  
SOUTH HAVEN, MI 49090-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

724864  
ALP LIGHTING  
JAMES ENNIS  
PROJECT ENGINEERING MGR  
10163 US 31 NORTH  
CHARLEVOIX, MI 49720-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

651753  
ALYESKA PIPELINE  
BRIAN SEWARD  
CURRENT SAFETY OFFICER  
709 BIDWELL AVENUE  
FAIRBANKS, AK 99701-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001



July 1, 2013

704444  
AMALGAMATED SUGAR CO.  
RUSSELL MORGAN  
RADIATION SAFETY OFFICER  
50 SOUTH 500 WEST  
P O BOX 700  
PAUL, ID 83347-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726404  
AMC THEATERS #2911 - GREAT  
SANDY ASBRIDGE  
MAINTENANCE  
4300 BALDWIN ROAD  
AUBURN HILLS, MI 48326-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

702681  
AMERICOLD LOGISTICS  
3320 SOUTH ARLINGTON  
INDIANAPOLIS, IN 46203-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

723534  
ANADARKO PETROLEUM CORPORATION  
TERI POWELL  
REGULATORY ANALYST  
P.O. BOX 1330  
HOUSTON, TX 77251-1330

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

704030  
APOLLO DESIGN TECH  
JEFF PETERSON OR  
CURRENT SAFETY OFFICER  
4130 FOURIER DRIVE  
FORT WAYNE, IN 46818-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

706466  
APPLIED MATERIALS  
RANDY HELGATH  
MAINTENANCE  
655 W. RESERVE DRIVE  
KALISPELL, MT 59901-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

4298  
ARCELORMITTAL INDIANA HARBOR, INC.  
BEN HUCKINS  
RADIATION SAFETY OFFICER  
3210 WATLING ST  
8-213  
EAST CHICAGO, IN 46312-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

725355  
ARMSTRONG COOK INLET LLC  
JAMES INMAN  
ON SITE OPERATOR  
MILE 8 NORTH FORK RD  
ANCHOR POINT, AK 99556-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001



July 1, 2013

726436  
ARTHUR MURRAY DANCE STUDIO  
ROGER RAGAN  
MAINTENANCE MANAGER  
954 N STREET 135  
GREENWOOD, IN 46142-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726189  
ASIAN STUDIES ACADEMY  
MIKE BARNETT  
MAINTENANCE  
215 SOUTH STREET  
HARTFORD, CT 06114-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726493  
ATC MAGNET SCHOOL  
SHAROL EDENSHAW  
DIRECTOR OF TECH CENTER  
1064 AVENUE  
KOTZEBUE, AK 99752-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726382  
AURA GEMINI OBSERVATORY  
JOHN WHITE  
SR INSTRUMENTATION ENGINEER  
670 NORTH A'OHOKU PLACE  
HILO, HI 96720-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

700132  
AVERY DENNISON  
DIANE HOWARD  
VICE PRESIDENT/GM  
650 WEST 67TH AVENUE  
P.O. BOX EP20735US009  
SCHERERVILLE, IN 46375-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726500  
B & A ENVIRONMENTAL SERVICES  
GREG BONEY  
CEO  
36720 WEST 7 MILE  
DETROIT, MI 48219-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

716207  
BASIC AMERICAN FOODS  
VERN HESS OR  
MAINTENANCE  
415 WEST COLLINS ROAD  
BLACKFOOT, ID 83221-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

711266  
BASIN SCHOOL DISTRICT #72  
JIM ANDERSON  
CURRENT SAFETY OFFICER  
100 CENTERVILLE ROAD  
IDAHO CITY, ID 83631-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001



July 1, 2013

726414  
BELAIR HEATING & COOLING  
BILL GREENE  
MAINTENANCE  
2825 BRECKENRIDGE CT  
SAINT LOUIS, MO 63144-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

715812  
BERGMANN MARINE  
MARK KANTOLA  
PRODUCTION ENGINEER  
05953 LOEB ROAD  
CHARLEVOIX, MI 49720-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726501  
BERRIEN COUNTY HEALTH DEPARTMENT  
KENNETH PRIEST  
ENVIRO SANITARIAN  
2106 SOUTH M-139  
BENTON HARBOR, MI 49022-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726486  
BETHAL LIBRARY  
STEVE HICKS  
MAINTENANCE SUPERVISOR  
1 LIBRARY PLACE  
BETHEL, CT 06801-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

725667  
BISHOP MUSEUM  
LAWRENCE SCHMITT  
MAINTENANCE  
1525 BERNICE STREET  
HONOLULU, HI 96817-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726415  
BI-STATE DEV/METRO  
ROBERT THIELLEMANN  
MAINTENANCE  
565 DE BALIVIERE AVENUE  
SAINT LOUIS, MO 63112-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726453  
BLACK KNIGHT COUNTRY CLUB  
DAVID WILLS  
MAINTENANCE MANAGER  
2400 SOUTH KENEVAH STREET  
BECKLEY, WV 25801-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

702765  
BLACK WIDOW CUSTOM BOWS, INC.  
ROGER FULTON  
PRESIDENT  
1201 EAGLECREST  
NIXA, MO 65714-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001



July 1, 2013

726357  
BOEING COMPANY  
MIKE KOHLS  
MAINTENANCE  
8905 AIRPORT RD. B 111  
#1 BERKLEY  
SAINT LOUIS, MO 63134-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

724712  
BOOTLEGGERS COVE  
TODD OBANION  
SAFETY OFFICER  
800 M. STREET  
ANCHORAGE, AK 99501-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726434  
BOURBON PD  
JAMES BIRMINGHAM  
RADIATION SAFETY OFFICER  
355 EAST PINE STREET  
BOURBON, MO 65441-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

650855  
BOWMAR LLC  
GREG BALSER  
PRODUCTION SUPERVISOR  
8000 BLUFFTON ROAD  
FORT WAYNE, IN 46809-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726385  
BOYS AND GIRLS CLUB OF  
RYAN DAVIS  
MAINTENANCE  
200 W MULLAN AVENUE  
POST FALLS, ID 83854-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726432  
BSR DESIGN & SUPPLIES  
JACOB CARROL  
MAINTENANCE MANAGER  
8648 W ELISA STREET  
BOISE, ID 83709-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

57971  
BUHR'S AUTOBODY  
GEORGE BUHR  
PRESIDENT  
209 W. COLER STREET  
PO #GEORGE JR  
NEOSHO, MO 64850-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

707318  
CAPITAL HIGH SCHOOL  
BEN SCOTT  
MAINTENANCE  
8055 GODDARD ROAD  
BOISE, ID 83712-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001



July 1, 2013

644106  
CARMEL AUTO CONTOURS  
RICHARD KRUSE           OR  
PRESIDENT  
1020 3RD AVENUE S.W.  
CARMEL, IN 46032-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726361  
CHATHAM SCHOOL DISTRICT  
ANNE CONNELLY  
MAINTENANCE  
62 W. TENAKEE AVENUE  
TENAKEE SPRINGS, AK 99841-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726502  
CHES SERVICES CORPORATION  
FERNANDO RODRIGUEZ  
SAFETY OFFICER  
1522 BORI STREET  
URB.BELIZA  
RIO PIEDRAS, PR 00927-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

725448  
CHEVRON CARTER CREEK PLANT  
ALAN MELCHOIR  
MAINTENANCE  
HIGHWAY 89 NORTH 7 MILE  
& 24 MILE  
EVANSTON, WY 82930-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726377  
CITIBANK FRIENDSHIP HGTS  
DMORO FOSTER  
MAINTENANCE  
5001 WISCONSIN AVENUE NW  
WASHINGTON, DC 20016-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726411  
CIUDAD EDUCATIVA  
JOSE MEDINA  
MAINTENANCE  
STATE ROAD PR-906 KM 1.5  
YABUCOA, PR 00767-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

705077  
CLOVERDALE COMMUNITY SCHOOL DISTRICT  
JEFF UNDERWOOD  
MAINTENANCE  
310 EAST LOGAN ST  
CLOVERDALE, IN 46120-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

702662  
COATING DESIGN GROUP  
KATHRYN CUNNINGHAM  
SAFETY OFFICER  
165 PEPE'S FARM ROAD  
MILFORD, CT 06460-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001



July 1, 2013

726182  
COLLEGE & WALNUT  
MATT HOLLRAH  
MAINTENANCE  
260 S. 10TH STREET  
COLUMBIA, MO 65201-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

721618  
COMPREHENSIVE ENVIRONMENTAL SOLUTION  
WAYNE GEISERT  
SAFETY OFFICER  
6011 WYOMING ROAD  
DEARBORN, MI 48126-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726371  
CONAGRA FOODS/LAMB WESTON  
JASON DESLER  
MAINTENANCE  
856 RUSSET STREET  
TWIN FALLS, ID 83301-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

701863  
CONFORMANCE COATINGS  
BRUCE DOUGLAS  
OPERATIONS MANAGER  
2321 BUSHA HIGHWAY  
MARYSVILLE, MI 48040-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

722795  
CONOCO PHILLIPS -  
STEVE AUTRY  
MAINTENANCE  
700 G STREET  
70.342313, W. 150.93819  
ANCHORAGE, AK 99515-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

725572  
CONOCO PHILLIPS (ALASKA)  
LARRY PARIE  
MAINTENANCE  
ALPINE MATERIAL WAREHOUSE  
PRUDHOE BAY, AK 99734-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726365  
CONOCO PHILLIPS AK-CPF1  
JAMES AHERN  
MAINTENANCE  
KUPARUK DROP POINT-CPF1  
PRUDHOE BAY, AK 99734-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726492  
CORIUM INTERNATIONAL INC  
MIKE NOTHNAGLE  
MAINTENANCE  
4524 50TH STREET SE  
GRAND RAPIDS, MI 49512-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001



July 1, 2013

705283  
COVIDIEN MALLINCKRODT  
KAREN BURKE OR  
CURRENT SAFETY OFFICER  
675 MCDONNELL BLVD  
MAILSTOP 10-3-S  
HAZELWOOD, MO 63042-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

704837  
CRODA INC.  
ROBERT TOUHEY  
CURRENT SAFETY OFFICER  
315 CHERRY LANE  
NEW CASTLE, DE 19720-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726396  
D & D MAINTENANCE  
DAN KIERPAUL  
OWNER  
764 N 700 W  
WARSAW, IN 46580-8839

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

717307  
D.A., INC.  
PAMI EAGAN  
MANUFACTURING ENGR.  
301 PIKE STREET  
PLANT 2  
CHARLESTOWN, IN 47111-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

705305  
DAIRY FARMERS OF AMERICA  
STEVE BIAS  
SAFETY COORDINATOR  
800 WEST TAMPA STREET  
SPRINGFIELD, MO 65802-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

723296  
DAKTRONICS  
NATHAN EDSALL  
EA CREW LEADER  
331 32ND AVENUE  
PO # 362203  
BROOKINGS, SD 57006-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

725204  
DALB INC.  
DAVE BROOKES  
VP ADMINISTRATOR  
703 INDUSTRIAL BOLEVARD  
KEARNEYSVILLE, WV 25430-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

712546  
DASSAULT FALCON JET  
JIM ZENTGRAF  
VP OF OPERATIONS  
191 NORTH DUPONT HIGHWAY  
NEW CASTLE, DE 19720-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001



July 1, 2013

645720  
DELAWARE STATE UNIVERSITY  
MICAH PARKER  
MAINTENANCE MANAGER  
1200 NORTH DUPONT HIGHWAY  
DOVER, DE 19901-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

707193  
DEPARTMENT OF AIR FORCE  
LINDSAY LANDES  
SUPERVISOR  
4881 SUGAR MAPLE DRIVE  
WRIGHT PATERSON AFB, OH 45433-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

717055  
DEPARTMENT OF AIR FORCE  
CAPT DAVID PUGH  
HEALTH PHYSICIST  
53000 HUTCHINSON STREET  
MCCONNELL AFB, KS 67221-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726495  
DEPARTMENT OF AIR FORCE  
CRAIG BENNETT  
SAFETY OFFICER  
635 FLAGER ROAD  
EGLIN AFB, FL 32542-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726461  
DEPARTMENT OF ARMY  
CHRISTINE TEDDER  
CURRENT SAFETY OFFICER  
LOGISTICS DIVISION  
BLLDG E5165  
ADERDEEN PROVIDING GROUND, MD 21010-540

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

725545  
DEPARTMENT OF NAVY  
ELISABETH HOLLAND  
MSPH, CIH, RSO 09F2/AIR  
NAVAL AIR DEPOT  
CHERRY POINT, NC -

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726348  
DOUGLAS ISLAND PINK & CHUM INC.  
ERIC PRESTEGARD  
EXECUTIVE DIRECTOR  
2697 CHANNEL DRIVE  
JUNEAU, AK 99801-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

725969  
DR. CAMARA'S OFFICE  
JASON GROSFIELD  
CURRENT SAFETY OFFICER  
223 SARATOGA ROAD  
HONOLULU, HI 96815-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001



July 1, 2013

706194  
DSM ENGINEERING PLASTICS  
GORDON KING  
MAINTENANCE  
2267 WEST MILL ROAD  
EVANSVILLE, IN 47720-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726230  
DYNICS INC  
RYAN DELAND  
PRODUCTION MANAGER  
620 TECHNOLOGY DRIVE  
ANN ARBOR, MI 48108-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726491  
EAGLE OTTAWA  
PAT RYAN  
ENGINEER  
2930 AUBURN ROAD  
ROCHESTER, MI 48309-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

11773  
EASTERN MONTANA UNIVERSITY  
JEANINE BERNHARDT  
CURRENT SAFETY OFFICER  
1500 NORTH 30TH STREET  
SCIENCE BLDG 241  
BILLINGS, MT 59101-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726431  
EASTERN PUBLIC HEALTH  
JOHN BURG  
MAINTENANCE MANAGER  
424 WEST 1ST SOUTH  
PRESTON, ID 83263-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

723019  
ELI LILLY - INDIANAPOLIS  
DEBORAH CAPATINA  
MAINTENANCE MANAGER  
2655 FORTUNE CIRCLE W  
STE C DOC  
INDIANAPOLIS, IN 46241-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

706000  
ELLA GRASSO TECHNICAL SCHOOL  
PETE DYER  
BLDG MAINTENANCE SUPERVISOR  
189 FORT HILL ROAD  
GROTON, CT 06340-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726454  
ENCOR WEXPRO  
GARY STIDHAM  
MAINTENANCE MANAGER  
2221 WEST GATE ROAD  
ROCK SPRINGS, WY 82902-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001



July 1, 2013

715108  
ENVIRONMENTAL TESTING & CONSULTING, INC  
JEREMY WESTCOTT  
OWNER  
38900 HURON RIVER DRIVE  
ROMULUS, MI 48174-1159

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726487  
ESSEX VILLAGE  
JIM DUDRAS  
MANAGER  
10 OLD COLCHESTER ROAD  
ESSEX, VT 05451-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726489  
EVANSVILLE WATERWORKS  
MARTHA SWANSON  
SAFETY OFFICER  
1301 WATER WORKS DRIVE  
EVANSVILLE, IN 47713-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

709422  
EXPLORER VAN COMPANY  
DEANNA TUSING  
MANAGER  
2749 N FOX FARM ROAD  
WARSAW, IN 46580-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726451  
FABICK CAT BLDG  
MIKE EVELER  
GENERAL MANAGER  
1 FABIC DRIVE  
FENTON, MO 63026-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726376  
FAIRCHILD WHEELER MM SCHOOL  
RAY DESROSIERS  
MAINTENANCE  
48 QUARRY ROAD  
TRUMBULL, CT 06611-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726344  
FEDERAL AVIATION ADMINISTRATION  
BRIAN BROOKS  
MAINTENANCE MANAGER  
2711 HWY 75  
BLOUNTVILLE, TN 37617-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726403  
FENTON PRESBYTERIAN CHURCH  
BILL BLACK  
FACILITIES MANAGER  
503 S LEROY STREET  
FENTON, MI 48430-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001



July 1, 2013

726402  
FLORA PRESBYTERIAN  
KEVIN CLARK  
TRUSTEE  
211 S. CENTER STREET  
FLORA, IN 46929-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726360  
FORD KANSAS CITY STAMPING  
BILL HODGES  
SUPERVISOR  
2401 PLUMMER ROAD  
LIBERTY, MO 64068-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

706351  
FORD MOTOR CO DESIGN CENTER  
ED SIMON  
PROGRAM COORDINATOR  
21175 OAKWOOD BLVD  
RECV C/HATHORNE/METAL SHOP  
DEARBORN, MI 48124-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726443  
FUJI SUSHI AND HIBACHI  
DAVE XIU  
MAINTENANCE MANAGER  
1705 W MCGALLIAD RD  
MUNCIE, IN 47304-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726372  
FUSION 25  
ZHOA GAO  
MAINTENANCE  
123 S MAIN STREET  
NEWTOWN, CT 06470-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

706201  
FUSION PAPERBOARD CTLLC  
MOIRA MCCUE  
ENVIRONMENTAL MANAGER  
130 INLAND ROAD  
P O BOX 238  
VERSAILLES, CT 06383-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

700568  
GASKA TAPE INC  
STEVEN NOBLE  
SAFETY OFFICER  
1810 WEST LUSHER AVENUE  
P.O. BOX 1968  
ELKHART, IN 46515-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726438  
GEENESIS DEVELOPMENT GROUP  
JULIE GRAHAM  
MAINTENANCE MANAGER  
10150 LANTERN RD SUITE 175  
FISHERS, IN 46037-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001



July 1, 2013

702811  
GEORGE P. JOHNSON  
CARL DARGA  
RADIATION SAFETY OFFICER  
3600 GIDDINGS ROAD  
AUBURN HILLS, MI 48326-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726425  
GRANGEVILLE WASTE WATER TREATMENT  
JERRY BROWN  
MAINTENANCE  
174 AIRPORT ROAD  
GRANGEVILLE, ID 83530-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

648372  
GREEN VALLEY COAL COMPANY  
MICHAEL CALLAWAY  
SUPERINTENDENT  
ROUTE 20  
P.O. BOX 190  
LEIVASY, WV 26676-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726418  
GSA - US COURTHOUSE  
SUSANNE HAGEMANN  
MAINTENANCE  
300 ALA MOANA BLVD  
HONOLULU, HI 96850-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726379  
GSA 4PL KANEOHE  
KUULEI BARIT  
MAINTENANCE  
D STREET, BLDG 242  
M C B H KANEOHE BAY, HI 96863-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

644357  
HANK HUBER SYNDICATE STORE FIXTURES  
SANDRA WRIGHT  
MAINTENANCE MANAGER  
402 NORTH MAIN STREET  
MIDDLEBURY, IN 46540-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

721063  
HARDWARE & SOFTWARE SERVICES LLC  
ERNEST KIRSCHNER  
MEMBER  
46 PLAINS ROAD, UNIT 2  
ESSEX, CT 06426-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

700400  
HART ENTERPRISES  
STEVEN GLADU  
MATERIAL MANAGER  
400 APPLEJACK CT  
SPARTA, MI 49345-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001



July 1, 2013

710256  
HEARTLAND AUTOMOTIVE  
KRIS LADD  
MAINTENANCE MANAGER  
300 SOUTH WARREN DRIVE  
GREENCASTLE, IN 46135-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726350  
HERITAGE PLAZA  
ANITA SOYVET  
MANAGER  
4155 TUDOR CENTER DRIVE  
ANCHORAGE, AK 99508-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

719481  
HONEYWELL - KANSAS CITY PLANT  
BRENT NASCA  
ENVIRONMENTAL SPECIALIST  
2000 EAST 95TH STREET  
KANSAS CITY, MO 64131-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

700413  
HONEYWELL-KANAS CITY +  
BRENT NASCA  
CURRENT SAFETY OFFICER  
2000 E. 95TH STREET  
KANSAS CITY, MO 64131-3095

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

36598  
HONOLULU RESOURCE RECOVERY VENTURE  
BARBARA YEE  
CURRENT SAFETY OFFICER  
91-174 HANUA STREET  
KAPOLEI, HI 96707-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

705724  
HOOSIER ENERGY  
JACQUELYN BUSH  
RSO  
5500 WEST OLD STATE ROAD 54  
SULLIVAN, IN 47882-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

720158  
IBM CORPORATION  
MARK LAWLISS  
CURRENT SAFETY OFFICER  
1000 RIVER ROAD  
BLDG 974  
ESSEX JUNCTION, VT 05452-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726442  
INDIANA DEVELOPMENTAL TRAINING  
DAVID COPP  
MAINTENANCE MANAGER  
11075 N PENNSYLVANIA STREET  
INDIANAPOLIS, IN 46280-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001



July 1, 2013

725186  
INDIANA STATE DEPARTMENT OF HEALTH LAB.  
MARK STARZYNSKI  
SAFETY OFFICER  
550 WEST 16TH STREET, SUITE B  
INDIANAPOLIS, IN 46202-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726160  
INL TEST & DEMONSTRATION  
GERG GOSTERT  
PROJECT MANAGER  
750 UNIVERSITY  
IDAHO FALLS, ID 83402-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726325  
IRS-CI  
JEFF RIEDEL  
SAFETY OFFICER  
1270 PONTIAC ROAD  
PONTIAC, MI 48340-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

700556  
ITT AEROSPACE  
BRAD FOSTER  
MANUFACTURING ENGR, SUPERVISOR  
1919 WEST COOK ROAD  
FORT WAYNE, IN 46818-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726441  
IU HEALTH SAXONY  
SAFETY OFFICER  
13100 EAST 136TH STREET  
FISHERS, IN 45038-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

725478  
JCI / SAFT  
JERRY ZWEGERS  
ENGINEER  
70 WEST 48TH STREET  
HOLLAND, MI 49423-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

708938  
JDS UNIPHASE CORP  
TERRANCE HINCHEY  
E H & S OFFICER  
45 GRIFFIN ROAD SOUTH  
BLOOMFIELD, CT 06002-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726422  
JOHNSON CONTROLS INC - PLYMOUTH  
CINDY PRIESTLY  
HEALTH & SAFETY COORDINATOR  
4770 HAYLARD DRIVE  
PLYMOUTH, MI 48170-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001



July 1, 2013

726378  
JONES, LANG & LASALLE  
CHRIS LYONS  
PROPERTY MANAGER  
815 CONNECTICUT AVE NW  
WASHINGTON, DC 20006-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726368  
JUSTICE BISHOP PLANT  
EARL FARMER  
SAFETY OFFICER  
497 ROCKET BOY DRIVE  
SQUIRE, WV 24884-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

711986  
JUSTIN TANKS LLC  
CHARLES LONG  
PLANT MANAGER  
21413 CEDAR CREEK AVENUE  
GEORGETOWN, DE 19947-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

706332  
KENCO PLASTICS INCORPORATED  
MITCHELL LEHMAN  
ENGINEER  
2022 W.450 N.  
LA PORTE, IN 46350-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

721907  
KENTUCKY TRAILER TECHNOLOGIES  
SCOTT RESSLER  
MAINTENANCE  
1240 NORTH PONTIAC TRAIL  
WALLED LAKE, MI 48390-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726370  
KINGSTON PROCESSING  
WILLIAM NEWSOME  
SAFETY OFFICER  
466 RESOURCE DRIVE  
SCARBRO, WV 25917-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

701839  
KNAPE INDUSTRIES INCORPORATED  
WILLIAM KNAPE  
CURRENT SAFETY OFFICER  
10701 NORTHLAND DRIVE  
ROCKFORD, MI 49341-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726482  
KNIK CONSTRUCTION  
HENRY BARNES  
CORPORATE RSO  
6400 SOUTH AIRPARK PLACE  
SUITE 1  
ANCHORAGE, AK 99502-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001



July 1, 2013

726498  
KUMIN ASSOCIATES & NERLAND AGENCY  
LINDA KUMIN  
BUILDING MANAGER  
808 G STREET  
ANCHORAGE, AK 99501-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726354  
KWAJALIEN RANGE SERVICE (US ARMY)  
DON SWANBY  
MAINTENANCE  
1615 ALARADO STREET  
SAN LEANDRO, CA 94577-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

724698  
LAKE MICHIGAN COLLEGE MENDEL CENTER  
ERIC MARTIN  
MAINTENANCE  
2755 EAST NAPIER AVENUE  
BENTON HARBOR, MI 49022-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

657483  
LDS - CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
MAINTENANCE  
16965 EAST 12 MILE ROAD  
ROSEDALE, MI 48066-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726052

LDS - CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS-MADISON 1  
CRAIG TUCKETT  
CURRENT SAFETY OFFICER  
1155 MICHIGAN ROAD  
MADISON, IN 47250-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726384  
LDS CHURCH - ASHTON1  
RON SAUNDERS  
MAINTENANCE  
516 NORTH 2ND STREET  
ASHTON, ID 83420-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726362  
LDS CHURCH - CRAIG  
KEITH BETTRIDGE  
MAINTENANCE  
1404 SUNNYSIDE DRIVE  
CRAIG, AK 99921-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726405  
LDS CHURCH - HIGHLAND PARK  
CHRIS LINDSETH  
MAINTENANCE  
17400 2ND AVENUE  
HIGHLAND PARK, MI 48203-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001



July 1, 2013

726388  
LDS CHURCH - IDAHO FALLS4  
RICK TEW  
MAINTENANCE  
3195 SOUTH HOMES  
IDAHO FALLS, ID 83401-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726419  
LDS CHURCH - JUNEAU  
KEITH BETTRIDGE  
MAINTENANCE  
5100 GLACIER HIGHWAY  
JUNEAU, AK 99801-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726363  
LDS CHURCH - KOTZEBUE  
KEITH BETTRIDGE  
MAINTENANCE  
5TH & ALICE STREET  
KOTZEBUE, AK 99752-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726407  
LDS CHURCH - MONROE 1  
CHRIS LINDSETH  
MAINTENANCE  
3740 PONTIAC TRAIL  
MONROE, MI 48162-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726391  
LDS CHURCH - SHELLEY  
RICK TEW  
MAINTENANCE  
325 EAST LOCUST  
SHELLEY, ID 83274-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726389  
LDS CHURCH - SHELLEY1  
RICK TEW  
MAINTENANCE  
544 SEMINARY AVENUE  
SHELLEY, ID 83274-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

725774  
LDS CHURCH - WASILLA  
KEITH BETTRIDGE  
MAINTENANCE  
821 E DELLWOOD ROAD  
WASILLA, AK 99687-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726417  
LDS CHURCH - YELLOWSTONE  
RON SAUNDERS  
MAINTENANCE  
320 GIBBON AVENUE  
WEST YELLOWSTONE, MT 59758-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001



July 1, 2013

726457  
LINCOLN ESTATES  
CHRISTINA CASEY  
MAINTENANCE MANAGER  
111 WASHINGTON AVE  
EVANSVILLE, IN 47713-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726503  
M & G POLYMERS USA LLC  
PAM COOK  
SAFETY MANAGER  
27610 HUNTINGTON RD  
PO#340031936  
APPLE GROVE, WV 25502-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

704393  
MAGNA DONNELLY CORP.  
ROSE KINDERMAN  
SUPERVISOR  
3501 JOHN F DONNELLY DR  
HOLLAND, MI 49424-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726445  
MAGNA POWERTRAIN OF AMERICA  
DAVID SAGE  
AUTHORIZED AGENT  
1775 RESEARCH DRIVE  
TROY, MI 48083-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

716646  
MANIILAQ HEALTH CENTER  
LEO GREEN  
CURRENT SAFETY OFFICER  
436 FIFTH AVENUE  
KOTZEBUE, AK 99752-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726409  
MARATHON ASHLAND PETROLEUM LLC  
TIM LEUCK  
MAINTENANCE  
2185 W SAMARIA ROAD  
TEMPERANCE, MI 48182-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

714799  
MARATHON PIPE LINE LLC  
AARON ROBINSON  
RADIATION SAFETY OFFICER  
539 SOUTH MAIN ST  
ROOM 722M  
FINDLAY, OH 45840-0573

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726217  
MARATHON PIPE LINE LLC  
JOHN KREMER  
MAINTENANCE  
24400 ALLEN ROAD  
WOODHAVEN, MI 48183-3361

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001



July 1, 2013

704810  
MARFORK COAL COMPANY  
CHRISTOPHER SIMMS  
CURRENT SAFETY OFFICER  
1 MARFORK ROAD, ROUTE 3/1  
BOX 457  
WHITESVILLE, WV 25209-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726428  
MARRIOTT  
JEFF MICK  
AUTHORIZED AGENT  
180 HAWLEY LANE  
TRUMBULL, CT 06611-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726374  
MD FOX ELEMENTARY  
CLAUDIO BAZZANO  
EXECUTIVE DIR OF FACILITIES  
470 MAPLE AVENUE  
HARTFORD, CT 06104-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

19810  
METHODIST HOSPITAL OF INDIANA, INC.  
KURT GRAEF  
MAINTENANCE MANAGER  
1701 SENATE BLVD.  
INDIANAPOLIS, IN 46202-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726421  
MICHIGAN COATING  
TOM LILLEY  
PRESIDENT  
3761 EASTERN AVENUE SE  
WYOMING, MI 49519-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726433  
MICHIGAN STATE POLICE  
PHIL MENNA  
D/F/LT.  
12111 TELEGRAPH ROAD  
TAYLOR, MI 48180-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

708518  
MICHIGAN STATE UNIVERSITY  
JULI WADE  
SUPERVISOR  
133 WEST SERVICE ROAD  
EAST LANSING, MI 48824-0001

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

708940  
MICRON SYSTEMS INTEGRATION  
ROCKY BOGERT  
SAFETY TECHNICAN  
1160 EXCHANGE STREET  
DOCK H  
BOISE, ID 83716-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001



July 1, 2013

704213  
MICRON TECHNOLOGY  
KEVIN LUNDHAGEN  
RSO  
8000 SOUTH FEDERAL WAY  
BOISE, ID 83716-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726048  
MICRON TECHNOLOGY-PUERTO RICO  
BRIGETTE BALLESTER  
EHS ENGINEER  
ROAD 107 KM 0.6 LOT 5  
PO# 4501311901  
AGUADILLA, PR 00603-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

713557  
MID-CONTINENT TESTING LAB, INC.  
BOB MILLER  
RADIATION SAFETY OFFICER  
2381 S. PLAZA DRIVE  
P.O. BOX 3388  
RAPID CITY, SD 57701-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

725828  
MIDDLEBURY COLLEGE  
TIM WICKLAND  
RADIATION SAFETY OFFICER  
276 BICENTENNIAL WAY  
MIDDLEBURY, VT 05753-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

714495  
MISSISSIPPI LIME COMPANY  
MARK BAKER  
CURRENT SAFETY OFFICER  
16147 HWY 61  
PO BOX 31  
SAINTE GENEVIEVE, MO 63670-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

713810  
MISSOURI DEPARTMENT OF HEALTH  
CHRIS WOOD  
CURRENT SAFETY OFFICER  
930 WILDWOOD DRIVE  
JEFFERSON CITY, MO 65102-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726465  
MISSOURI DEPARTMENT OF NATURAL RESOURCES  
ADAM VRABEC  
HAZMAT COORDINATOR  
ROUTE 66 EER, 97  
NORTH OUTER ROAD SUITE 4  
EUREKA, MO 63025-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

719899  
MISSOURI DEPT OF NATURAL RESOURCES  
RANDALL WILLOUGHBY  
HAZMAT COORDINATOR  
2040 W. WOODLAND  
SPRINGFIELD, MO 65807-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001



July 1, 2013

726416  
MISSOURI STATE UNIVERSITY  
RUBY PIPPENGER  
MAINTENANCE  
STMA114  
SPRINGFIELD, MO 65897-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

725203  
MONROE LLC.  
MARI BROWER  
PAINT SUPERVISOR  
4635 40TH STREET SE  
GRAND RAPIDS, MI 49512-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

723626  
MONTANA POWER COMPANY  
LARRY HERMAN  
TECH  
580 WILLOW AVENUE & WHSE. RD.  
COLSTRIP, MT 59323-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726429  
MOUNTAIRE FARMS  
SHARON GUNN  
MAINTENANCE MANAGER  
6339 ROUTE 24  
MILLSBORO, DE 19966-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

712702  
MOUNTAIRE FARMS OF DELMARVA  
TIM HORNER  
MAINTENANCE PURCHASING  
55 HOOSIER STREET  
HOOSIER & RAILROAD AVE.  
SELBYVILLE, DE 19975-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726506  
MP MASK TECHNOLOGY CENTER  
KEVIN LUNDHAGEN  
ENVIRONMENTAL HEALTH AND SAFETY  
8000 S. FEDERAL WAY  
BOISE, ID 83716-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

718872  
MTRON PTI IND  
LYNN DUSATKO  
SAFETY OFFICER  
1703 E HWY 50  
YANKTON, SD 57078-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

724981  
NATIONAL ART GALLERY  
ROBERT WILSON  
MAINTENANCE  
6TH & CONSTITUTION -  
WEST BUILDING  
WASHINGTON, DC 20565-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001



July 1, 2013

724153  
NATIONAL INSTITUTE OF OCC SAFETY & HLTH  
STEPHANIE KRAYNAK  
CURRENT SAFETY OFFICER  
1095 WILLOWDALE ROAD  
MORGANTOWN, WV 26505-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

714047  
NATIONAL INSTITUTE OF STANDARDS AND TECHNOLOGY (NIST)  
MICHELE SCHANTZ  
LAB SUPERVISOR  
100 BUREAU DRIVE  
MS8371  
GAITHERSBURG, MD 20899-8371

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

704113  
NIKE IHM, INC.  
PAUL JARASEK  
MAINTENANCE  
8 RESEARCH PARK DRIVE  
SAINT CHARLES, MO 63304-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

713201  
NIOSH  
STEVENS SCHATZEL  
CURRENT SAFETY OFFICER  
626 COCHRANS MILL ROAD  
BLDG 166  
PITTSBURGH, PA 15236-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

38781  
NORTH IDAHO COLLEGE  
CALVIN DEHAAS  
INSTRUCTOR  
1000 WEST GARDEN AVENUE  
COEUR D ALENE, ID 83814-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726494  
NORTHEERN POWER CONSTRUCTORS  
SAFETY OFFICER  
8123 HARTZELL ROAD  
ANCHORAGE, AK 99507-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726398  
NORWICH UNIVERSITY  
ARTHUR PALLONE  
RADIATION SAFETY OFFICER  
158 HARMON DRIVE  
THOMPkins RM# 166  
NORTHFIELD, VT 05663-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

716721  
NUVAR INCORPORATED  
TERRY SMECKERT  
MANAGER - PLANT  
1329 LINCOLN AVENUE  
PO# 42776  
HOLLAND, MI 49423-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001



July 1, 2013

725838  
ON SEMICONDUCTOR  
LLOYD O'NEIL  
COMPLIANCE OFFICER  
2300 BUCKSKIN ROAD  
POCATELLO, ID 83201-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

701807  
PALLFLEX PRODUCTS CORPORATION  
ROBIN JACQUES  
PURCHASING DIRECTOR  
25 CANAL STREET  
PUTNAM, CT 06260-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

725087  
PARAGON MEDICAL INC  
DIANN APPLGATE  
EHS COORDINATOR  
8 MATCHETTE DRIVE  
PIERCETON, IN 46562-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

723719  
PARKER HANNIFIN HTG MSD  
WILLIAM DEPEL  
BUSINESS UNIT MANAGER  
1201 EAST 86TH PLACE  
MERRILLVILLE, IN 46410-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726426  
PEARL HARBOR NAVAL SHIPYARD  
JUSTIN CHEUNG  
MAINTENANCE  
667 SAFEGUARD STREET  
BLDG 167  
PEARL HARBOR, HI 96860-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

724861  
PETROBRAS AMERICA INC.  
MR. GREGORY ROLAND  
REGULATORY COMPLIANCE  
10350 RICHMOND AVENUE  
SUITE 1400  
HOUSTON, TX 77042-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726359  
PLAINS EXPLORATION & PRODUCTION COMPANY  
CURTIS CRANFORD  
ADVISOR EH & S  
717 TEXAS AVENUE  
SUITE 2100  
HOUSTON, TX 77002-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

715835  
PLASTI-PAINT INC  
RICH SABATOVICH  
PAINT SUPERVISOR  
801 WOODSIDE DRIVE  
SAINT LOUIS, MI 48880-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001



July 1, 2013

726496  
POCATELLO NEIGHBORHOOD HOUSING SERVICES  
MARK DAHLQUIST  
CURRENT SAFETY OFFICER  
206 NORTH ARTHUR AVENUE  
POCATELLO, ID 83204-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726446  
POKAGON BAND OF POTOWATOMI IND  
MARK PEACOCK  
MAINTENANCE MANAGER  
57365 M51 SOUTH  
DOWAGIAC, MI 49047-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726072  
POWER RIVER COAL - WRIGHT  
LEE HENSON  
MAINTENANCE  
3398 ANTELOPE ROAD  
NORTH ANTELOPE/ROCHELLE  
WRIGHT, WY 82732-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

705561  
PRECISION COATINGS, INC.  
JASON SMITH  
MANUFACTURING SUPERVISOR  
8120 GOLDIE STREET  
WALLED LAKE, MI 48390-0155

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726390  
PREFIX COATINGS LLC  
KEN SIUDA  
QUALITY ENGINEER  
3500 JOSLYN ROAD  
AUBURN HILLS, MI 48326-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

711628  
PRI-PAK INC  
JOHN KAISER  
PRESIDENT & CEO  
2000 SHENLEY PLACE  
GREENDALE, IN 47025-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726448  
PROVIN & ABLE ELECTIC  
AARON PROVİN  
MAINTENANCE MANAGER  
211 E 3RD STREET  
CAMERON, MO 64429-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

713812  
PURDUE UNIVERSITY  
SHARON RUDOLPH  
RSO  
550 STADIUM MALL DR.  
WEST LAFAYETTE, IN 47907-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001



July 1, 2013

726480  
PURDUE UNIVERSITY  
JOHN SEELEY  
MAINTENANCE  
560 OVAL DRIVE  
ROOM 5151, BROWN BLDG  
WEST LAFAYETTE, IN 47907-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726427  
QUALITY CLEANERS  
STEVEN AMES  
MAINTENANCE MANAGER  
116 OLE JOHNSON AVENUE  
KODIAK, AK 99615-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

700361  
RANCH FIBERGLASS  
JIM SCHAFER  
PAINT SUPERVISOR  
28564 HOLIDAY PLACE  
ELKHART, IN 46517-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

21761  
RAVEN INDUSTRIES, INC.  
MIKE FELTMAN  
MAINTENANCE  
1810 EAST AVENUE  
SIOUX FALLS, SD 57104-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726400  
RAYTHEON-FORT WAYNE  
BOB MOORE  
PRODUCTION SUPERVISOR  
1320 PRODUCTION ROAD  
MS D5-36  
FORT WAYNE, IN 46808-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

708594  
RED SPOT PAINT & VARNISH COMPANY  
GARY WILLIAMS  
UV R&D MANAGER  
1016 EAST COLUMBIA STREET  
EVANSVILLE, IN 47711-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726412  
RITZ CARLTON RESERVE  
JULIO PEREIRA  
MAINTENANCE  
120 STATE ROAD PR-693  
DORADO, PR 00646-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726424  
RIVERSIDE HOTEL  
MIKE LEE  
DIRECTOR OF ENGINEERING  
2900 CHINDEN BLVD  
BOISE, ID 83714-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001



July 1, 2013

725349  
ROGERS FOAM CORP.  
TIM NYMAN  
PLANT MANAGER  
501 W. KEARLSEY STREET  
PO# F32308  
FLINT, MI 48503-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726337  
ROLLS ROYCE NORTH AMERICA  
BRIAN CRANDALL  
CORP REAL ESTATE MANAGER  
625 SOUTH MERIDIAN STREET  
INDIANAPOLIS, IN 46225-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

710474  
RR DONNELLEY & SONS CO  
RON REED  
CURRENT SAFETY OFFICER  
611 WEST MILL STREET  
ATTN: RON REED  
ANGOLA, IN 46703-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

718411  
RR DONNELLEY & SONS COMPANY  
DEBORAH BUSHONG  
CURRENT SAFETY OFFICER  
600 STATE ROAD 32 WEST  
CRAWFORDSVILLE, IN 47933-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726394  
RYDER # 2857  
DAWN BERG  
MAINTENANCE  
7336 W 15TH AVENUE  
GARY, IN 46406-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726478  
SABIC INNOVATIVE PLASTICS  
CAROL STADER  
MAINTENANCE  
1 LEXAN LANE  
BLDG 66 MT VERNON  
MOUNT VERNON, IN 47620-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726393  
SAINT FELIZ ORATORY  
JOE WHARTON  
MAINTENANCE  
1280 HITZFIELD STREET  
HUNTINGTON, IN 46750-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726387  
SERVISCREEN INC  
ESTHER VAN BRONKHORST  
QUALITY MANAGER  
0-1811 CHICAGO DRIVE  
JENISON, MI 49428-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001



July 1, 2013

725086  
SETECH/GMCH  
DAVID DELELIO  
ELECTRICIAN  
2603 SOUTH GOYER RD  
POU: 8327-0G02-00P8/DOCK 9S  
KOKOMO, IN 46902-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726369  
SF PHOSPHATES LTD CO  
DARIN HOWE  
SAFETY OFFICER  
515 HIGHWAY 430  
ROCK SPRINGS, WY 82901-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

714142  
SIEOC  
LINDA MOREHEAD OR  
CURRENT SAFETY OFFICER  
110 IMPORTING ST.  
AURORA, IN 47001-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

716500  
SMITHS MEDICAL INC.  
ERICA BUTLER  
ASSEMBLY MGR  
5700 W 23RD AVENUE  
P.O. BOX 237361  
GARY, IN 46406-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

708169  
SNAKE RIVER SCHOOL DISTRICT #52  
ALDEN HALE  
SUPERINTENDENT  
103 SOUTH 900 WEST  
WILSON BLDG  
BLACKFOOT, ID 83221-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

723293  
SOLOHILL ENGINEERING  
CAROL WHITINGER  
CURRENT SAFETY OFFICER  
4370 VARSITY DRIVE  
SUITE B  
ANN ARBOR, MI 48104-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

656825  
SOUTHERN CT REGIONAL WATER AUTHORITY  
GARY ALEXANDER  
SAFETY OFFICER  
90 SARGENT DRIVE  
NEW HAVEN, CT 06511-5966

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726392  
SOUTHWEST IDAHO TREATMENT CENTER  
MIKE LAMM  
MAINTENANCE  
1660 11TH AVENUE N  
NAMPA, ID 83687-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001



July 1, 2013

726399  
SPARTECH PLASTIC  
RANDY HOOD  
RSO  
1401 EAST MEMORIAL DRIVE  
MUNCIE, IN 47302-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

716546  
SPECIAL-LITE INC.  
JEREMY CORWIN  
TECH STAFF ASSISTANT  
860 S WILLIAMS STREET  
DECATUR, MI 49045-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

713346  
SPECIALTY COATING  
JOE NEDDER  
FACILITIES MANAGER  
7645 WOODLAND DRIVE  
INDIANAPOLIS, IN 46278-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

50142  
ST. ELIZABETH ANN SETON CHURCH  
TOM LILLY  
PASTOR  
2901 EAST HUFFMAN ROAD  
ANCHORAGE, AK 99516-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

720470  
ST. JOHNS  
JOHN FREDY QUINTERO  
MAINTENANCE MANAGER  
2324 OMILO LANE  
HONOLULU, HI 96819-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

703520  
ST. MARY'S HOSPITAL-HUNTINGTON  
JAMES NORWECK  
RADIATION SAFETY OFFICER  
2900 1ST AVE  
HUNTINGTON, WV 25702-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726485  
ST. PIUS X CHURCH  
JOHN DONNELLY  
MAINTENANCE  
834 BROOKSIDE DRIVE  
FAIRFIELD, CT 06824-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726355  
STATE OF INDIANA WEATHERIZATION PROGRAM  
GARY LORE  
MAINTENANCE  
2445 N. MERIDIAN STREET  
INDIANAPOLIS, IN 46208-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001



July 1, 2013

716109  
STATE OF MICHIGAN  
KARL JACKSON OR  
CURRENT SAFETY OFFICER  
3350 N. MARTIN L. KING JR BLVD  
ROOM 102  
LANSING, MI 48909-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

700473  
STUSSER ELECTRIC CO  
DAVID LOCKWOOD  
MANAGER  
411 E. 54TH AVE  
ANCHORAGE, AK 99518-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726435  
SUN  
JEFF RIGGEN  
GENERAL MANAGER  
8515 CAMBY RD NUCOR RD WWT  
CAMBY, IN 46113-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

700152  
TAMKO BUILDING PRODUCTS, INC.  
RON KELLY  
RSO  
601 NORTH HIGH STREET  
JOPLIN, MO 64801-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726186  
TECK RED DOG  
TOBIAS COUSE  
MAINTENANCE  
5410 FAIRBANKS STREET  
ANCHORAGE, AK 99518-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

705508  
TILDEN MINING COMPANY  
WALTER LAMPI  
RADIATION SAFETY OFFICER  
P.O. BOX 2000  
ISHPEMING, MI 49849-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726395  
TOM WOOD TOYOTA  
JEREMY FORSYTH  
MAINTENANCE  
4202 LAFAYETTE ROAD  
INDIANAPOLIS, IN 46254-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

725100  
TOWN OF TRUMBULL  
STEPHEN KENNEDY  
CURRENT SAFETY OFFICER  
72 STROBEL ROAD  
TRUMBULL, CT 06611-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001



July 1, 2013

726358  
TRIAD ENVIRONMENTAL CONSULTING, INC.  
BRIAN GALLIGAN  
MAINTENANCE  
2788 1ST AVENUE  
HUNTINGTON, WV 25702-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726462  
TRILOGY ANALYTICAL LABORATORY  
BRUCE MALONE  
SAFETY OFFICER  
870 VOSSBRINK DRIVE  
WASHINGTON, MO 63090-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

702612  
TRIMATRIX LABORATORIES INC  
DIANE VANMALE  
CURRENT SAFETY OFFICER  
5560 CORPORATE EXCHANGE CT SE  
GRAND RAPIDS, MI 49512-5503

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726505  
U.S. DRUG ENFORCEMENT ADMINISTRATION  
TIMOTHY NAVE  
SAFETY OFFICER  
2425 LA BRUCHERIE ROAD  
MORENO VALLEY, CA 92551-9501

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

705770  
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA)  
TROY SULLIVAN  
SHEM OFFICER-NERL  
11 TECHNOLOGY DRIVE  
NORTH CHELMSFORD, MA 01863-2431

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726476  
U.S. MARINE  
DOUG DAVIS  
CBRNE PROTECTION OFFICER  
BUILDING 133 C STREET  
RM 109  
CAMP LEJEUNE, NC 28542-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726475  
U.S. MARINE CORP  
DOUG DAVIS  
CBRNE PROTECTION OFFICER  
133 C STREET  
CAMP LEJEUNE, NC 28542-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

721689  
U.S. MARINE CORPS  
TIM HART  
RADIOLOGICAL AFFAIRS SPT OFF  
3250 CATLIN AVENUE  
SUITE 101  
QUANTICO, VA 22134-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001



July 1, 2013

725894  
U.S. MARINE CORPS  
SAFETY OFFICER  
BUILDING 7209, DOOR 13  
TRAFFIC MANAGEMENT OFFICE  
SAN DIEGO, CA 92145-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726456  
U.S. MARINE CORPS  
ELIZABETH HOLLAND  
RADIATION SAFETY OFFICE  
BLDG 328, SPEAR STREET  
YUMA, AZ 85369-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726458  
U.S. MARINE CORPS  
JOHNY WIRSIG  
SITE LEADER  
BUILDING 1164 RM. 113  
15TH STREET  
CAMP PENDLETON, CA 92055-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726459  
U.S. MARINE CORPS  
MIKE QUINTANA  
CBRNE PROTECTION OFFICER  
BUILDING 1102 G-7 FORCE  
29 PALMS  
TWENTYNINE PALMS, CA 92278-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

718502  
U.S. MARINE CORPS BASE HAWAII  
TIM HART OR  
CURRENT SAFETY OFFICER  
TMO BUILDING 209  
BOX 63063  
M C B H KANEOHE BAY, HI 96863-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726413  
UNITED STATES COURTHOUSE -  
CHAD ANDREWS  
MAINTENANCE  
400 S PHILLIPS AVENUE  
SIOUX FALLS, SD 57104-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726439  
UNITED WATER  
DON ROSENKRANS  
MAINTENANCE MANAGER  
6380 N EVANSTON AVENUE  
INDIANAPOLIS, IN 46220-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

706735  
UNIVERSITY OF CONNECTICUT  
AMY COURCHESNE  
SUPERVISOR  
3102 HORSEBARN HILL ROAD  
UNIT 4097  
STORRS, CT 06269-4097

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001



July 1, 2013

726381  
UNIVERSITY OF DELWARE  
WILLIAM FENDT  
RADIATION SAFETY OFFICER  
222 SOUTH CHAPEL STREET  
VENERAL SERVICES BLDG RM 132  
NEWARK, DE 19716-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726499  
US METSALS INC  
LINDA MOREHEAD  
CS/DP CLERK  
425 WEST 151 STREET  
SUITE C-2  
EAST CHICAGO, IN 46312-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

710480  
VACUCOAT TECHNOLOGIES, INC.  
MARTIN GOLDSBERRY  
PRESIDENT  
33575 GIFTOS  
PO# 1363  
CLINTON TOWNSHIP, MI 48035-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726380  
VETERANS AFFAIRS  
MICKEY JOPKINS  
SUPERVISOR  
3601 S 6TH AVE  
PHOENIX, AZ 85012-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726488  
VILLAGE OF ESSEX JUNCTION  
JIM DUDRAS  
MANAGER  
39 CASCADE STREET  
ESSEX JUNCTION, VT 05452-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

702698  
WABASH PLASTICS, INC.  
GEORGE WANDEL  
CURRENT SAFETY OFFICER  
1300 BURCH DRIVE  
EVANSVILLE, IN 47711-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

725040  
WASHINGTON UNIV - SCIQUEST  
ERNEST WHITE  
MAINTENANCE  
6740 FOREST PARK PKWY  
SAINT LOUIS, MO 63130-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726504  
WASHINGTON UNIVERSITY @ST LOUIS  
DAN SZATKOWSKI  
RSO  
724 S. EUCLID  
RM 2240  
SAINT LOUIS, MO 63110-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001



July 1, 2013

726397  
WASHINGTON UNIVERSITY- ST. LOUIS  
DAN SZATKOWSKI  
RADIATION SAFETY OFFICER  
724 SOUTH EUCLID  
ROOM 0013  
SAINT LOUIS, MO 63110-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726351  
WASILLA CITY CENTER  
WESTERN ENTERPRISES  
BUILDING WONED & MAINT  
611 SOUTH KNIK GOOSE BAY ROAD  
WASILLA, AK 99654-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726261  
WATERFORD HIGH SCHOOL  
JAY MINER  
FACILITIES & GROUNDS  
20 ROPE FERRY ROAD  
WATERFORD, CT 06385-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

725594  
WATERSIDE SCHOOL LLC  
JOHN KREMENS  
SITE MANAGER  
707 PACIFIC STREET  
STAMFORD, CT 06902-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726437  
WATERSOLVE LLC  
RANDY WILCOX  
SAFETY OFFICER  
5031 68TH STREET SE  
CALEDONIA, MI 49316-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726450  
WAYNE COUNTY CIRCUIT COURT  
KELLY JAMESON-SMITH  
GENERAL MANAGER  
109 WALNUT STREET  
GREENVILLE, MO 63944-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

723300  
WEATHERFORD FRACTURING TECHNOLOGIES  
WALTER BURGER  
SAFETY OFFICER  
15710 JFK BOULEVARD  
SUITE 836  
HOUSTON, TX 77032-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujaqar.Bhachu@nrc.gov](mailto:Ujaqar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

711698  
WESTERN SOUTH DAKOTA COMMUNITY  
WILLIAM THOMPSON  
CURRENT SAFETY OFFICER  
1844 LOMBARDY DRIVE  
RAPID CITY, SD 57703-4130

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001



July 1, 2013

726042  
WHELEN ENGINEERING CO INC  
RICHARD GEER  
DIR. OF QUALITY CONTROL  
51 WINTHROP RD.  
CHESTER, CT 06412-0684

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

708677  
WILLIAM BEAUMONT HOSPITAL  
SANDRA GALOFORO  
SUPERVISOR  
3601 WEST 13 MILE ROAD  
ROYAL OAK, MI 48073-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726347  
WILLIAMS & K  
MARK MITCHELL  
FACILITY MANAGER  
700 EAST BENSON  
ANCHORAGE, AK 99503-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

725352  
WILLIAMS AUTOBODY  
KEVIN WILLIAMS  
OWNER  
5835 ROUTE 30  
CORNWALL, VT 05753-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

640928  
WOLF RUN MINING COMPANY  
JOE MYERS  
(RSO)  
2708 CRANBERRY SQUARE  
MORGANTOWN, WV 26508-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726373  
YALE UNIVERSITY - YSOM  
JOHN OLSEN  
PROJECT MANAGER  
165 WHITNEY AVENUE  
NEW HAVEN, CT 06511-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001

July 1, 2013

726049  
YORK COACH WORKS INC  
ROBERT MUNCH  
VICE PRESIDENT  
1075 ROUTE 30 NORTH  
POULTNEY, VT 05764-

APPLICABLE REGULATIONS FOR GENERALLY LICENSED DEVICES CONTAINING  
BYPRODUCT MATERIALS AND AUTHORIZED PURSUANT TO 10 CFR PART 31

You are receiving the attached table of applicable sections of the U.S. Nuclear Regulatory Commission's (NRC's) regulations because you have recently acquired one or more generally licensed devices authorized under 10 CFR Part 31, or under equivalent regulation of an Agreement State. Please review the requirements of 10 CFR Part 31 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>.

Please verify that you have the appropriate regulatory sections provided to you by comparing the information about the generally licensed devices as indicated by the label on the outside of the device. **For safety reasons, DO NOT TRY TO DISMANTLE any device to verify this information.** If you are uncertain how to identify device labels, contact the device manufacturers/distributors or an authorized service agent for this information.

No response to this letter is requested; however, if you have specific questions regarding regulatory requirements or your responsibilities as a general licensee, please call (301) 415-7894, email [Ujagar.Bhachu@nrc.gov](mailto:Ujagar.Bhachu@nrc.gov), or visit <http://www.nrc.gov/materials/medical.html>. In addition, you may submit your queries to:

Attention: GLTS Project Manager  
U.S. Nuclear Regulatory Commission  
Office of Federal and State Materials  
and Environmental Management Programs  
Division of Materials Safety and State Agreements  
Washington, DC 20555-001