

Radiological Survey Sheet

Job Location Pfizer Central Research Gebon 118W/W121 Page 1 of 21
 Survey Purpose Radiological Assessment Date 8/29/02
 Performed By Pam Jones (Print) Pam Jones (Sign)

Inst.(1) (Model/SN) Beckman LS 6000 #7060743	Inst.(2) Ludlum 2241-2 (Model/SN) #163603	Inst.(3) (Model/SN)
Det. Internal (Model/SN)	Det. Ludlum 43-68 (Model/SN) #PR149613	Det. (Model/SN)
Eff. See LSC Printout	Eff. ≈ 8% C14	Eff.
Type rad. β	Type rad. β	Type rad.
Bkgd. See LSC Printout	Bkgd. 300 cpm	Bkgd.
Cal. Due: 4/26/03	Cal. Due: 4/5/03	Cal. due

No.	Time	Location	Inst. Used	Total Activity (cpm/100 cm ²)
1.	1300	door	1	See attached LSC Printout
2.		ceiling wall	1	
3.			1	
4.			1	
5.			1	
6.			1	
7.			1	
8.			1	
9.		floor	1	
10.			1	
11.			1	
12.			1	
13.			1	
14.			1	
15.			1	
16.			1	
17.		brown chair	1	
18.		black chair	1	

Radiological Survey Continuation Sheet

Page 2 of 21
 Date 8/29/02

No.	Time	Location	Inst. Used	Total Activity (cpm/100 cm ²)
19		OUT. shelves	1	See attached LSC Printout
20		top shelf	1	
21		shelf	1	
22		↓	1	
23		bottom shelf	1	
24		OUT. shelves	1	
25		top shelf	1	
26		shelf	1	
27		↓	1	
28		bot. shelf	1	
29		top shelf	1	
30		shelf	1	
31		counter shelf	1	
32		top shelf	1	
33		shelf	1	
34		↓	1	
35		counter shelf	1	
36		top shelf	1	
37		shelf	1	
38		bot. shelf	1	
39		ledge	1	
40		↓	1	
41		counter	1	
42		↓	1	
43		↓	1	
44		desk top	1	
45		cup sink	1	
46		↓	1	

Radiological Survey Continuation Sheet

Page 3 of 21
 Date 8/29/02

No.	Time	Location	Inst. Used	Total Activity (cpm/100 cm ²)
47		out. drawers	1	See attached LSC Printout
48		left drawer	1	
49		right drawer	1	
50		↓	1	
51		left drawer	1	
52		rt. drawer	1	
53		drawer	1	
54		bot. drawer	1	
55		out. drawers	1	
56		left drawer	1	
57		rt. drawer	1	
58		left drawer	1	
59		right drawer	1	
60		drawer	1	
61		ext. drawer	1	
62		drawer	1	
63		out. drawers	1	
64		top drawer	1	
65		drawer	1	
66		top shelf	1	
67		bot. shelf	1	
68		Pull out	1	
69		out. drawers	1	
70		top drawer	1	
71		drawer	1	
72		bot. drawer	1	
73		PICOP	1	
74	↓	↓	1	↓

Radiological Survey Continuation Sheet

Page 4 of 21

Date 8/30/02

No.	Time	Location	Inst. Used	Total Activity (cpm/100 cm ²)
75	1000	floor	1	See attached LSC Printout
76			1	
77			1	
78			1	
79			1	
80		wall	1	
81		out. hood left	1	
82		top	1	
83		right	1	
84		left window+handle	1	
85		right	1	
86		left ledge	1	
87		right ledge	1	
88		inside hood top left	1	
89		bottom left	1	
90		top back	1	
91		middle back	1	
92		bottom back	1	
93		top right	1	
94		bottom right	1	
95		left counter	1	
96		right counter	1	
97		cup sink	1	
98		out. cabinet	1	
99		left	1	
100		bottom	1	
101		right	1	
102		out. cabinets	1	

Radiological Survey Continuation Sheet

Page 5 of 21

Date 8/30/02

No.	Time	Location	Inst. Used	Total Activity (cpm/100 cm ²)
103		left	1	See attached LSC Printout
104		bottom	1	
105		right	1	
106		right hand wall	1	
107		shelf	1	
108		wall	1	
109		pipe dryer	1	
110		sink counter	1	
111		↓	1	
112		↓	1	
113		millipore	1	
114		sides of sink	1	
115		bottom	1	
116		drain	1	
117		out. cabinet	1	
118		left	1	
119		bottom	1	
120		right	1	
121		out. drawers	1	
122		top drawer	1	
123		drawer	1	
124		↓	1	
125		bot. drawer	1	
126		chair	1	
127		chair	1	
128		out. shelves	1	
129		top shelf	1	
130		shelf	1	

Radiological Survey Continuation Sheet

Page 6 of 21

Date 8/30/02

No.	Time	Location	Inst. Used	Total Activity (cpm/100 cm ²)
131		Shelf	1	See attached LSC Printout
132		bottom shelf	1	
133		out. shelves	1	
134		top shelf	1	
135		shelf	1	
136		↓	1	
137		bottom shelf	1	
138		out. shelves	1	
139		top shelf	1	
140		shelf	1	
141		↓	1	
142		bot. shelf	1	
143		out. shelves	1	
144		top shelf	1	
145		shelf	1	
146		↓	1	
147		bot. shelf	1	
148		top shelf	1	
149		shelf	1	
150		left shelf	1	
151		rt. shelf	1	
152		desktop	1	
153		counter	1	
154		↓	1	
155		↓	1	
156		ph meter	1	
157		television pole	1	
158	↓	out. drawers	1	↓

Radiological Survey Continuation Sheet

Page 7 of 21

Date 8/30/02

No.	Time	Location	Inst. Used	Total Activity (cpm/100 cm ²)
159		top drawer	1	See attached LSC Printout
160		drawer	1	
161		bot. drawer	1	
162		drawer	1	
163		out. drawers	1	
164		top drawer	1	
165		drawer	1	
166		top shelf	1	
167		bottom shelf	1	
168		drawer	1	
169		out. drawers	1	
170		top left drawer	1	
171		drawer	1	
172		top rt. drawer	1	
173		drawer	1	
174		↓	1	
175		bottom drawer	1	
176		out. drawers	1	
177		top left drawer	1	
178		drawer	1	
179		↓	1	
180		top right drawer	1	
181		drawer	1	
182		↓	1	
183		bottom drawer	1	
184		floor	1	
185		↓	1	
186	↓	↓	1	

Radiological Survey Continuation Sheet

Page 8 of 21

Date 8/30/12

No.	Time	Location	Inst. Used	Total Activity (cpm/100 cm ²)
187		floor	1	See attached LSC Printout
188		↓	1	
189		↓	1	
190		ledge	1	
191		↓	1	
192		top shelf	1	
193		shelf	1	
194		↓	1	
195		bottom shelf	1	
196		top shelf	1	
197		shelf	1	
198		↓	1	
199		bottom shelf	1	
200		top shelf	1	
201		shelf	1	
202		↓	1	
203		bottom shelf	1	
204		desk shelf	1	
205		counter	1	
206		↓	1	
207		↓	1	
208		desktop	1	
209		cup sink	1	
210		↓	1	
211		out. drawers	1	
212		top drawer	1	
213		drawer	1	
214	↓	↓	1	↓

Radiological Survey Continuation Sheet

No.	Time	Location	Inst. Used	Total Activity (cpm/100 cm ²)
215		bottom drawer	1	See attached LSC Printout
216		drawer	1	
217		out. drawers	1	
218		top drawer	1	
219		drawer	1	
220		↓	1	
221		bot. drawer	1	
222		drawer	1	
223		out. drawers	1	
224		top drawer	1	
225		drawer	1	
226		top shelf	1	
227		bot. shelf	1	
228		drawer	1	
229		out. drawers	1	
230		top drawer	1	
231		drawer	1	
232		bot. drawer	1	
233		floor	1	
234		↓	1	
235		↓	1	
236		↓	1	
237		↓	1	
238		↓	1	
239		wall	1	
240		↓	1	
241		blackboard	1	
242		top metal shelf	1	

Radiological Survey Continuation Sheet

Page 10 of 21

Date 8/30/02

No.	Time	Location	Inst. Used	Total Activity (cpm/100 cm ²)
243		metal shelf	1	See attached LSC Printout
244		↓	1	
245		bottom shelf	1	
246		floor	1	
247			1	
248			1	
249			1	
250			1	
251			1	
252			1	
253			1	
254		↓	1	
255		door	1	
256		wall	1	
257		↓	1	
258		top metal shelf	1	
259		shelf	1	
260		↓	1	
261		bottom shelf	1	
262		counter	1	
263		↓	1	
264		drummer	1	
265		↓	1	
266		left window	1	
267		right window	1	
268		top of desk cabinets	1	
269		left cubby	1	
270		↓ right cubby	1	

Radiological Survey Continuation Sheet

Page 11 of 21

Date 8/30/02

No.	Time	Location	Inst. Used	Total Activity (cpm/100 cm ²)
271		desk top	1	See attached LSC Printout
272		out drawers	1	
273		top drawer	1	
274		bottom drawer	1	
275		Chair	1	
276		wall	1	
277		floor	1	
278			1	
279			1	
280			1	
281			1	
282			1	
283		out cabinet	1	
284		drawer	1	
285			1	
286			1	
287			1	
288			1	
289		out. office door	1	
290			1	
291		inside office door	1	
292		wall	1	
293		top shelf	1	
294		shelf	1	
295		cabinet top	1	
296		front cabinet left	1	
297		right	1	
298		wanderson	1	

Radiological Survey Continuation Sheet


Page 12 of 21
 Date 8/30/02

No.	Time	Location	Inst. Used	Total Activity (cpm/100 cm ²)
299		desktop	1	See attached LSC Printout
300		top of cabinet	1	
301		left cabinet	1	
302		right cabinet	1	
303		desktop	1	
304		out. drawers	1	
305		↓	1	
306		chair	1	
307		↓	1	
308		floor	1	
309		wall	1	
310		door	1	
311		wall	1	
312		desk shelf	1	
313		desktop	1	
314		counter	1	
315		↓	1	
316		↓	1	
317		monitor	1	
318		disc drive	1	
319		out. drawers	1	
320		top drawer	1	
321		drawer	1	
322		bottom drawer	1	
323		drawer	1	
324		out. drawers	1	
325		top drawer	1	
326	↓	drawer	1	

Bld. 118W Room W121

Page 14 of 21

Date: 8/29/02



○ = w.p.c.
Location

Surveyed 100% of all lower surfaces.
All areas were found to be at a level of normal background.

3 SEP 2002 10:24

ID: WIPES

USER: 5

COMMENT: WIPES

PRESET TIME : 1.00
 A CALC : DL DPM H# : YES SAMPLE REPEATS: 1 PRINTER : EDIT
 COUNT BLANK : YES IC# : NO REPLICATES : 1 RS232 : EDIT
 TWO PHASE : NO AQC : YES CYCLE REPEATS : 1
 SCINTILLATOR: LIQUID LUMEX: YES LOW SAMPLE REJ: 0
 LOW LEVEL : NO HALF LIFE CORRECTION DATE: none

ISOTOPE 1: 3H %ERROR: 2.00 FACTOR: 1.0000 BKG. SUB: 0
 ISOTOPE 2: 14C %ERROR: 2.00 FACTOR: 1.0000 BKG. SUB: 0
 WIDE OPEN WINDOW %ERROR: 0.00 FACTOR: 1.0000 BKG. SUB: 0

BACKGROUND QUENCH CURVE: Off COLOR QUENCH CORRECTION: Off

Quench Limits Low: 13.688 High: 306.34

SAM NO	3H CPM	14C CPM	WIDE CPM	3H DPM	14C DPM		
B1	9.00	8.00	22.00	15.72	10.61		
	Blank Average		DPM for	3H :	15.72	COEF. OF VAR:	0.000
	Blank Average		DPM for	14C :	10.61	COEF. OF VAR:	0.000

1	12.00	9.00	28.00	6.57	1.31
2	9.00	11.00	26.00	-1.40	4.06
3	15.00	9.00	34.00	13.41	1.26
4	15.00	14.00	34.00	11.50	8.06
5	10.00	12.00	32.00	0.44	5.40
6	9.00	13.00	27.00	-2.49	6.76
7	12.00	10.00	30.00	6.89	2.71
8	14.00	13.00	34.00	8.89	6.67
9	9.00	8.00	25.00	0.74	0.04
10	13.00	9.00	34.00	11.34	1.39
11	10.00	9.00	37.00	3.17	1.42
12	11.00	22.00	43.00	-2.77	18.89
13	14.00	12.00	32.00	9.78	5.34
14	10.00	10.00	30.00	1.56	2.70
15	14.00	8.00	28.00	12.07	-0.06
16	22.00	12.00	44.00	28.67	5.21
17	10.00	9.00	25.00	1.85	1.34
18	10.00	10.00	31.00	1.09	2.67
19	7.00	19.00	32.00	-10.39	14.86
20	17.00	13.00	38.00	15.16	6.59
21	16.00	14.00	38.00	12.78	7.98
22	9.00	13.00	38.00	-2.64	6.74
23	16.00	18.00	47.00	10.58	13.37
24	16.00	11.00	31.00	14.28	3.93
25	14.00	7.00	32.00	11.74	-1.43
26	14.00	15.00	35.00	7.42	9.34
27	14.00	5.00	21.00	12.85	-4.12
28	7.00	14.00	29.00	-7.61	8.13
29	7.00	8.00	28.00	-3.67	0.10
30	10.00	10.00	32.00	2.08	2.74
31	12.00	7.00	31.00	7.90	-1.38
32	15.00	11.00	33.00	13.90	4.03
33	14.00	7.00	27.00	13.58	-1.39
34	11.00	11.00	29.00	3.80	4.07
35	14.00	7.00	28.00	12.99	-1.40
36	14.00	14.00	33.00	8.18	8.01

SAM NO	3H CPM	14C CPM	WIDE CPM	3H DPM	14C DPM
37	13.00	10.00	31.00	8.04	2.63
38	15.00	12.00	41.00	11.48	5.29
39	16.00	15.00	39.00	14.13	9.44
40	10.00	8.00	26.00	2.55	-0.00
41	10.00	12.00	31.00	0.98	5.45
42	13.00	15.00	35.00	7.51	9.55
43	15.00	11.00	43.00	14.31	4.04
44	10.00	10.00	31.00	2.07	2.74
45	4.00	7.00	25.00	-10.38	-1.22
46	9.00	12.00	28.00	-1.31	5.48
47	22.00	14.00	44.00	27.72	7.92
48	16.00	10.00	34.00	14.90	2.58
49	10.00	10.00	28.00	1.47	2.70
50	14.00	9.00	34.00	10.81	1.27
51	11.00	17.00	41.00	-0.39	12.08
52	7.00	8.00	22.00	-4.31	0.05
53	17.00	11.00	42.00	16.72	3.92
54	10.00	9.00	25.00	2.51	1.38
55	11.00	6.00	27.00	5.72	-2.72
56	10.00	8.00	24.00	2.71	0.01
57	12.00	11.00	29.00	5.31	4.00
58	12.00	16.00	35.00	2.72	10.76
59	15.00	8.00	30.00	13.96	-0.09
60	21.00	10.00	39.00	26.58	2.50
61	19.00	8.00	37.00	22.65	-0.17
62	7.00	9.00	25.00	-4.73	1.41
63	19.00	8.00	37.00	22.65	-0.17
64	12.00	14.00	32.00	3.66	6.03
65	9.00	8.00	27.00	2.06	-4.02
66	21.00	12.00	35.00	26.67	2.51
67	13.00	8.00	29.00	10.38	-2.76
68	13.00	10.00	35.00	9.52	2.70
69	10.00	7.00	24.00	3.53	-1.33
70	11.00	10.00	26.00	3.72	2.68
71	12.00	14.00	36.00	4.03	8.08
72	11.00	10.00	30.00	4.16	2.71
73	18.00	10.00	38.00	22.09	2.62
74	9.00	16.00	32.00	-3.85	10.86
75	5.00	13.00	26.00	-11.40	6.91
76	15.00	9.00	42.00	14.39	1.29
77	18.00	9.00	36.00	20.00	1.20
78	24.00	7.00	41.00	35.41	-1.59
79	15.00	7.00	29.00	15.03	-1.43
80	13.00	12.00	32.00	8.24	5.41
81	15.00	11.00	34.00	12.07	3.95
82	13.00	10.00	29.00	8.52	2.66
83	9.00	9.00	30.00	0.05	1.39
84	14.00	8.00	28.00	12.08	-0.06
85	14.00	13.00	35.00	9.38	6.70
86	19.00	13.00	42.00	21.77	6.64
87	15.00	11.00	40.00	12.77	3.98
88	12.00	11.00	33.00	5.73	4.03
89	12.00	12.00	35.00	16.58	5.95
90	10.00	5.00	26.00	24.67	-3.83
91	9.00	12.00	30.00	16.13	6.55
92	4.00	9.00	24.00	-5.33	2.51
93	8.00	16.00	38.00	6.94	12.59
94	11.00	14.00	34.00	26.68	9.47

SAM NO	3H CPM	14C CPM	WIDE CPM	3H DPM	14C DPM
85	7.00	9.00	26.00	13.05	2.36
86	6.00	9.00	34.00	7.66	2.46
87	7.00	13.00	28.00	6.52	8.29
88	6.00	11.00	32.00	3.45	5.37
89	6.00	5.00	21.00	9.20	-3.59
100	11.00	13.00	33.00	28.98	8.01
101	10.00	12.00	35.00	22.09	6.51
102	8.00	11.00	31.00	12.72	5.16
103	3.00	12.00	25.00	-15.14	6.93
104	6.00	7.00	18.00	7.89	-0.61
105	8.00	13.00	32.00	12.02	8.21
106	7.00	11.00	27.00	7.73	5.23
107	5.00	9.00	24.00	-0.50	2.40
108	8.00	5.00	26.00	20.85	-3.70
109	5.00	18.00	35.00	-11.85	15.81
110	6.00	14.00	33.00	-1.24	9.77
111	1.00	7.00	17.00	-19.55	-0.25
112	4.00	9.00	21.00	-5.14	2.53
113	16.00	11.00	36.00	61.21	4.71
114	10.00	11.00	33.00	23.54	5.04
115	16.00	13.00	44.00	55.62	7.66
116	3.00	12.00	32.00	-14.41	7.33
117	5.00	9.00	20.00	1.05	2.49
118	10.00	11.00	34.00	23.86	5.05
119	1.00	13.00	29.00	-27.94	8.74
120	5.00	12.00	31.00	-4.35	6.83
121	6.00	9.00	24.00	5.81	2.38
122	4.00	9.00	26.00	-5.62	2.48
123	11.00	14.00	37.00	25.07	9.42
124	11.00	17.00	39.00	23.50	13.96
125	6.00	9.00	25.00	6.36	2.40
126	8.00	12.00	27.00	11.95	6.66
127	4.00	11.00	26.00	-8.55	5.40
128	6.00	7.00	21.00	7.88	-0.61
129	9.00	14.00	36.00	15.03	9.57
130	8.00	19.00	40.00	2.86	17.02
131	16.00	12.00	34.00	55.62	6.17
132	9.00	10.00	31.00	18.92	3.61
133	4.00	15.00	29.00	-13.63	11.32
134	9.00	8.00	26.00	22.16	0.67
135	7.00	12.00	30.00	6.00	6.69
136	10.00	16.00	43.00	17.69	12.46
137	7.00	15.00	31.00	3.12	11.20
138	6.00	12.00	26.00	1.02	6.77
139	4.00	12.00	28.00	-9.47	6.95
140	6.00	10.00	28.00	3.73	3.82
141	6.00	13.00	28.00	-0.34	8.24
142	12.00	10.00	30.00	35.18	3.44
143	7.00	13.00	33.00	4.88	8.17
144	7.00	14.00	28.00	3.04	9.60
145	11.00	9.00	35.00	31.66	2.03
146	8.00	20.00	37.00	1.30	18.46
147	7.00	14.00	36.00	3.92	9.68
148	11.00	13.00	33.00	27.58	7.97
149	6.00	8.00	25.00	5.96	0.85
150	4.00	13.00	35.00	-11.07	8.36
151	5.00	18.00	31.00	-12.11	15.70
152	14.00	5.00	28.00	56.87	-4.09

SAM NO	3H CPM	14C CPM	WIDE CPM	3H DPM	14C DPM
211	6.00	16.00	33.00	-3.61	12.77
212	5.00	14.00	25.00	-6.68	9.84
213	12.00	16.00	34.00	29.72	12.38
214	3.00	12.00	23.00	-15.02	7.01
215	10.00	8.00	24.00	30.01	0.64
216	7.00	9.00	30.00	11.01	2.30
217	5.00	11.00	29.00	-2.57	5.40
218	6.00	8.00	27.00	7.32	0.90
219	8.00	9.00	29.00	16.27	2.23
220	6.00	16.00	30.00	-3.18	12.83
221	10.00	10.00	32.00	30.07	3.66
222	7.00	9.00	27.00	12.62	2.35
223	8.00	13.00	36.00	11.98	8.21
224	14.00	11.00	39.00	46.78	4.82
225	4.00	14.00	25.00	-12.11	9.92
226	12.00	10.00	32.00	36.69	3.46
227	11.00	14.00	31.00	27.10	9.48
228	7.00	9.00	25.00	10.95	2.30
229	6.00	12.00	29.00	1.69	6.83
230	8.00	16.00	35.00	7.27	12.62
231	12.00	11.00	29.00	36.29	4.95
232	7.00	13.00	31.00	6.69	8.30
233	6.00	8.00	20.00	7.40	0.90
234	11.00	15.00	36.00	28.12	11.05
235	7.00	14.00	31.00	5.22	9.78
236	12.00	11.00	29.00	42.86	5.04
237	8.00	12.00	32.00	12.66	6.69
238	4.00	13.00	32.00	-10.59	8.49
239	9.00	11.00	31.00	23.79	5.26
240	9.00	8.00	28.00	23.99	0.70
241	7.00	6.00	22.00	18.00	-2.12
242	9.00	11.00	31.00	21.83	5.21
243	7.00	16.00	32.00	3.48	12.86
244	6.00	12.00	27.00	2.02	6.85
245	8.00	8.00	26.00	20.86	0.81
246	5.00	9.00	25.00	0.44	2.46
247	9.00	14.00	32.00	19.57	9.78
248	5.00	15.00	30.00	-7.59	11.40
249	3.00	19.00	27.00	-24.52	17.53
250	9.00	8.00	26.00	25.09	0.71
251	5.00	15.00	36.00	-7.25	11.47
252	10.00	15.00	35.00	20.32	11.04
253	12.00	12.00	38.00	37.02	6.48
254	10.00	13.00	38.00	24.03	8.10
255	6.00	18.00	35.00	-5.89	15.82
256	5.00	10.00	25.00	-1.23	3.92
257	9.00	14.00	36.00	15.64	9.60
258	4.00	11.00	23.00	-8.41	5.42
259	8.00	10.00	28.00	16.04	3.75
260	7.00	16.00	33.00	2.42	12.75
261	7.00	16.00	38.00	2.08	12.72
262	4.00	14.00	27.00	-12.03	9.95
263	9.00	16.00	39.00	13.57	12.60
264	3.00	12.00	30.00	-14.79	7.15
265	9.00	11.00	32.00	22.69	5.23
266	4.00	13.00	26.00	-9.96	8.64
267	8.00	13.00	28.00	13.68	8.29
268	5.00	10.00	22.00	-0.56	3.97

SAM NO	3H CFM	14C CFM	WIDE CFM	3H DFM	14C DFM
269	6.00	14.00	29.00	-0.03	9.90
270	7.00	10.00	28.00	10.22	3.80
271	5.00	12.00	32.00	-2.99	6.99
272	9.00	12.00	31.00	18.96	6.65
273	5.00	12.00	31.00	-3.88	6.89
274	7.00	9.00	26.00	12.73	2.35
275	8.00	9.00	25.00	16.65	2.24
276	4.00	11.00	22.00	-7.73	5.53
277	8.00	6.00	23.00	23.20	-2.19
278	8.00	13.00	27.00	13.10	8.26
279	4.00	10.00	26.00	-5.38	4.15
280	5.00	17.00	34.00	-9.91	14.50
281	6.00	10.00	24.00	6.80	3.98
282	5.00	18.00	36.00	-11.60	15.90
283	9.00	20.00	44.00	7.89	18.53
284	8.00	11.00	28.00	15.77	5.27
285	10.00	12.00	31.00	24.49	6.58
286	5.00	12.00	30.00	-3.56	6.93
287	6.00	9.00	23.00	6.72	2.42
288	15.00	11.00	40.00	54.45	4.77
289	8.00	12.00	33.00	13.86	6.74
290	4.00	14.00	31.00	-12.09	9.93
291	7.00	5.00	24.00	17.79	-3.62
292	9.00	10.00	25.00	20.24	3.64
293	4.00	15.00	29.00	-13.36	11.45
294	8.00	14.00	30.00	11.15	9.73
295	9.00	12.00	33.00	20.50	6.71
296	4.00	9.00	24.00	-5.38	2.51
297	4.00	10.00	26.00	-6.76	3.99
298	8.00	13.00	30.00	15.57	8.38
299	8.00	8.00	23.00	19.43	0.78
300	12.00	5.00	23.00	49.26	-3.97
301	5.00	11.00	27.00	-2.56	5.40
302	6.00	9.00	28.00	6.27	2.40
303	9.00	20.00	47.00	8.08	18.55
304	5.00	9.00	24.00	0.46	2.46
305	7.00	14.00	37.00	4.20	9.70
306	5.00	15.00	30.00	-7.55	11.41
307	6.00	5.00	19.00	12.29	-3.55
308	4.00	10.00	22.00	-5.84	4.10
309	10.00	13.00	35.00	24.71	8.12
310	7.00	19.00	31.00	-1.31	17.27
311	13.00	8.00	29.00	50.18	0.45
312	7.00	12.00	26.00	7.82	6.79
313	6.00	7.00	19.00	10.34	-0.55
314	6.00	7.00	23.00	14.47	-0.46
315	7.00	8.00	21.00	16.37	0.91
316	8.00	9.00	26.00	18.38	2.28
317	2.00	17.00	33.00	-28.15	14.81
318	3.00	18.00	36.00	-23.43	16.25
319	8.00	12.00	32.00	14.63	6.78
320	9.00	10.00	31.00	21.73	3.68
321	6.00	13.00	30.00	1.21	8.39
322	5.00	14.00	26.00	-5.92	9.96
323	9.00	4.00	31.00	35.57	-5.27
324	3.00	9.00	26.00	-10.74	2.62
325	7.00	8.00	26.00	13.65	0.85
326	7.00	14.00	34.00	5.19	9.78

<u>SAM</u> <u>NO</u>	<u>3H</u> <u>CPM</u>	<u>14C</u> <u>CPM</u>	<u>WIDE</u> <u>CPM</u>	<u>3H</u> <u>DPM</u>	<u>14C</u> <u>DPM</u>
327	7.00	12.00	34.00	9.01	6.86
	6.00	10.00	31.00	5.32	3.91
329	11.00	12.00	34.00	31.37	6.55
330	9.00	9.00	28.00	25.78	2.24
331	10.00	12.00	33.00	26.45	6.64
332	5.00	9.00	21.00	0.34	2.45
333	6.00	10.00	29.00	5.54	3.92
334	8.00	12.00	30.00	13.98	6.75
335	5.00	13.00	32.00	-4.51	8.47
336	8.00	14.00	30.00	11.53	9.75
337	5.00	8.00	27.00	2.32	0.99
338	5.00	5.00	18.00	5.72	-3.50
339	6.00	5.00	20.00	13.12	-3.55
340	5.00	13.00	31.00	-2.69	8.70