

**Potential Lessons-Learned Items Presented to the Lessons-Learned Oversight Board  
December 2011- September 2012**

1. Summary of Public Meeting with Westinghouse to Discuss Lessons Learned Associated with Oversight of Vendors (Agencywide Documents Access and Management System [ADAMS] Accession No. ML11335A274, December 5, 2011).
2. New York State (NYS) Pre-Filed Evidentiary Hearing Exhibit NYS000247, The Development of MACCS2: Lessons Learned, D.I. Chanin for Energy Facilities Contractor Operating Group Safety Analysis Working Group, Annual Workshop, Santa Fe, NM (Apr. 29-May 5, 2005) (ADAMS Accession No. ML11355A184, December 21, 2011).
3. Hopewell Designs, Inc., BX3 Box Calibration Installations Lessons Learned (ADAMS Accession No. ML12123A148, January 5, 2012).
4. Palisades Lessons Learned from Special Inspection Report (05000255-11-014) (ADAMS Accession No. ML120240384, January 24, 2012).
5. Staff Review of NSIR After Action Report/Lessons Learned regarding the Use of Stand Alone None Network Copiers for the Reproduction of Classified and Safeguards Documents (ADAMS Accession No. ML120190727, January 26, 2012).
6. Enclosure 1 - Staff Review of NSIR After Action Report/Lessons Learned Regarding the Use of Stand Alone/None Network Copiers for the Reproduction of Classified and Safeguards Documents (ADAMS Accession No. ML120250321, January 26, 2012).
7. Surry, Units 1 & 2, North Anna, Units 1 & 2, Biweekly Notice Memo, Notice of Consideration of Issuance of Amendments to Change Emergency Action Levels, Proposed to Incorporate Lessons Learned from Safety Related Breaker Fire (ADAMS Accession No. ML12024A334, January 27, 2012).
8. Lessons Learned - Inadvertent Release of OI Letter (ADAMS Accession No. ML12030A030, January 30, 2012).
9. Lessons Learned Associated with the Mandatory Hearing Process (ADAMS Accession No. ML12033A027, January 31, 2012).
10. Lessons Learned from Palisades Special Inspection on the Coupling Failure on Service Water Pump, P-7C; Report 05000255/2011011(ADAMS Accession No. ML12037A003, February 6, 2012).

11. IER 4-12-25, "Fort Calhoun Flooding Lessons Learned" (ADAMS Accession No. ML12248A174, March 28, 2012).
12. Memo 06/07/2012 Monticello SIT - Generic Implications Lessons Learned from the Special Inspection (ADAMS Accession No. ML12173A255, March 28, 2012).
13. Memo to P. Silva re: Lessons Learned as a Result of Reviewing the International Isotopes Fluoride Products Inc., License Application (ADAMS Accession No. ML12208A145, September 28, 2012).