



Corporate Office 650 Liberty Avenue

Union, NJ 07083 908/688-0888

10-4-13

Director Office of Federal and State Materials and Environmental Management Programs ATTN: GLTS U.S. Nuclear Regulatory Commission Washington, D.C. 20555-0001

BED BATH &

BEYO

Re: Transfer of Tritium Exit Signs Bed Bath & Beyond Store #1168, Helena, MT

Dear Sir or Madam:

Pursuant to Montana regulation, Bed Bath & Beyond Inc. ("BBB") provides this notice that on September 10, 2013, BBB transferred the self-luminous exit signs listed on the attached table from BBB Store #1168 located at 2027 Cromwell Dixon Lane, Helena, Montana 59601, to Shield Source Inc., Attn: Taylor Perry, 925-211C Airport Road, Cavan Monaghan, ON K9J0E7 with license number CNSC # IL-A1-4790.0/2014. For each sign, the manufacturer name, model number, serial number, manufacture date, and original curie content are indicated on the attached tables.

Please contact me at 908-855-4294 if you have any questions regarding this letter or the attached report.

Sincerely,

Lanui Viscion

Jim O'Connor Bed Bath & Beyond Inc. Vice President - Loss Prevention and Safety ł

Serial Number Spreadsheet (Box Contents)

Store #: 1168 Address: 2027 Cromwell Dixon City, State: Helena, MT Lane

Fill out this form for each tritium exit sign going into a box

- Do not exceed 99 curies per box. Seal the box according to the packaging instructions
- □ FAX to Taylor Perry at Isolite 610-296-8952 BEFORE you leave the store
- FAX to CB&I at 225-987-3228 BEFORE you leave the store

| RMA #: 9870 PA | Do NOT exceed 99 curies per box |
|--------------------------------|--|
| Box of | 8 signs at 11.5 curies each = 92 curies = max in a box. 4 signs at 20 curies each = 80 curies = max in a box. |
| Weight of Box: 28 165 | Max of 1,000 curies shipped from one location (this |
| Total Curies in this box: 80.5 | would be 86 11.5-curie signs or 10 boxes at <u>less than</u> 100 curies each box) |

| Line | Manufacturer Name | Manufacture Date | Model # | Serial # | Activity(Ci or TBq ar (Number of Curies) | |
|------|-------------------|------------------|---------|----------|---|----------|
| 1 | Safety light corp | 9/2007 | 54×-60 | 429701 | 11.5 | 1 |
| 2 | Safety hant coops | 9/2007 | 51-7-60 | 429699 | 11-5 | 2 |
| 3 | Safety light corp | 9/2007 | 51×-60 | 42 9700 | 11.5 | 3 |
| 4 | Safety hant corp | 9/2007 | 51-X-60 | 429702 | 11.5 | 4 |
| 5 | Safety light corp | l '. | 51-X-60 | 429705 | 11.5 | 5 |
| 6 | Safety light coop | 9/2007 | SLX-60 | 429706 |)1-5 | 6 |
| 7 | Sovery light corp | 9/2007 | SLX-60 | 429697 | 11.5 | 7 |
| 8 | | | | | | , |
| 9 | | | | | | |
| 10 | | | | | | |

ų.

08/29/2013 12:14AM (GMT-05:00)

(

Serial Number Spreadsheet (Box Contents)

Store #: 1168 Address: 2027 Cromwell Dixon City, State: Helena, MT Lane

Fill out this form for each tritium exit sign going into a box

Do not exceed 99 curies per box. Seal the box according to the packaging instructions

□ FAX to Taylor Perry at Isolite 610-296-8952 BEFORE you leave the store

FAX to CB&I at 225-987-3228 BEFORE you leave the store

| RMA#: 9870 PA | Do NOT exceed 99 curies per box |
|-------------------------------------|--|
| Box 2 of 2 | 8 signs at 11.5 curies each = 92 curies = max in a box. 4 signs at 20 curies each = 80 curies = max in a box. |
| Weight of Box: 24 (b5 | _ Max of 1,000 curies shipped from one location (this |
| Total Curles in this box: <u>69</u> | would be 86 11.5-curie signs or 10 boxes at <u>less than</u> 100 curies each box) |

| Line | Manufa dura Nama | Manufacture Date | Model # | Serial # | Activity(Ci or TBq amount) | |
|------|-------------------|------------------|---------|----------|----------------------------|---------|
| Line | Manufacturer Name | | | | (Number of Curie | \$¢\$\$ |
| | Safety light corp | 9/2007 | 51-1-60 | 429695 | 11-5 | 8 |
| 2 | Safety light corp | 9/2007 | 5LX-60 | 429696 | 11.5 | 9 |
| 3 | Safety light Corp | 9/2007 | 51-7-60 | 429694 | 11.5 | 10 |
| 4 | Safety light coup | 9/2007 | SLX-60 | 42.9698 | 11.5 | 11 |
| 5 | Safety hapt corp | 9/2001 | SLX-60 | 42.9704 | 115 | 12 |
| 6 | Safety light (oxp | 9/2.007 | 51-7-60 | 429703 | 11.5 | 13 |
| 7 | · · · · · | | | | | |
| 8 | | | | | | |
| 9 | | | | | | |
| 10 | | | | | | |

÷.

08/29/2013 12:14AM (GMT-05:00)

