

URANIUM ONE USA, INC. - WILLOW CREEK PROJECT
2013 2nd QUARTER WDEQ REPORT
MECHANICAL INTEGRITY TEST RESULTS

TOTAL_HOLE_ID	WELL ID	INTEGRITY RESULTS	INTEGRITY DATE	CASING TYPE	CASING DEPTH	LOWER PACKER DEPTH	INITIAL PRESSURE	FINAL PRESSURE	PRESSURE LOSS	PERCENT LOSS	ADD_WELL_NOTES
4577-35-10424	10424	P	6/10/2013	PVC	385	370	168	158	10	6.0%	
4577-35-10430	10430	P	6/10/2013	PVC	393	380	168	163	5	3.0%	
4577-35-10432	10432	P	6/6/2013	PVC	396	380	168	157	11	6.5%	
4577-35-10433	10433	P	6/7/2013	PVC	374	350	168	159	9	5.4%	
4577-35-10445	10445	P	6/11/2013	PVC	377	360	168	162	6	3.6%	
4577-35-10446	10446	P	6/5/2013	PVC	369	350	168	158	10	6.0%	
4577-35-10447	10447	P	6/10/2013	PVC	373	360	168	162	6	3.6%	
4577-35-10513	10513	P	5/1/2013	PVC	390	380	168	165	3	1.8%	
4577-35-10569	10569	P	6/27/2013	PVC	370	360	168	156	12	7.1%	
4577-35-10580	10580	P	6/27/2013	PVC	382	370	168	162	6	3.6%	
4577-35-10641	10641	P	4/2/2013	PVC	350	340	168	162	6	3.6%	
4577-35-10647	10647	P	4/3/2013	PVC	353	340	168	160	8	4.8%	
4577-35-10648	10648	P	4/25/2013	PVC	345	330	168	160	8	4.8%	
4577-35-10649	10649	P	4/3/2013	PVC	346	330	168	162	6	3.6%	
4577-35-10650	10650	P	4/3/2013	PVC	360	350	168	161	7	4.2%	
4577-35-10665	10665	P	4/3/2013	PVC	350	340	168	158	10	6.0%	
4577-35-10666	10666	P	4/3/2013	PVC	352	340	168	159	9	5.4%	
4577-35-10667	10667	P	4/8/2013	PVC	346	330	168	162	6	3.6%	
4577-35-10668	10668	P	4/8/2013	PVC	355	340	168	160	8	4.8%	
4577-35-10669	10669	P	4/3/2013	PVC	355	340	168	164	4	2.4%	
4577-35-10670	10670	P	4/2/2013	PVC	355	340	168	164	4	2.4%	
4577-35-10676	10676	P	6/28/13	PVC	395	370	168	154	14	8.3%	
4577-35-10681	10681	F	4/1/2013	PVC	375	360	168	0	168	100.0%	Redrilled as 10681-2; Grouted 7/10/13; Chipped 7/16/13
4577-35-10681-2	10681-2	P	4/18/2013	PVC	375	360	168	167	1	0.6%	
4577-35-10684	10684	P	4/2/2013	PVC	354	340	168	161	7	4.2%	
4577-35-10685	10685	P	4/3/2013	PVC	371	360	168	165	3	1.8%	
4577-35-10686	10686	P	4/2/2013	PVC	365	350	168	166	2	1.2%	
4577-35-10687	10687	P	4/3/2013	PVC	362	350	168	167	1	0.6%	
4577-35-10689	10689	P	4/2/2013	PVC	348	340	168	164	4	2.4%	
4577-35-10691	10691	P	4/2/2013	PVC	370	360	168	161	7	4.2%	
4577-35-10692	10692	P	4/24/2013	PVC	390	380	168	160	8	4.8%	
4577-35-10698	10698	P	6/25/13	PVC	396	380	168	165	3	1.8%	
4577-35-10699	10699	P	4/24/2013	PVC	397	380	168	163	5	3.0%	
4577-35-10700	10700	P	4/1/2013	PVC	383	370	168	164	4	2.4%	
4577-35-10701	10701	P	4/18/2013	PVC	358	350	168	165	3	1.8%	
4577-35-10702	10702	P	4/15/2013	PVC	350	340	168	162	6	3.6%	
4577-35-10703	10703	P	4/18/2013	PVC	347	330	168	160	8	4.8%	
4577-35-10705	10705	P	4/15/2013	PVC	342	330	168	158	10	6.0%	
4577-35-10706	10706	P	4/18/2013	PVC	345	330	168	160	8	4.8%	
4577-35-10707	10707	P	4/15/2013	PVC	355	340	168	164	4	2.4%	
4577-35-10708	10708	P	4/23/2013	PVC	380	370	168	161	7	4.2%	
4577-35-10709	10709	P	4/18/2013	PVC	389	380	168	162	6	3.6%	
4577-35-10711	10711	P	6/27/2013	PVC	383	370	168	158	10	6.0%	
4577-35-10712	10712	P	6/28/2013	PVC	382	360	168	159	9	5.4%	
4577-35-10719	10719	P	4/15/2013	PVC	357	340	168	160	8	4.8%	
4577-35-10720	10720	P	4/15/2013	PVC	350	340	168	164	4	2.4%	
4577-35-10721	10721	P	4/15/2013	PVC	343	330	168	162	6	3.6%	
4577-35-10722	10722	P	4/15/2013	PVC	340	330	168	166	2	1.2%	
4577-35-10723	10723	P	4/15/2013	PVC	347	330	168	161	7	4.2%	
4577-35-10727	10727	P	4/24/2013	PVC	376	360	168	159	9	5.4%	
4577-35-10728	10728	P	4/23/2013	PVC	381	370	168	160	8	4.8%	

URANIUM ONE USA, INC. - WILLOW CREEK PROJECT
2013 2nd QUARTER WDEQ REPORT
MECHANICAL INTEGRITY TEST RESULTS

TOTAL_HOLE_ID	WELL ID	INTEGRITY RESULTS	INTEGRITY DATE	CASING TYPE	CASING DEPTH	LOWER PACKER DEPTH	INITIAL PRESSURE	FINAL PRESSURE	PRESSURE LOSS	PERCENT LOSS	ADD_WELL_NOTES
4577-35-10734	10734	P	4/4/2013	PVC	338	330	168	161	7	4.2%	
4577-35-10735	10735	P	4/23/2013	PVC	377	360	168	165	3	1.8%	
4577-35-10736	10736	P	4/24/2013	PVC	365	350	168	162	6	3.6%	
4577-35-10742	10742	P	4/8/2013	PVC	332	320	168	161	7	4.2%	
4577-35-10743	10743	P	4/4/2013	PVC	327	310	168	160	8	4.8%	
4577-35-10744	10744	P	4/4/2013	PVC	332	320	168	163	5	3.0%	
4577-35-10745	10745	P	4/4/2013	PVC	325	310	168	157	11	6.5%	
4577-35-10746	10746	P	4/4/2013	PVC	320	310	168	162	6	3.6%	
4577-35-10747	10747	P	4/4/2013	PVC	310	300	168	158	10	6.0%	
4577-35-10748	10748	P	4/8/2013	PVC	310	300	168	158	10	6.0%	
4577-35-10749	10749	P	4/4/2013	PVC	307	290	168	166	2	1.2%	
4577-35-10751	10751	F	4/30/2013	PVC	352	340	168	0	168	100.0%	Redrilled as 10751-2; Grouted 7/10/13; Chipped 7/16/13
4577-35-10751-2	10751-2	P	6/17/13	PVC	352	340	168	158	10	6.0%	
4577-35-10752	10752	P	4/26/2013	PVC	365	354	168	163	5	3.0%	
4577-35-10753	10753	P	4/30/2013	PVC	369	360	168	160	8	4.8%	
4577-35-10754	10754	P	4/30/2013	PVC	365	350	168	166	2	1.2%	
4577-35-10755	10755	P	4/30/2013	PVC	355	340	168	158	10	6.0%	
4577-35-10756	10756	P	5/1/2013	PVC	340	330	168	162	6	3.6%	
4577-35-10757	10757	P	4/24/2013	PVC	369	360	168	165	3	1.8%	
4577-35-10760	10760	P	5/1/2013	PVC	376	360	168	157	11	6.5%	
4577-35-10762	10762	P	4/25/2013	PVC	370	360	168	161	7	4.2%	
4577-35-10763	10763	P	4/26/2013	PVC	380	360	168	155	13	7.7%	
4577-35-10764	10764	P	4/25/2013	PVC	390	380	168	158	10	6.0%	
4577-35-10765	10765	P	4/25/2013	PVC	390	380	168	164	4	2.4%	
4577-35-10766	10766	P	4/30/2013	PVC	371	360	168	158	10	6.0%	
4577-35-10767	10767	P	5/2/2013	PVC	390	380	168	166	2	1.2%	
4577-35-10768	10768	P	5/1/2013	PVC	366	350	168	160	8	4.8%	
4577-35-10775	10775	P	5/1/2013	PVC	365	350	168	161	7	4.2%	
4577-35-10776	10776	P	5/1/2013	PVC	404	390	168	165	3	1.8%	
4577-35-10777	10777	P	5/2/2013	PVC	413	400	168	159	9	5.4%	
4577-35-10778	10778	P	4/25/2013	PVC	398	380	168	161	7	4.2%	
4577-35-10779	10779	P	5/29/2013	PVC	407	390	168	160	8	4.8%	
4577-35-10780	10780	P	4/25/2013	PVC	419	400	168	163	5	3.0%	
4577-35-10781	10781	P	5/2/2013	PVC	413	400	168	160	8	4.8%	
4577-35-10782	10782	P	5/1/2013	PVC	381	370	168	155	13	7.7%	
4577-35-10790	10790	P	5/2/2013	PVC	352	340	168	157	11	6.5%	
4577-35-10793	10793	P	4/25/2013	PVC	416	400	168	161	7	4.2%	
4577-35-10794	10794	P	4/25/2013	PVC	413	390	168	165	3	1.8%	
4577-35-10795	10795	P	4/25/2013	PVC	406	385	168	160	8	4.8%	
4577-35-10805	10805	P	4/25/2013	PVC	412	390	168	157	11	6.5%	
4577-35-10807	10807	P	5/1/2013	PVC	410	390	168	159	9	5.4%	
4577-35-10808	10808	P	5/1/2013	PVC	403	390	168	159	9	5.4%	
4577-35-10818	10818	P	5/1/2013	PVC	392	380	168	159	9	5.4%	
4577-35-10MP12	10MP12	P	4/2/13	PVC	373	360	168	165	3	1.8%	
2AE35-1	2AE35-1	P	6/3/13	PVC	380	380	168	161	7	4.2%	
3T37-1	3T37-1	P	6/3/13	PVC	260	260	168	168	0	0.0%	
3V28-2	3V58-2	P	5/30/13	PVC	280	280	168	168	0	0.0%	
4577-25-8AH180-1	8AH180-1	P	6/11/2013	PVC	298	290	168	158	10	6.0%	
4577-25-8AH180-2	8AH180-2	P	6/4/13	PVC	288	280	168	160	8	4.8%	
4577-25-8AH182-2	8AH182-2	P	6/4/13	PVC	278	270	168	163	5	3.0%	
4577-25-8AI178-1	8AI178-1	P	6/4/13	PVC	263	250	168	165	3	1.8%	

URANIUM ONE USA, INC. - WILLOW CREEK PROJECT
2013 2nd QUARTER WDEQ REPORT
MECHANICAL INTEGRITY TEST RESULTS

TOTAL_HOLE_ID	WELL ID	INTEGRITY RESULTS	INTEGRITY DATE	CASING TYPE	CASING DEPTH	LOWER PACKER DEPTH	INITIAL PRESSURE	FINAL PRESSURE	PRESSURE LOSS	PERCENT LOSS	ADD_WELL_NOTES
4577-25-8AI179-2	8AI179-2	P	6/4/13	PVC	267	250	168	164	4	2.4%	
4577-25-8AJ178-1	8AJ178-1	P	6/4/13	PVC	259	250	168	166	2	1.2%	
4576-30-8AP193-1A	8AP193-1A	P	6/11/2013	PVC	307	290	168	162	6	3.6%	
4576-30-8AP194-1	8AP194-1	P	6/6/2013	PVC	320	300	168	164	4	2.4%	
4576-30-8AP195-1	8AP195-1	P	6/6/2013	PVC	330	310	168	163	5	3.0%	
4576-30-8AQ191-1	8AQ191-1	P	6/5/13	PVC	277	260	168	165	3	1.8%	
4576-30-8AQ193-1	8AQ193-1	P	6/5/13	PVC	295	280	168	160	8	4.8%	
4576-30-8AQ195-1	8AQ195-1	P	6/6/2013	PVC	330	310	168	165	3	1.8%	
4576-30-8AQ195-2	8AQ195-2	P	6/5/13	PVC	312	300	168	167	1	0.6%	
4576-30-8AR193-1	8AR193-1	P	6/5/13	PVC	295	280	168	164	4	2.4%	
4576-30-8AR195-1	8AR195-1	P	6/5/13	PVC	300	290	168	158	10	6.0%	