

BED BATH & BEYOND



Corporate Office

650 Liberty Avenue
Union, NJ 07083
908/688-0888

October 1, 2013

Director
Office of Federal and State Materials and Environmental Management Programs
ATTN: GLTS
U.S. Nuclear Regulatory Commission
Washington, D.C. 20555-0001

**Re: Transfer of Tritium Exit Signs – Revised Letter
Bed Bath & Beyond Store #7026, Williston, VT**

Dear Sir or Madam:

Previously Bed Bath & Beyond Inc. ("BBB") provided notice that on August 8, 2013, BBB transferred the self-luminous exit signs listed on the provided table from BBB Store #7026 located at 100 Cypress St., Williston, VT 05945, to Shield Source Inc., Attn: Taylor Perry, 925-211C Airport Road, Cavan Monaghan, ON K9J0E7 with license number CNSC # IL-A1-4790.0/2014.

In that table, two digits of the serial numbers for all four signs were inadvertently transposed. The revised table is attached to this letter.

Please contact me at 908-855-4294 if you have any questions regarding this letter or the attached report.

Sincerely,

James O'Connor

Jim O'Connor
Bed Bath & Beyond Inc.
Vice President - Loss Prevention and Safety

Serial Number Spreadsheet (Box Contents)

Store #: 7026 Address: 100 Cyprus St. City, State: Williston, VT

- Fill out this form for each tritium exit sign going into a box
- Do not exceed 99 curies per box. Seal the box according to the packaging instructions
- FAX to Taylor Perry at Isolite 610-296-8952 BEFORE you leave the store
- FAX to CB&I at 225-987-3228 BEFORE you leave the store

RMA #: <u>9793 PA</u> Box <u>1</u> of <u>1</u> Weight of Box: <u>16 lbs.</u> Total Curies in this box: <u>46</u>	Do NOT exceed 99 curies per box 8 signs at 11.5 curies each = 92 curies = max in a box. 4 signs at 20 curies each = 80 curies = max in a box. Max of 1,000 curies shipped from one location (this would be 86 11.5-curie signs or 10 boxes at <u>less than 100 curies each box</u>)
---	--

Line	Manufacturer Name	Manufacture Date	Model #	Serial #	Activity(Ci or TBq amount) (Number of Curies)
1	Safety Light Corp.	10/04	SLX-60	219632	11.5
2	Safety Light Corp.	10/04	SLX-60	219630	11.5
3	Safety Light Corp.	10/04	SLX-60	219631	11.5
4	Safety Light Corp.	10/04	SLX-60	219629	11.5
5				291632	
6				291630	
7				291631	
8				291629	
9					
10					

BED BATH & BEYOND

Harmon.
STORES, INC.
A Bed Bath & Beyond Subsidiary



Corporate Office

650 Liberty Avenue
Union, NJ 07083
908/688-0888

October 1, 2013

Director
Office of Federal and State Materials and Environmental Management Programs
ATTN: GLTS
U.S. Nuclear Regulatory Commission
Washington, D.C. 20555-0001

**Re: Transfer of Tritium Exit Signs – Revised Letter
Bed Bath & Beyond Store #7026, Williston, VT**

Dear Sir or Madam:

Previously Bed Bath & Beyond Inc. (“BBB”) provided notice that on August 8, 2013, BBB transferred the self-luminous exit signs listed on the provided table from BBB Store #7026 located at 100 Cypress St., Williston, VT 05945, to Shield Source Inc., Attn: Taylor Perry, 925-211C Airport Road, Cavan Monaghan, ON K9J0E7 with license number CNSC # IL-A1-4790.0/2014.

In that table, two digits of the serial numbers for all four signs were inadvertently transposed. The revised table is attached to this letter.

Please contact me at 908-855-4294 if you have any questions regarding this letter or the attached report.

Sincerely,

James O'Connor

Jim O'Connor
Bed Bath & Beyond Inc.
Vice President - Loss Prevention and Safety

Serial Number Spreadsheet (Box Contents)

Store #: 7026 Address: 100 Cyprus St. City, State: Williston, VT

- Fill out this form for each tritium exit sign going into a box
- Do not exceed 99 curies per box. Seal the box according to the packaging instructions
- FAX to Taylor Perry at Isolite 610-296-8952 BEFORE you leave the store
- FAX to CB&I at 225-987-3228 BEFORE you leave the store

RMA #: <u>9793 PA</u> Box <u>1</u> of <u>1</u> Weight of Box: <u>16 lbs.</u> Total Curies in this box: <u>46</u>	Do NOT exceed 99 curies per box 8 signs at 11.5 curies each = 92 curies = max in a box. 4 signs at 20 curies each = 80 curies = max in a box. Max of 1,000 curies shipped from one location (this would be 86 11.5-curie signs or 10 boxes at <u>less than 100 curies</u> each box)
---	---

Line	Manufacturer Name	Manufacture Date	Model #	Serial #	Activity(Ci or TBq amount) (Number of Curies)
1	Safety Light Corp.	10/04	SLX-60	219632	11.5
2	Safety Light Corp.	10/04	SLX-60	219630	11.5
3	Safety Light Corp.	10/04	SLX-60	219631	11.5
4	Safety Light Corp.	10/04	SLX-60	219629	11.5
5				291632	
6				291630	
7				291631	
8				291629	
9					
10					

From: (908) 855-4274
 Donna Seltzer
 BED BATH & BEYOND/PASSKEY
 650 Liberty Avenue

Origin ID: CDWA



J13201306280326

Union, NJ 07083

Ship Date: 01OCT13
 ActWgt: 1.0 LB
 CAD: 1447625/NET3430

Delivery Address Bar Code



SHIP TO: (908) 855-4274

BILL SENDER

Glenda Hannah
Office of Fed Management Programs
US Nuclear Regulatory Commission
ATTN GLTS
WASHINGTON, DC 20555

Ref #
 Invoice #
 PO #
 Dept # 965



WED - 02 OCT AA
 STANDARD OVERNIGHT

TRK# 7968 1229 5912

0201

20555
 DC-US
 IAD

EP NSFA



51AG1/AB1B/1A9E

After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number. Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.