



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION III
2443 WARRENVILLE ROAD, SUITE 210
LISLE, ILLINOIS 60532-4352

OCT 22 2013

David L. Carter, M.D.
Radiation Safety Officer
Huron Memorial Hospital
d/b/a Huron Medical Center
1100 South Van Dyke
Bad Axe, MI 48413

Dear Dr. Carter:

Enclosed is Amendment No. 10 to your NRC Material License No. 21-17093-01 in accordance with your request. This amendment renews your license for a ten year term. Your license will not expire until October 31, 2023.

Please note that the major changes made to your license are printed in **bold** font.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

If you have questions please contact me at (630) 829-9841. My fax number is (630) 515-1078. My email address is colleen.casey@nrc.gov.

Please note that, at this time, we deleted Condition No. 13 from your license, as it appeared on Amendment No. 09. It has been replaced with a new standard license condition concerning transportation and packaging of licensed material and our regulations in 10 CFR Part. 71.

In Section 8.5, Item 5 and in Section 8.12, Item 7 of your application dated April 18, 2013, we noted the following discrepancies:

- 1. The possession limit for your authorization for materials in 10 CFR 35.300 (excluding iodine-131 for thyroid carcinoma treatment) was stated as "....Curie." We took this to mean "One curie," although the number itself was omitted. If our understanding is incorrect, please contact me immediately.**
- 2. The name and terminal degree of your other Authorized User was requested as "Mark Gilfoyle, M.D." I checked this information and discovered that the correct name and terminal degree should be "Mark Guilfoyle, D.O." Your license has been prepared in accordance with the correct information. If our understanding is incorrect, please contact me immediately.**

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you.

This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions.

Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

The NRC's Safety Culture Policy Statement became effective in June 2011. While a policy statement and not a regulation, it sets forth the agency's *expectations* for individuals and organizations to establish and maintain a positive safety culture.

You can access the policy statement and supporting material that may benefit your organization on NRC's safety culture Web site at <http://www.nrc.gov/about-nrc/regulatory/enforcement/safety-culture.html>.

We strongly encourage you to review this material and adapt it to your particular needs in order to develop and maintain a positive safety culture as you engage in NRC-regulated activities.

Sincerely,



Colleen Carol Casey
Materials Licensing Branch

License No. 21-17093-01
Docket No. 030-12179

Enclosure:

Amendment No. 10