

From: Tim McCullough (USA - Casper) <Tim.McCullough@uranium1.com>
Sent: Thursday, October 31, 2013 7:32 PM
To: Spitzberg, Blair; Gersey, Linda; Linton, Ron
Cc: Jon Winter (USA - Casper); Barry Koch [USA - Christensen Ranch]; Rick Kukura (USA - Casper); Larry Arbogast (USA - Christensen Ranch)
Subject: Willow Creek Mine Unit 7 Modular Building 7-3 release on October 31, 2013

Blair, Ron and Linda:

This email is to inform the WDEQ that there was a small release of ISR injection fluid from Modular Building 7-3 in the Mine Unit 7 wellfield area at the Willow Creek Project (Christensen Ranch) located in Campbell County. The investigation into the cause of the release is ongoing, but it appears to have resulted when a fusion joint for an end cap and a 6" poly line located on the injection bag filter manifold failed. It is estimated that approximately 740 gallons of injection fluid was released outside of the building. This building is located in a small dry ephemeral draw dry draw. The release was found at 1530 on October 31, 2013. The modular building was immediately shut off.

The release occurred within a fenced wellfield area and did not impact any actual water. No wildlife or livestock were affected. No fluid was able to be recovered as it occurred in a flat area and soaked into the ground quickly. A sample of the fluid for the release was collected. A written report with more details will be submitted within 30 days. The WDEQ has already been notified.

If you have any questions, please contact me.

Tim McCullough

Willow Creek Manager of Mine Site SHE

907 North Poplar

Suite 260

Casper, WY 82601

Phone: [307-696-8113](tel:307-696-8113)

Cell: [307-462-3998](tel:307-462-3998)

E-Mail to and from me, in connection with the transaction of public business, is subject to the Wyoming Public Records Act and may be disclosed to third parties.