SEP 3 1987

Docket Nos. 50-206, 50-361 and 50-362

Southern California Edison Company P. O. Box 800 2244 Walnut Grove Avenue Rosemead, California 91770

Attention: Mr. Kenneth P. Baskin, Vice President Nuclear Engineering, Safety and Licensing Department

Gentlemen:

SUBJECT: NRC INSPECTION SAN ONOFRE UNITS 1, 2 AND 3

This refers to the inspection conducted by Mr. J. E. Russell of this office on August 3 through 7 and August 17 through 20, 1987, of activities authorized by NRC License Nos. DPR-13, NPF-10 and NPF-15 and to the discussion of our findings held by Mr. Russell with Mr. Morgan and other members of your staff on August 20, 1987, at the conclusion of the inspection.

Areas examined during this inspection are described in the enclosed inspection report. Within these areas, the inspection consisted of selective examinations of procedures and representative records, interviews with personnel, and observations by the inspector.

No items of noncompliance with NRC requirements were identified as a result of this inspection.

In accordance with 10 CFR 2.790(a), a copy of this letter and the enclosure will be placed in the NRC Public Document Room.

Should you have any questions concerning this inspection, we will be glad to discuss them with you.

Sincerely,

Frank A. Wenslawski, Chief Emergency Preparedness and Radiological Protection Branch

Enclosure: Inspection Report Nos. 50-206/87-19, 50-361/87-18 and 50-362/87-20

cc w/enclosure: D. J. Fogarty, SCE H. B. Ray, SCE (San Clemente) H. E. Morgan, SCE (San Clemente) F. P. Eller, SCE State of CA

8709170<u>224</u> 87090



TE06 11

bcc w/enclosure: RSB/Document Control Desk (RIDS) (IE06) Project Inspector Resident Inspector Randy Huey (SONGS) (2) G. Cook B. Faulkenberry J. Martin Docket File

SEP. 3 1987

-2-

bcc w/o enclosure: LFMB M. Smith

Region V

[REQUEST	COPY] REQUEST	COPY]	REQUEST	CORY]
<u>[(YES//</u>	NO] (YES) /	NO]	YES /	(NO)]
				Γ	SEME TO	PDR]
Æ		RV]	(YES) /	NO]
ØRussell		GYunas			FAWens 1	awski	Jan
9/2/87		9/3/87			9/3/87	,	<i>,</i>
		-			•		