

*Southern California Edison Company*

P. O. BOX 128

SAN CLEMENTE, CALIFORNIA 92672

H. E. MORGAN  
VICE PRESIDENT AND SITE MANAGER  
SAN ONOFRE

TELEPHONE  
714-368-9470

April 9, 1991

U. S. Nuclear Regulatory Commission  
Office of Inspection and Enforcement  
Region V  
1450 Maria Lane, Suite 210  
Walnut Creek, California 94596-5368

Attention: Mr. J. B. Martin, Regional Administrator

Dear Sir:

Subject: Docket No. 50-206  
Reactor Operator License Application (Reinstatement)  
San Onofre Nuclear Generating Station, Unit 1

In accordance with 10 CFR 55, enclosed are triplicate copies of Mr. Earl L. Young's application for a Reactor Operator (RO) license, submitted on NRC Form 398, "Personal Qualifications Statement-Licensee," as required. NRC Form 396, "Certification of Medical Examination by Facility Licensee" is also enclosed. Southern California Edison (SCE) requests reinstatement of Mr. Young's RO license (OP-6120-3), Docket No. 55-8870, which expired on June 12, 1990 when he left our employment. He was subsequently rehired on January 28, 1991.

In accordance with 10 CFR 55.47, a waiver from the written and operating examination requirements is being requested. Mr. Young has had extensive actual operating experience at this facility as a licensed reactor operator within the past two years. Mr. Young has discharged his licensed responsibilities competently and safely in the past and is capable of continuing to do so. Mr. Young has received specialized training to ensure that he is familiar with the current plant configuration and operations. Due to Mr. Young's previous performance at this facility and his recent training, SCE believes that Mr. Young is fully qualified to receive a RO license and that a waiver of the NRC administered RO license examination is appropriate.

7104170203 910409  
PDR ADOCK 05000206  
V PDR


MOD3 / 11

Mr. J. B. Martin

- 2 -

If you require any additional information, please so advise.

Sincerely,

A handwritten signature in black ink, appearing to read "E. Young", with a horizontal line extending to the right from the end of the name.

Enclosure

cc: C. W. Caldwell, USNRC Senior Resident Inspector, Units 1, 2 and 3  
USNRC Document Control Desk  
Earl L. Young

ENCLOSURE

NRC 396 & 398 FORMS

### CERTIFICATION OF MEDICAL EXAMINATION BY FACILITY LICENSEE

ESTIMATED BURDEN PER RESPONSE TO COMPLY WITH THIS INFORMATION COLLECTION REQUEST: .25 HRS. FORWARD COMMENTS REGARDING BURDEN ESTIMATE TO THE INFORMATION AND RECORDS MANAGEMENT BRANCH (P-530), U.S. NUCLEAR REGULATORY COMMISSION, WASHINGTON, DC 20555, AND TO THE PAPERWORK REDUCTION PROJECT (3150-0024), OFFICE OF MANAGEMENT AND BUDGET, WASHINGTON, DC 20503.

NAME OF APPLICANT  
Young, Earl

FACILITY  
San Onofre Nuclear Generating Station, Unit 1

FACILITY DOCKET NUMBER  
50-206

#### A. MEDICAL EXAMINATION CERTIFICATION

THIS IS TO CERTIFY THAT THE ABOVE NAMED APPLICANT FOR AN OPERATOR/SENIOR OPERATOR LICENSE HAS BEEN EXAMINED BY A PHYSICIAN.

PRINTED NAME (of physician) *John F. Bridgeman* | STATE AND LICENSE NUMBER *Cal. 8E 6387* | EXAMINATION DATE *02/15/91*

BASED ON THE RESULTS OF THE EXAMINATION, INCLUDING INFORMATION FURNISHED BY THE APPLICANT, THE PHYSICIAN HAS DETERMINED THAT THE APPLICANT'S PHYSICAL CONDITION AND GENERAL HEALTH ARE NOT SUCH THAT IT MIGHT CAUSE OPERATIONAL ERRORS ENDANGERING PUBLIC HEALTH AND SAFETY, I CERTIFY THAT IN REACHING THIS DETERMINATION, THE GUIDANCE CONTAINED IN ANSI/ANS 3.4-1963, OR ANSI/ANS 15.4-1977 (N380) WAS FOLLOWED AND THAT DOCUMENTATION IS AVAILABLE FOR REVIEW BY NRC.

ON THE BASIS OF THE RECOMMENDATION OF THE PHYSICIAN, I RECOMMEND THAT THE APPLICANT'S OPERATOR LICENSE BE CONDITIONED AS FOLLOWS:

- 1. NO RESTRICTIONS
- 2. CORRECTIVE LENSES BE WORN WHEN PERFORMING LICENSED DUTIES
- 3. HEARING AID BE WORN WHEN PERFORMING LICENSED DUTIES
- 4. RESTRICTED LICENSE OR EXCEPTION—Provide details below and attach supporting medical evidence for NRC review.
- 5. RESTRICTION CHANGE FROM PREVIOUS SUBMITTAL—Provide details below and attach supporting medical evidence for NRC review.

PROPOSED WORDING OF RESTRICTION (Block 4 above)

RELATIONSHIP OF RESTRICTION TO DISQUALIFYING CONDITION (Briefly indicate how restriction will correct the disqualifying condition)

REMARKS FOR RESTRICTION CHANGE (Block 5 above)

*John F. Bridgeman* *KSL*

#### B. NONMEDICAL CERTIFICATION

POWER REACTORS: THIS CERTIFIES THAT THE APPLICANT HAS BEEN FOUND TO MEET THE SAFEGUARDS' AND FITNESS FOR DUTY REQUIREMENTS OF THIS FACILITY FOR LICENSED OPERATORS.

NON-POWER REACTORS: THIS CERTIFIES THAT THE APPLICANT HAS BEEN FOUND TO MEET THE SAFEGUARDS' REQUIREMENTS OF THIS FACILITY FOR LICENSED OPERATORS, AND I HAVE NO KNOWLEDGE OF THE APPLICANT EXCEEDING THE CUTOFF LEVELS FOR ALCOHOL OR CONTROLLED SUBSTANCES AS ESTABLISHED PURSUANT TO 10 CFR 26.

ANY FALSE STATEMENT OR OMISSION IN THIS DOCUMENT, INCLUDING ATTACHMENTS, MAY BE SUBJECT TO CIVIL AND CRIMINAL SANCTIONS. I CERTIFY UNDER PENALTY OF PERJURY THAT THE INFORMATION IN THIS DOCUMENT AND ATTACHMENTS IS TRUE AND CORRECT.

PRINTED NAME AND SIGNATURE (Senior Management Representative on Site) | TITLE | DATE  
*H. E. Morgan* | Vice President & Site Manager | *4/9/91*

In accordance with 10 CFR 55.5, Communications, this form shall be submitted to the NRC as follows: BY MAIL ADDRESSED TO:

Regional Administrator, Region I  
U.S. Nuclear Regulatory Commission  
475 Allendale Road  
King of Prussia, PA 19406

Regional Administrator, Region II  
U.S. Nuclear Regulatory Commission  
101 Marietta Street, Suite 3100  
Atlanta, GA 30323

Regional Administrator, Region III  
U.S. Nuclear Regulatory Commission  
799 Roosevelt Road  
Glen Ellyn, IL 60137

Regional Administrator, Region IV  
U.S. Nuclear Regulatory Commission  
611 Ryan Plaza Drive, Suite 1000  
Arlington, TX 76011

Regional Administrator, Region V  
U.S. Nuclear Regulatory Commission  
1450 Maria Lane, Suite 210  
Walnut Creek, CA 94596

#### PRIVACY ACT STATEMENT

Pursuant to 5 U.S.C. 552a(e)(3), enacted into law by section 3 of the Privacy Act of 1974 (Public Law 93-579), the following statement is furnished to individuals who supply information to the U.S. Nuclear Regulatory Commission on NRC Form 396. This information is maintained in a system of records designated as NRC-16 and described at 51 Federal Register 33157 (September 18, 1986).

AUTHORITY: Sections 107 and 161(i) of the Atomic Energy Act of 1954, as amended (42 U.S.C. 2137 and 2201(i)).

PRINCIPAL PURPOSE(S): Information entered on this form is used to determine whether the physical condition and general health of the applicant are such that they will not cause operational errors endangering public health and safety. This information may be used by the NRC staff to determine if the individual meets the requirements of 10 CFR 55 to take an examination or to be issued an operator's license.

ROUTINE USES: The information may be disclosed to an appropriate Federal, State, or local agency in the event the information indicates a violation or potential violation of law and in the event the information indicates a violation or potential violation of law and in the course of an administrative or judicial proceeding. In addition, this information may be transferred to an appropriate Federal, State, and local agency to the extent relevant and necessary for an NRC decision about you.

WHETHER DISCLOSURE IS MANDATORY OR VOLUNTARY AND EFFECT ON INDIVIDUAL OF NOT PROVIDING INFORMATION. Disclosure is voluntary. If the requested information is not provided, however, the application for a facility operator's or senior operator's license may be denied.

SYSTEM MANAGER(S) AND ADDRESS: Chief, Operator Licensing Branch, Office of Nuclear Reactor Regulation, U.S. Nuclear Regulatory Commission, Washington, DC 20555.



**FACILITY OPERATOR TRAINING PROGRAM**

a. GRADUATE OF INPO ACCREDITED OPERATOR TRAINING PROGRAM THAT IS BASED UPON A SYSTEMS APPROACH TO TRAINING	YES	X	NO	b. CERTIFIED ON NRC Form 396 (SIMULATION FACILITY CERTIFICATION) OR NRC APPROVED SIMULATION FACILITY IS USED IN THE OPERATOR TRAINING PROGRAM	YES	X	NO
--	-----	---	----	---	-----	---	----

**15. FOR RENEWALS ONLY**

a. HOURS OPERATED FACILITY: 2135	b. DATE AND RESULTS OF MOST RECENT NRC ADMINISTERED REQUALIFICATION EXAMINATION	DATE	RESULTS
		NA	PASS

**16. EXPERIENCE DETAILS**

a. POSITION TITLE	FROM	TO	b. FACILITY	c. DUTIES
ENGINE ROOM SUPERVISOR	12/75	10/79	USS ABRAHAM LINCOLN SSEN-602	SUPERVISE PROPULSION PLANT WATCHSTANDERS.
NUCLEAR PLANT EQUIPMENT OPERATOR	11/79	10/82	SAN ONOFRE UNIT 1	MONITOR AND OPERATE PLANT SYSTEMS OUTSIDE THE CONTROL ROOM.
RO/ACO	10/82	01/84	SAN ONOFRE UNIT 1	ASSIST CONTROL ROOM OPERATOR IN PLANT MANIPULATIONS AND REACTIVITY CHANGES.
RO/CO	01/84	06/90	SAN ONOFRE UNIT 1	RESPONSIBLE FOR OPERATION OF PRIMARY SYSTEMS AND REACTOR PLANT CONTROL.

**17. COMMENTS (Specify the item number to which you are elaborating. Attach additional sheets as necessary.)**

- 4.1.f.1 - See attachment for specific information on waiver request for written examination
- 4.1.f.2 - See attachment for specific information on waiver request for operating examination.
- 4.8 - Not applicable. Applicant first licensed in 1982 when fundamentals was tested as part of licensing examination.
- 12.2 - Plant Systems-Observation is combined as part of classroom and is not differentiated in records.
- 12.3 - Operating Practice - Control Room Operations are not training practices at SONGS.
- 12.3.a - Initial license simulator training performed on Surry Simulator.
- 12.3.b - Recertification simulator training performed on Zion Simulator.
- 12.5 - 520 hours is a new interpretation. Applicant licensed in 1982 under ANSI/ANS-3.1 1981, Appendix A which only required 480 hours of Control Room Operating Practice.
- 12.5.a - This new requirement cannot be validated for this applicant.
- 12.7 - 10CFR55.47 Training. See attachment.
- 14.a - The applicant received intital training in 1982 prior to INPO Accreditation process. His requalification training has been conducted under an INPO Accredited Program since 1985.
- 14.b - San Onofre Unit 1 currently does not have a certified simulation facility.
- 15.a - Total hours since last renewal of license.
- 15.b - Applicant has never had an NRC administered requalification examination.

**18. NRC FORM 396, CERTIFICATION OF MEDICAL EXAMINATION BY FACILITY LICENSEE, IS ATTACHED.**

ANY FALSE STATEMENT OR OMISSION IN THIS DOCUMENT, INCLUDING ATTACHMENTS, MAY BE SUBJECT TO CIVIL AND CRIMINAL SANCTIONS

19a. I certify under penalty of perjury that the information in this document and attachments is true and correct. I also certify that I have notified my current employer of: (1) all previous employers; (2) any instance where I have been tested by a Health and Human Services (HHS) Certified Drug Testing Laboratory or a Licensee's testing facility for alcohol or a controlled substance, and the test results exceeded the cutoff levels established pursuant to 10 CFR Part 26; (3) any instance where I have been arrested for the sale, use or possession of a controlled substance described in 10 CFR Part 26; and (4) any reasons for removal or revocation of unescorted access at a nuclear facility, I also authorize the NRC to submit the results of examinations to my employers for use in preparing retraining programs, as necessary.

SIGNATURE - APPLICANT *Carl K. Young* DATE **3-13-91**

**CHECK APPLICABLE BOX**

- b. I certify that the above named individual has successfully completed the facility licensee's requirements to be licensed as an Operator/Senior Operator pursuant to Title 10, Code of Federal Regulations, Part 55; and that the individual has a need for an Operator/Senior Operator license to perform his/her assigned duties and that the facility will be made available for examination. I also certify under penalty of perjury that the information in this document and attachments is true and correct.
- c. RENEWAL ONLY - I certify that the above named individual meets the approved requalification program (with exceptions noted in Item 17) as required by section 50.54 (i-1) of 10 CFR 50, and that he/she has discharged his/her licensed responsibilities competently and safely. I also certify under penalty of perjury that the information in this document and attachments is true and correct.

<b>TRAINING COORDINATOR</b>	<b>SENIOR MANAGEMENT REPRESENTATIVE ON SITE</b>
PRINTED OR TYPED NAME Robert L. Sandstrom	PRINTED OR TYPED NAME H. E. Morgan
SIGNATURE <i>Robert L. Sandstrom</i> DATE <b>3-14-91</b>	SIGNATURE <i>H E Morgan</i> DATE <b>4/9/91</b>

**FOR NRC USE**

WAIVER (Check or complete items, as applicable)				MEETS REQUIREMENTS	DOES NOT MEET REQUIREMENTS (Explain below)
CATEGORY	GRANTED BY		DENIED BY		SIGNATURE - REVIEWER
	HEADQUARTERS	REGION	HEADQUARTERS	REGION	
WRITTEN					
OPERATING					
ELIGIBILITY					
MEDICAL					DATE
OTHER					

Earl L. Young  
Docket # 55-8870

ATTACHMENT

Block 4.1.f.1 & 2 Written Examination Waiver Request

In accordance with the provisions of 10CFR55.47, a waiver from the written and operating examination requirement is requested. Mr. Young passed the Nuclear Regulatory Commission (NRC) Reactor Operator licensing examination in October 1982 and was awarded Reactor Operator's license OP-6120 (Docket # 55-8870). Consequently Mr. Young has extensive operating experience over the past seven (7) years. He has successfully discharged his licensed responsibilities competently and safely in the past and it is believed he will do so again in the future.

As indicated in Block 13.10, Mr. Young has performed licensed duties as a Control Operator with all the responsibilities incumbent to that position. Since his employment reinstatement with Southern California Edison on January 28, 1991, Mr. Young has received training to ensure that he is familiar with the current plant configuration and operations. This training is described as 10CFR55.47 training elsewhere in this attachment, but can be summarized as:

- 1) Reviewed all 1990 requalification program classroom lesson plans.
- 2) Passed a 1990 Requalification Program written examination consisting of:
  - a) Section A - static examination administered on the Unit #1 Control Room mockup;
  - b) Section B - classroom written examination
- 3) Passed a Job Performance Measure (JPM) examination.
- 4) Passed and Oral Scenario Examination administered in the plant.
- 5) Reviewed all required reading issued during his absence.

Therefore, SCE has concluded that Mr. Young is fully qualified to receive a Reactor Operator's license and requests that in accordance with 10CFR55.47(c), the NRC waive the written and operating examination for Mr. Young.

Earl L. Young  
Docket # 55-8870

Block 12.7            10CFR55.47 Training

Since Mr. Young's employment reinstatement at San Onofre Nuclear Generating Station (SONGS) Unit 1, he has:

- 1) Reviewed all 1990 Requalification classroom lesson plans.
- 2) Reviewed all required reading issued since 1 June 1990 and is remaining current in reviewing these items as they are issued.
- 3) Passed Sections A & B and the JPM examinations of the 1990 Requalification program.
- 4) Passed an oral scenario examination administered in the plant.
- 5) Completed 40 hours of on-the-job (OJT) training as a Nuclear Plant Equipment Operator (NPEO) and received a secondary plant walkdown by a qualified Senior Reactor Operator (SRO).
- 6) Completed 40 hours of OJT training as a Nuclear Assistant Control Operator (NACO) and received a primary plant walkdown by a qualified SRO.
- 7) Completed one week of simulator training at the Zion Simulator.

In addition to the above completed items, prior to May 24, 1991, Mr. Young will complete an additional one week of simulator training at the Zion Simulator and take an operational examination on the simulator.