



LaSalle Station

2601 North 21st Road
Marseilles, IL 61341

815 415 2000 Telephone
www.exeloncorp.com

RA13-069

November 22, 2013

Mr. Michael A. Kunowski, Chief
Division of Reactor Projects, Branch 5
U. S. Nuclear Regulatory Commission Region III
2443 Warrenville Road
Suite 210
Lisle, IL 60532-4352

LaSalle County Station, Units 1 and 2
Facility Operating License Nos. NPF-11 and NPF-18
NRC Docket Nos. 50-373 and 50-374

Subject: LaSalle County Station Response to Preliminary White Finding
from NRC Integrated Inspection Report 05000373/2013004; 05000374/2013004

Reference: Letter from K. G. O'Brien (U. S. Nuclear Regulatory Commission) to M. J. Pacilio
(Exelon Generation Company, LLC), "LaSalle County Station, Units 1 and 2,
NRC Integrated Inspection Report 05000373/2013004; 05000374/2013004 and
Unit 2 Preliminary White Finding," dated November 15, 2013

The referenced letter identifies one self-revealing finding associated with the April 25, 2013, Unit 2 manual reactor scram at LaSalle County Station, which has preliminarily been determined to be of low to moderate safety significance (i.e., White). Specifically, operators failed to perform Unit 2 circulating water box dewatering in accordance with the written instructions contained in LaSalle operating procedure LOP-CW-10, "Dewatering the Circulating Water System." The referenced letter provided EGC with the opportunity to either: 1) attend a Regulatory Conference and present to the NRC our perspective on the facts and assumptions the NRC used to arrive at the finding and assess its significance; or 2) submit our position on the finding to the NRC in writing.

In response to the referenced letter, EGC intends to provide a written response to present our perspectives on the facts and assumptions the NRC used to arrive at the preliminary White finding significance. EGC understands that the written response is due to the NRC within 30 days from the date of receipt of the referenced letter.

November 22, 2013
U. S. Nuclear Regulatory Commission
Page 2

There are no regulatory commitments contained within this letter. Should you have any questions concerning this letter, please contact Mr. Guy V. Ford, Jr., Regulatory Assurance Manager, at (815) 415-2800.

Respectfully,

A handwritten signature in black ink, appearing to read "Peter J. Karaba", with a horizontal line extending to the right.

Peter J. Karaba
Site Vice President
LaSalle County Station

cc: NRC Document Control Desk
NRC Regional Administrator - Region III
NRC Senior Resident Inspector - LaSalle County Station