01 November 2013

NOV 1 9 2013

United States Nuclear Regulatory Commission Regional Office: Region IV 611 Ryan Plaza Drive, Suite 400 Arlington, TX 76011-8064

DNMS

Minidoka Memorial Hospital 1224 8th Street Rupert, Idaho 83350 U.S. NRC RAM License 11-29085-01

To Whom It May Concern,

Please remove Don Wayment, D.O. as our Authorized User. Please add James P. Edlin, M.D. as our Authorized User. Dr. Edlin is recognized as an Authorized User on U.S. NRC RAM License 11-27346-01, and a Radiation Safety Officer on our U.S. NRC RAM License.

If you have any questions, do not hesitate to contact our radiation safety consultant who is listed below.

Thank you for your time.

☐ Immediate Release

Normal Release

Sincerely,

NON-PUBLIC

☐ A.3 Sensitive-Security Related

☐ A.7 Sensitive Internal

Other:

Carl Hanson, CEO

Minidoka Memorial Hospital

Care Han

1224 8th Street

Rupert, Idaho 83350

Troy Curnutt
Radiation Safety Consultant
Advanced Isotopes of Idaho
4968 Rainbow Lane

Chubbuck, ID. 83202

(208) 406-2543 nukemdude@gmail.com



FORWARDING SERVICE REQUESTED

Chista States Mucheur Broyulatery Commission.

Meximal Office: Region IV

Continued Office: Region IV

Continued Office: Region IV

Took - 8064

Very many of the control of the cont

24 58 8 5

NRC FORM 532 (1-2012)	U. S. NUCLEAR REGULATORY COMMISSION
LEAR REGULATO	DATE
(1-2012) (1-2012) (1-2012) (1-2012) (1-2012) (1-2012)	1/19/2013
NAME AND ADDRESS OF APPLICANT AND/OR LICENSEE	LICENSE NUMBER
Minidoka Memorial Hospital ATTN: James P. Edlin, M.D. Radiation Safety Officer 1224 8th Street Rupert, ID 83350	11-29085-01
	MAIL CONTROL NUMBER
	582458
	LICENSING AND/OR TECHNICAL REVIEWER
	ch
This is to acknowledge the receipt of your:	
✓ LETTER and/or ☐ APPLICAT	TION DATED: 11/01/2013
The initial processing, which included an administ	trative review, has been performed.
✓ AMENDMENT TERMINATION	☐ NEW LICENSE ☐ RENEWAL
There were no administrative omissions identified	ed during our initial review.
This is to acknowledge receipt of your application above. Your application is deemed timely filed, a final action has been taken by this office.	on for renewal of the material(s) license identified and accordingly, the license will not expire until
Your application for a new NRC license did not in Please fill out NRC Form 531, located at the following the second secon	·
http://www.nrc.gov/reading-rn	m/doc-collections/forms/nrc531.pdf
Send the completed NRC Form 531, by facsimi	le, to the following number: (301) 415-5387
	License Fee and Accounts Receivable Branch, in will be contacted separately if there is a fee issue
Your application has been assigned the above I calling to inquire about this action, please refer to been forwarded to a technical reviewer. Please	to this control number. Your application has

Region IV U. S. Nuclear Regulatory Commission DNMS/NMSB - B 1600 E. Lamar Boulevard Arlington, TX 76011-4511 (817) 200-1103 or (817) 200-1140

normally completed within 180 days for a renewal application (90 days for all other requests), may identify additional omissions or require additional information. If you have any questions

concerning the processing of your application, our contact information is listed below:

NRC FORM 532 (1-2012)

BETWEEN: Accounts Receivable/Payable and Regional Licensing Branches License Fee Worksheet - License Fee	[FOR ARPB USE] INFORMATION FROM WBL Program Code: 02121 Status Code: Pending Amendment Fee Category: 7C Exp. Date: 05/31/2015 Fee Comments: Decom Fin Assur Reqd: N	
A. REGION	nacional (ART) de de desembración de antique	
1. APPLICATION ATTACHED Applicant/Licensee: MINIDOKA MEMORIAL HOSE Received Date: 11/19/2013 Docket Number: 3033775 Mail Control Number: 582458 License Number: 11-29085-01 Action Type: Amendment 2. FEE ATTACHED Amount:	PITAL	
Check No.:		
3. COMMENTS Signed: Date: 11/19/13		
B. LICENSE FEE MANAGEMENT BRANCH (Check when milestone 03 is entered / /)		
1. Fee Category and Amount:		
2. Correct Fee Paid. Application may be processed for: Amendment: Renewal: License:		
3. OTHER		
Signed:		

Date: