



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION I
2100 RENAISSANCE BOULEVARD, SUITE 100
KING OF PRUSSIA, PENNSYLVANIA 19406-2713

December 23, 2013

Docket No. 03017817
Control No. 582569

License No. 44-19518-01

Claudio D. Fort
President/CEO
North Country Hospital
189 Prouty Drive
Newport, VT 05855

SUBJECT: NORTH COUNTRY HOSPITAL, ACCEPTANCE OF NOTIFICATION,
AMENDMENT NOT NEEDED, CONTROL NO. 582569

Dear Mr. Fort:

This correspondence is in reference to your letter dated November 12, 2013, requesting an amendment to your NRC license to add a location of use for a stress lab. 10 CFR 35.13(e) states, in part, that a licensee shall apply for and must receive a license amendment before it adds to or changes the areas of use identified on the license, except for areas of use where byproduct material is used only in accordance with either 35.100 or 35.200. Since your licensed activities are limited to those permitted by 10 CFR 35.100 and 35.200, a license amendment is not required.

In accordance with 10 CFR 35.14(b)(5), your letter dated November 12 2013, is accepted as notification that you have added to or changed the areas of use identified on your license where byproduct materials are used in accordance with either 35.100 or 35.200.

The NRC's Safety Culture Policy Statement became effective in June 2011. While a policy statement and not a regulation, it sets forth the agency's expectations for individuals and organizations to establish and maintain a positive safety culture. You can access the policy statement and supporting material that may benefit your organization on NRC's safety culture web site at <http://www.nrc.gov/about-nrc/regulatory/enforcement/safety-culture.html>. We strongly encourage you to review this material and adapt it to your particular needs in order to develop and maintain a positive safety culture as you engage in NRC-regulated activities.

C. Fort

2

Your cooperation is appreciated.

Sincerely,

Original signed by Lester Tripp

Lester Tripp
Health Physicist
Medical Branch
Division of Nuclear Materials Safety

cc:

Steven Perlin, M.D., Radiation Safety Officer

Brian Bidwell, Director of Diagnostic Imaging Services

DOCUMENT NAME: G:\WordDocs\Current\Lic Cvr Letter\L44-19518-01.582569.doc

SUNSI Review Complete: LTripp

After declaring this document "An Official Agency Record" it will be released to the Public.

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

OFFICE	DNMS/RI	N	DNMS/RI		DNMS/RI			
NAME	LTripp/LT							
DATE	12/23/2013							

OFFICIAL RECORD COPY