

January 15, 2014

Colleen Carol Casey
US Nuclear Regulatory Commission
Region III
2443 Warrenville Road Ste 210
Lisle, IL 60532-4352

Dear Colleen,

This letter and the attached documents are being sent in response to your request for a copy of The Heart Group's Kentucky radioactive material license to complete the amendment request.

Respectfully,

Deaconess Office
415 W Columbia St.
Evansville, IN 47710
Phone: (812)464-9133
(800)HEART-68

Gateway Offices
4007 Gateway Blvd.
Suite 100
Newburgh, IN 47630
Phone: (812)842-0907

4015 Gateway Blvd.
Suite 2120
Newburgh, IN 47630
Phone: (812)842-0907

Henderson Office
1138 North Elm Street
Henderson, KY 42420
Phone: (270) 827-8811
(800)349-4278

Richard Brown
CEO



CONVERSATION RECORD

01/14/2014

NAME OF PERSON(S) CONTACTED OR IN CONTACT WITH YOU

Will Breedon

DATE OF CONTACT

01/14/2014

TYPE OF CONVERSATION

- E-MAIL
- TELEPHONE
- INCOMING
- OUTGOING

E-MAIL ADDRESS

amphysics@amphysics.com

TELEPHONE NUMBER

(317) 223-3022

ORGANIZATION

Consultant for The Heart Group

DOCKET NUMBER(S)

03029219

LICENSE NUMBER(S)

13-24706-01

CONTROL NUMBER(S)

582259

SUBJECT

Copy of Kentucky license needed to complete amendment request

SUMMARY

We have reviewed the letter and close out survey for The Heart Group's location at 415 West Columbia Street, Evansville, IN. Since two sealed sources were transferred to the licensee's Agreement State license in Kentucky, we cannot approve this amendment until we have a copy of the KY license showing it is authorized for licensed material. We do not have access to Agreement State licenses.

Please submit a current, complete, signed copy of The Heart Group's license from Kentucky, attached to a brief written transmittal letter responding to this request, signed by an appropriate licensee representative. If you wish, these documents can be scanned in and emailed to me to facilitate review and, hopefully, completion of the amendment.

Please contact me if you have any questions. My signature block will follow on the next page.

Continue on Page 2

ACTION REQUIRED (IF ANY)

Please ensure response is signed and dated, complete, and references control number 582259, to my attention. If additional time is needed to respond, please contact me to arrange that.

Continue on Page 3

NAME OF PERSON DOCUMENTING CONVERSATION

Colleen Carol Casey

SIGNATURE

CONVERSATION RECORD (continued)

SUMMARY: (Continued from page 1)

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter will be available electronically for public inspection in the NRC Public Document Room or from the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Thank you very much.

Colleen

"Colleen Carol Casey

Materials Licensing Reviewer

U.S. Nuclear Regulatory Commission

Region III

2443 Warrenville Road

Suite 210

Lisle, IL 60532-4352

(630) 829-9841 Direct

(630) 515-1078 Fax

NRC 24 HR Operations Center

(301) 816-5100

Gentle Reminders: Unless previously arranged with or requested by me directly, please do not submit any licensing requests, responses or correspondence via e-mail.

Please only submit one complete, signed copy of your correspondence to us.

Please prepare your licensing requests in accordance with NUREG 1556 Series Guidance, as appropriate.

Thank you very much!

Please also note that my full-time work schedule includes every other Friday off.

Ensuring the health and safety of

our people, our nation and

our environment

<http://www.nrc.gov/> "

CABINET FOR HEALTH SERVICES
COMMONWEALTH OF KENTUCKY
RADIOACTIVE MATERIAL LICENSE

PAGE 1

1. LICENSEE AND 2. ADDRESS

THE HEART GROUP
1138 N ELM STREET
HENDERSON, KY 42420

ATTENTION: LYNN MOERS
TELEPHONE: 270-827-8811

PURSUANT TO KRS 211.842 ET SEQ., THE KENTUCKY CABINET FOR HUMAN RESOURCES REGULATIONS, 902 KAR 100, AND IN RELIANCE ON STATEMENTS AND REPRESENTATIONS HERETOFORE MADE BY THE LICENSEE, A LICENSE IS HEREBY ISSUED TO RECEIVE, ACQUIRE, OWN, POSSESS AND TRANSFER RADIOACTIVE MATERIAL LISTED BELOW; AND TO USE SUCH RADIOACTIVE MATERIAL FOR THE PURPOSE(S) AND AT THE PLACE(S) DESIGNATED BELOW. THIS LICENSE IS SUBJECT TO ALL APPLICABLE RULES, REGULATIONS, AND ORDERS OF THE CABINET FOR HEALTH SERVICES, NOW OR HEREINAFTER IN EFFECT AND TO ANY CONDITIONS SPECIFIED BELOW.

3. LICENSE NUMBER: 202-232-24
AMENDMENT NO. 25
AMENDS IN ITS ENTIRETY

4. EXPIRATION DATE: NOVEMBER 30, 2014

5. REVIEWER: 44

| 6. LICENSED MATERIAL | 7. FORM | 8. POSSESSION LIMIT |
|---|--|--|
| A. ANY RADIOACTIVE MATERIAL IDENTIFIED IN 902 KAR 100:072, SECTIONS 30 AND 31 | A. ANY RADIOPHARMACEUTICAL IDENTIFIED IN 902 KAR 100:072, SECTIONS 30 AND 31 | A. AS NECESSARY FOR USES AUTHORIZED IN SUBITEM 9.A. AT LOCATIONS SPECIFIED IN CONDITION 11 |
| B. THALLIUM 201 | B. THALLOUS CHLORIDE | B. AS NECESSARY FOR USES AUTHORIZED IN SUBITEM 9.A. AT LOCATIONS SPECIFIED IN CONDITION 11 |

CABINET FOR HEALTH SERVICES
COMMONWEALTH OF KENTUCKY
RADIOACTIVE MATERIAL LICENSE

LICENSE NUMBER: 202-232-24

AMENDMENT 25

PAGE 2

9. AUTHORIZED USE

- A. AND B. USES AUTHORIZED BY 902 KAR 100:072, SECTIONS 29 AND 31
(FOR CARDIAC STUDIES ONLY).

CONDITIONS:

10. THE LICENSEE SHALL COMPLY WITH THE PROVISIONS OF THE KENTUCKY CABINET FOR HEALTH SERVICES ADMINISTRATIVE RADIATION REGULATIONS, 902 KAR 100.
11. RADIOACTIVE MATERIAL SHALL BE USED ONLY AT THE LICENSEE'S ADDRESS STATED IN ITEM 2.
12. RADIOACTIVE MATERIAL SHALL BE USED BY, OR UNDER THE SUPERVISION OF:

JAMES E. NEHRING, M.D.
13. THE RADIATION SAFETY OFFICER FOR THE ACTIVITIES AUTHORIZED BY THIS LICENSE IS JAMES NEHRING, M.D. .
14. TESTS FOR LEAKAGE AND/OR CONTAMINATION SHALL BE PERFORMED BY PERSONS SPECIFICALLY AUTHORIZED BY THE CABINET, U.S. NUCLEAR REGULATORY COMMISSION, OR AN AGREEMENT STATE.
15. SEALED SOURCES CONTAINING RADIOACTIVE MATERIAL SHALL NOT BE OPENED.
16. EXCEPT AS SPECIFICALLY PROVIDED OTHERWISE IN THIS LICENSE, THE LICENSEE SHALL CONDUCT ITS PROGRAM IN ACCORDANCE WITH THE STATEMENTS, REPRESENTATIONS, AND PROCEDURES CONTAINED IN THE DOCUMENTS, INCLUDING ANY ENCLOSURES, LISTED BELOW. THE CABINET FOR HEALTH SERVICES REGULATIONS, 902 KAR 100, SHALL GOVERN UNLESS STATEMENTS, REPRESENTATIONS, AND PROCEDURES IN THE

CABINET FOR HEALTH SERVICES
COMMONWEALTH OF KENTUCKY
RADIOACTIVE MATERIAL LICENSE


LICENSE NUMBER: 202-232-24

AMENDMENT 25

PAGE 3

LICENSEE'S APPLICATION AND CORRESPONDENCE ARE MORE RESTRICTIVE
THAN THE REGULATION.

- A. APPLICATION DATED SEPTEMBER 6, 2005, SIGNED BY MARTIN B.
O'NEILL, CHIEF EXECUTIVE OFFICER.
- B. LETTER DATED MARCH 3, 2010, SIGNED BY DEWEY CRAWFORD, KY
RCPD.



MANAGER
RADIATION HEALTH BRANCH

AUDREY TAYSE HAYNES

SECRETARY
CABINET FOR HEALTH AND FAMILY
SERVICES

DATE ISSUED OCTOBER 24, 2013

Casey, Colleen

From: Susan Goodin <sgoodin@heartgroup.com>
Sent: Wednesday, January 15, 2014 9:12 AM
To: Casey, Colleen
Cc: Lynn Moers
Subject: FW: FW: W. Breeden; The Heart Group
Attachments: Nuclear Reg Comm 01.15.2014.pdf

Colleen,

Attached is the copy of the Kentucky license that you requested.

Lynn Moers
CNMT/Technical Director
The Heart Group
Phone 812-319-1909
Fax 812-464-4485

From: Lynn Moers
Sent: Wednesday, January 15, 2014 9:02 AM
To: Susan Goodin
Subject: FW: FW: W. Breeden; The Heart Group

From: William Breeden [<mailto:amphysics@gmail.com>]
Sent: Wednesday, January 15, 2014 8:17 AM
To: Lynn Moers
Subject: Fwd: FW: W. Breeden; The Heart Group

Will Breeden, M.S., DABR
Diagnostic & Medical Nuclear Physicist
Advanced Medical Physics, LLC
8820 Summer Estate Drive
Indianapolis, IN 46256
317/223-3022
317/904-0640 (pager)
317/436-7129 (fax)
www.amphysics.com

----- Forwarded message -----

From: Casey, Colleen <Colleen.Casey@nrc.gov>
Date: Tue, Jan 14, 2014 at 8:50 PM
Subject: FW: W. Breeden; The Heart Group
To: "amphysics@gmail.com" <amphysics@gmail.com>

Trying again as you suggested. Thanks, Will!

Colleen

Colleen Carol Casey

Materials Licensing Reviewer

U.S. Nuclear Regulatory Commission

Region III

2443 Warrenville Road

Suite 210

Lisle, IL 60532-4352

(630) 829-9841 Direct

(630) 515-1078 Fax

NRC 24 HR Operations Center

(301) 816-5100

Gentle Reminders: Unless previously arranged with or requested by me directly, please do not submit any licensing requests, responses or correspondence via e-mail.

Please only submit one complete, signed copy of your correspondence to us.

Please prepare your licensing requests in accordance with NUREG 1556 Series Guidance, as appropriate.

Thank you very much!

Please also note that my full-time work schedule includes every other Friday off.

Ensuring the health and safety of

our people, our nation and

our environment

<http://www.nrc.gov/>

-----Original Message-----

From: Casey, Colleen

Sent: Tuesday, January 14, 2014 7:45 PM

To: 'amphysic@amphysic.com'

Subject: W. Breeden; The Heart Group

Importance: High

Dear Will,

Attached is a request for additional information to support request dated Oct. 2, 2013, from The Heart Group to remove a location of use. I need a copy of the Kentucky license they transferred their sealed sources to. If you have any questions or need additional time, please let me know. Thanks very much.

Colleen

Colleen Carol Casey
Materials Licensing Reviewer
U.S. Nuclear Regulatory Commission
Region III
2443 Warrenville Road
Suite 210
Lisle, IL 60532-4352
(630) 829-9841 Direct
(630) 515-1078 Fax
NRC 24 HR Operations Center
(301) 816-5100

Gentle Reminders: Unless previously arranged with or requested by me directly, please do not submit any licensing requests, responses or correspondence via e-mail. Please only submit one complete, signed copy of your correspondence to us.

Please prepare your licensing requests in accordance with NUREG 1556 Series Guidance, as appropriate.

Thank you very much!

Please also note that my full-time work schedule includes every other Friday off.

Ensuring the health and safety of
our people, our nation and
our environment

<http://www.nrc.gov/>

-----Original Message-----

From: R3-238-DNMS-B@nrc.gov [mailto:R3-238-DNMS-B@nrc.gov]

Sent: Tuesday, January 14, 2014 9:33 PM

To: Casey, Colleen

Subject: Scan from a Xerox WorkCentre Pro

Please open the attached document. It was scanned and sent to you using a Xerox WorkCentre Pro.

Sent by: Guest [R3-238-DNMS-B@nrc.gov]

Number of Images: 2

Attachment File Type: PDF

WorkCentre Pro Location: machine location not set Device Name: R3-238-DNMS-B

For more information on Xerox products and solutions, please visit <http://www.xerox.com>