



LABELING

Labeling of generally-licensed devices will be in accordance with 10CFR32.51 (31.5 devices) and 10CFR32.54 (31.7 devices).

Example of 31.5 label:

Isolite Corporation	800-888-5483	DMF: <<MM/YYYY>>
Caution-Radioactive Material; The receipt, possession, use, and transfer of this device are subject to a general license or the equivalent and the regulations of the US NRC or of a State with which the NRC has entered into an agreement for the exercise of regulatory authority. This label shall be maintained on the device in a legible condition. Removal of this label is prohibited. Distributed by Isolite Corporation. No leak test required. Dispose of properly.		
PNR: _____	SER: _____	MOD: _____
Contains _____ curies tritium h3		

Example of 31.7 label:

Isolite Corporation	800-888-5483	DMF: <<MM/YYYY>>
CAUTION - RADIOACTIVE MATERIAL The receipt, possession, use, and transfer of this device are subject to a general license and the regulations of the US NRC or Agreement State. Removal of this label is prohibited. Distributed by Isolite Corporation. No leak test required. Dispose of Property		
PNR: _____	Customer PNR: _____	
SER: _____	MOD: _____	Contains _____ curies tritium h3
		

Where:

DMF = Date of Manufacture

PNR = Part Number

SER = Serial Number

MOD = US NRC Registered Device Identifier
(IE: 2000, 2040, SLX-60, AC/2, AC/3, etc)

The exact wording used on a specific product may be different than that in the examples above. Small signs and aircraft devices may have truncated labeling depending on space limitation. Certain markers will only have a radiation symbol prescribed by 10CFR20.1901.

<<Company Name>>

<<Company Phone#>>

DMF: <<MM/YYYY>>

The receipt, possession, use, and transfer of this device are subject to a general license or the equivalent and the regulations of the US NRC or of a State with which the NRC has entered into an agreement for the exercise of regulatory authority. This label shall be maintained on the device in a legible condition. Removal of this label is prohibited. Caution-Radioactive Material; No leak test required. Distributed by Isolite Corporation. Dispose of Properly

PNR: _____ SER: _____ MOD: _____ Contains _____ curies tritium h3



<<Company Name>>

<<Company Phone#>>

DMF: <<MM/YYYY>>

CAUTION - RADIOACTIVE MATERIAL The receipt, possession, use, and transfer of this device are subject to a general license and the regulations of the US NRC or Agreement State. Removal of this label is prohibited. Distributed by Isolite Corporation. No leak test required. Dispose of Properly

PNR: _____ Customer PNR: _____
SER: _____ MOD: _____ Contains _____ curies tritium h3

