

# BED BATH & BEYOND®

**Harmon.**  
**STORES, INC.**  
A Bed Bath & Beyond Subsidiary



## Corporate Office

650 Liberty Avenue  
Union, NJ 07083  
908/688-0888

B-14

Director  
Office of Federal and State Materials and Environmental Management Programs  
ATTN: GLTS  
U.S. Nuclear Regulatory Commission  
Washington, D.C. 20555-0001

**Re: Transfer of Tritium Exit Signs  
Bed Bath & Beyond Store #0520, Portage, MI**

Dear Sir or Madam:

Pursuant to Michigan regulation, Bed Bath & Beyond Inc. ("BBB") provides this notice that on December 05, 2013, BBB transferred the self-luminous exit signs listed on the attached table from BBB Store #0520 located at 5430 S. Westnedge Ave., Portage, MI 49024 to Shield Source Inc., Attn: Taylor Perry, 925-211C Airport Road, Cavan Monaghan, ON K9J0E7 with license number CNSC # IL-A1-4790.0/2014.. For each sign, the manufacturer name, model number, serial number, manufacture date, and original curie content are indicated on the attached tables.

Please contact me at 908-855-4294 if you have any questions regarding this letter or the attached report.

Sincerely,

James O'Connor

**Jim O'Connor**  
Bed Bath & Beyond Inc.  
Vice President - Loss Prevention and Safety

F-690

P.004

T-902

### Serial Number Spreadsheet (Box Contents)

Store #: 520 Address: 5930 S. Westridge Ave City, State: Portage, MI

- Fill out this form for each tritium exit sign going into a box
- Do not exceed 99 curies per box. Seal the box according to the packaging instructions
- FAX to Taylor Perry at Isolate 610-296-8952 BEFORE you leave the store
- FAX to CB&I at 225-987-3228 BEFORE you leave the store

RMA #: <u>9738PA</u> Box <u>1</u> of <u>2</u> Weight of Box: <u>21.5</u> Total Curies in this box: <u>69</u>	<b>Do NOT exceed 99 curies per box</b> 8 signs at 11.5 curies each = 92 curies = max in a box. 4 signs at 20 curies each = 80 curies = max in a box. Max of 1,000 curies shipped from one location (this would be 86 11.5-curie signs or 10 boxes at <u>less than</u> 100 curies each box)
---	---

Line	Manufacturer Name	Manufacture Date	Model #	Serial #	Activity(CI or TBq amount) (Number of Curies)
1	SLC	8/2002	2040	A28645	11.5
2	SLC	8/2002	2040	A28645	11.5
3	SLC	8/2002	2040	A28641	11.5
4	SLC	8/2002	2040	A28635	11.5
5	SLC	8/2002	2040	A28637	11.5
6	SLC	8/2002	2040	A28640	11.5
7					
8					
9					
10					

FROM-

JUL-21-2013 09:45PM

07/21/2013 8:42PM (GMT-05:00)

F-690

P.005

T-902

### Serial Number Spreadsheet (Box Contents)

Store #: 520 Address: 5930 S. Westridge Ave City, State: Portage, MI

- Fill out this form for each tritium exit sign going into a box
- Do not exceed 99 curies per box. Seal the box according to the packaging instructions
- FAX to Taylor Perry at Isolite 610-296-8952 BEFORE you leave the store
- FAX to CB&I at 225-987-3228 BEFORE you leave the store

RMA #: <u>9738PA</u>	<b>Do NOT exceed 99 curies per box</b> 8 signs at 11.5 curies each = 92 curies = max in a box. 4 signs at 20 curies each = 80 curies = max in a box. Max of 1,000 curies shipped from one location (this would be 86 11.5-curie signs or 10 boxes at less than 100 curies each box)
Box <u>2</u> of <u>2</u>	
Weight of Box: <u>17.5</u>	
Total Curies in this box: <u>57.5</u>	

Line	Manufacturer Name	Manufacture Date	Model #	Serial #	Activity(Ci or TBq amount) (Number of Curies)
1	SLC	8/2002	2040	A28644	11.5
2	SLC	8/2002	2040	A28644	11.5
3	SLC	8/2002	2040	A28636	11.5
4	SLC	8/2002	2040	A28639	11.5
5	SLC	8/2002	2040	A28638	11.5
6					
7					
8					
9					
10					

FROM-

JUL-21-2013 09:45PM

07/21/2013 8:42PM (GMT-05:00)

From: (908) 855-4611  
Leigh Strothers  
BED BATH  
650 Liberty Avenue  
Union, NJ 07083

Origin ID: CDWA



Ship Date: 15JAN14  
ActWgt: 1.0 LB  
CAD: 1447625/INET3430

Delivery Address Bar Code




SHIP TO: (908) 855-4611  
**ATTN: GLTS**  
**U.S. NUCLEAR REGULATORY COMMISSION**  
**OFF OF FED AND STATE MATERIALS**  
  
WASHINGTON, DC 20555

BILL SENDER

Ref #      TES  
Invoice #  
PO #  
Dept #     918


THU - 16 JAN AA  
STANDARD OVERNIGHT

TRK#    7976 3749 5750  
0201



**EP NSFA**

20555  
DC-US  
IAD



51AG1/D6EC/1A9E

**After printing this label:**

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

**Warning:** Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number. Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.