



Region I Office
Division of Nuclear Materials Safety
2100 Renaissance Boulevard
Suite 100
King of Prussia, PA 19406-2713
(610)337-5000

Telephone Conversation Record

Date: 2/12/2014
 License No.: 07-30359-01
 Docket No.: 03034313
 Mail Control/Report No.: 582562
 Licensee Name: EVRAZ Claymont Steel, Inc.
 Participant(s) Name/Title: Clint Snyder, Proposed RSO
 Work Telephone No.: None
 Business Cellphone No.: 302-897-4904
 NRC Representative Name/Title: Dennis Lawyer/ Health Physicist

Subject: RAI, Proposed RSO Qualifications

Discussion: I asked Mr. Snyder if he received practical explanation of the theory and operation for each gauge possessed by the licensee; and On-the-job training under the supervision of an authorized user or RSO performing operation procedures, test runs of emergency procedures, routine maintenance, and lock-out procedures. He said that he had. He was present when the gauge was first installed and was there for the initial training from the manufacturer. He performs maintenance and calibration of the device. He stated he was more familiar with the gauge and its operations than the previous Radiation Safety Officer, David Knapp. We also discussed change of control requirements in case the plant is sold in the future.

Action Required: Complete license amendment.

SUNSI REVIEW		
Document Availability:	<input checked="" type="checkbox"/> Public	or <input type="checkbox"/> Non-Public
Document Sensitivity:		
<i>(select "1" value to the right)</i>	<input checked="" type="checkbox"/> Non-Sensitive	<input type="checkbox"/> MD 3.4 Non-Public B.1 (Non-Sensitive)
	<input type="checkbox"/> Non-Sensitive Copyright	<input type="checkbox"/> MD 3.4 Non-Public A.3 (Sensitive Security Related)
	<input type="checkbox"/> Sensitive – Proprietary	<input type="checkbox"/> MD 3.4 Non-Public A.4 (Sensitive Proprietary)
	<input type="checkbox"/> Sensitive – Privacy Act (includes Personally Identifiable Information (PII))	<input type="checkbox"/> MD 3.4 Non-Public A.5 (Sensitive-Privacy Act)
	<input type="checkbox"/> Sensitive – Internal, Periodic Review required (All Other Sensitive Internal Info.)	<input type="checkbox"/> MD 3.4 Non-Public A.6 (Sensitive-Federal, State, etc)
	<input type="checkbox"/> Sensitive – Security-Related-Periodic Review Required	<input type="checkbox"/> MD 3.4 Non-Public A.7 (Internal)
SUNSI Review Completed by: Dennis Lawyer /RA/ 2/13/2014		

: If applicable, add OFFICIAL USE ONLY – SECURITY RELATED INFORMATION banners and change SUNSI review to A.3.