



Region I Office  
 Division of Nuclear Materials Safety  
 2100 Renaissance Boulevard  
 Suite 100  
 King of Prussia, PA 19406-2713  
 (610)337-5000

**Telephone Conversation Record**

Date: 3/3/2014  
 License No.: 52-25333-01  
 Docket No.(no hyphens): 03034078  
 Mail Control/Report No.:  
 Licensee Name: Medicina Nuclear del Este  
 Participant(s) Name/Title: Dr. Joel Ramos/owner  
 Work Telephone No.: 787-860-5877  
 Business Cellphone No.: N/A  
 NRC Representative Name/Title: Héctor Bermúdez/Health Physicist

Subject: Clarification of his September 2013 letter  
*(This is the title that will be used in ADAMS)*

Discussion: I called Dr. Ramos to get clarification of his September 2013 letter regarding his notification of the transfer of sealed sources to a lab in Las Piedras, PR, which has a new NRC license. I asked whether it was his intention to terminate his license at his Fajardo facility at this time. He said no, it was just a notification.

Action Required: Void the termination request.

<b>SUNSI REVIEW</b>		
<b>Document Availability:</b>	<input checked="" type="checkbox"/> Public	or <input type="checkbox"/> Non-Public
<b>Document Sensitivity:</b> <i>(select "1" value to the right)</i>	<input checked="" type="checkbox"/> Non-Sensitive, normal release date	<input type="checkbox"/> MD 3.4 Non-Public B.1 (Non-Sensitive)
	<input type="checkbox"/> Non-Sensitive Copyright	<input type="checkbox"/> MD 3.4 Non-Public A.3 (Sensitive Security Related)
	<input type="checkbox"/> Sensitive – Proprietary	<input type="checkbox"/> MD 3.4 Non-Public A.4 (Sensitive Proprietary)
	<input type="checkbox"/> Sensitive – Privacy Act (Includes Personally Identifiable Information (PII))	<input type="checkbox"/> MD 3.4 Non-Public A.5 (Sensitive-Privacy Act)
	<input type="checkbox"/> Sensitive – Internal, Periodic Review required (All Other Sensitive Internal Info.)	<input type="checkbox"/> MD 3.4 Non-Public A.6 (Sensitive-Federal, State, etc)
	<input type="checkbox"/> Sensitive – Security-Related-Periodic Review Required	<input type="checkbox"/> MD 3.4 Non-Public A.7 ( Internal)
SUNSI review completed by: HBermúdez		

: If applicable, add OFFICIAL USE ONLY – SECURITY RELATED INFORMATION banners and change SUNSI review to A.3.