



**UNITED STATES
NUCLEAR REGULATORY COMMISSION**

REGION III
2443 WARRENVILLE RD. SUITE 210
LISLE, IL 60532-4352
February 28, 2014

Mr. Larry Kondrat, President
Calumet Testing Services
P.O. Box 1510
Highland, IN 46322

**SUBJECT: NRC ROUTINE INSPECTION REPORT NO. 03010856/2014001(DNMS) AND
NOTICE OF VIOLATION – CALUMET TESTING SERVICES**

Dear Mr. Kondrat:

On February 10, 2014, an inspector from the U.S. Nuclear Regulatory Commission (NRC) conducted a routine inspection at your facility in Griffith, Indiana. The purpose of the inspection was to review activities performed under your NRC license to ensure that activities were being performed in accordance with NRC requirements. Mr. Ryan Craffey of my staff and I conducted an on-site exit meeting with you and Mr. Art Bustos of your staff on February 10, 2014 to discuss the inspection findings.

During this inspection, the NRC staff examined activities conducted under your license related to public health and safety. Additionally, the staff examined your compliance with the Commission's rules and regulations as well as the conditions of your license. Within these areas, the inspection consisted of selected examination of procedures and representative records, observations of activities and interviews with personnel.

Based on the results of this inspection, the NRC has determined that one Severity Level IV violation of NRC requirements occurred. The violation was evaluated in accordance with the NRC Enforcement Policy. The current Enforcement Policy is included on the NRC's website at <http://www.nrc.gov/about-nrc/regulatory/enforcement/enforce-pol.html>. The violation was of a security-related nature, and immediate corrective actions for the violation have since been taken to restore compliance with NRC requirements. The violation is cited in the enclosed, non-public Notice of Violation (Notice). The NRC is citing the violation in the Notice, because the inspector identified the violation. Details about the violation are described in the enclosed, non-public Inspection Record.

The NRC has concluded that information regarding the reason for the violation, the corrective actions taken and planned to correct the violation and prevent recurrence, and the date when full compliance will be achieved is already adequately addressed on the docket in the subject

Enclosures 1 and 2 contain Sensitive
Unclassified Non-Safeguards Information.
When separated from Enclosures 1 and 2
this transmittal letter is decontrolled.

~~OFFICIAL USE ONLY – SECURITY RELATED INFORMATION~~

L. Kondrat

- 2 -

inspection report. Therefore, you are not required to respond to this letter unless the description herein does not accurately reflect your corrective actions or your position. In that case, or if you choose to provide additional information, you should follow the instructions specified in the enclosed Notice.

In accordance with Title 10 of the *Code of Federal Regulations* (CFR) 2.390 of the NRC's "Rules of Practice," a copy of this letter will be made available electronically for public inspection in the NRC's Public Document Room or from the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC's website at <http://www.nrc.gov/reading-rm/adams.html>. Enclosures 1 and 2 contain security-related information and their disclosure to unauthorized individuals could present a security vulnerability; therefore, Enclosures 1 and 2 will not be made available electronically for public inspection.

Because this issue involves security-related information, your response, if you choose to provide one, may not be made available electronically for public inspection in the NRC's Public Document Room or from ADAMS. Please mark the top of each page of your response, "Security-Related Information – Withhold Under 10 CFR 2.390."

Please feel free to contact Ryan Craffey of my staff if you have any questions regarding this inspection. Mr. Craffey can be reached at 630-829-9655.

Sincerely,

/RA/

Aaron T. McCraw, Chief
Materials Inspection Branch
Division of Nuclear Materials Safety

Docket No. 030-10856
License No. 13-16347-01

Enclosures:

1. Notice of Violation (Non-public)
2. Inspection Report No. 03010856/2014001(DNMS) (Non-public)

cc w/encl: Art Bustos, Radiation Safety Officer

cc w/o encl: State of Indiana

~~OFFICIAL USE ONLY – SECURITY RELATED INFORMATION~~

~~OFFICIAL USE ONLY – SECURITY RELATED INFORMATION~~

L. Kondrat

2

inspection report. Therefore, you are not required to respond to this letter unless the description herein does not accurately reflect your corrective actions or your position. In that case, or if you choose to provide additional information, you should follow the instructions specified in the enclosed Notice.

In accordance with Title 10 of the *Code of Federal Regulations* (CFR) 2.390 of the NRC's "Rules of Practice," a copy of this letter will be made available electronically for public inspection in the NRC's Public Document Room or from the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC's website at <http://www.nrc.gov/reading-rm/adams.html>. Enclosures 1 and 2 contain security-related information and their disclosure to unauthorized individuals could present a security vulnerability; therefore, Enclosures 1 and 2 will not be made available electronically for public inspection.

Because this issue involves security-related information, your response, if you choose to provide one, may not be made available electronically for public inspection in the NRC's Public Document Room or from ADAMS. Please mark the top of each page of your response, "Security-Related Information – Withhold Under 10 CFR 2.390."

Please feel free to contact Ryan Craffey of my staff if you have any questions regarding this inspection. Mr. Craffey can be reached at 630-829-9655.

Sincerely,

/RA/

Aaron T. McCraw, Chief
Materials Inspection Branch
Division of Nuclear Materials Safety

Docket No. 030-10856
License No. 13-16347-01

Enclosures:

- 1. Notice of Violation (Non-public)
- 2. Inspection Report No. 03010856/2014001(DNMS) (Non-public)

cc (w/encl): Art Bustos, Radiation Safety Officer
cc (w/o encl): State of Indiana

DISTRIBUTION

Darrell Roberts
Patrick Louden
Jack Giessner

Carole Ariano
Steven Orth
Paul Pelke

Patricia Buckley
MIB Inspectors

ADAMS Acession Number: ML14064A280

DOCUMENT NAME: LTR -Letter NOV Enclosure 6-CalTesting_public.docx

Publicly Available Non-Publicly Available Sensitive Non-Sensitive

To receive a copy of this document, indicate in the concurrence box "C" = Copy without attach/encl "E" = Copy with attach/encl "N" = No copy

OFFICE	RIII-DNMS	RIII-DNMS			
NAME	RJCraffey:ps*RJC	ATMcCraw*ATM			
DATE	02/27/14	02/28/14			

OFFICIAL RECORD CO