



February 28, 2014
RKB:14:011

U.S. Nuclear Regulatory Commission
Attn: Document Control Desk (03-H8)
Director, Office of Nuclear Material
Safety and Safeguards
One White Flint North
11555 Rockville Pike
Rockville, Maryland 20852-2738

License SNM-1227
Docket 70-1257

Subject: Required Reporting of Effluents per 10 CFR 70.59

As required by 10 CFR 70.59, AREVA Inc. is reporting discharges of radioactive materials in the effluents from its nuclear fuels fabrication plant on Horn Rapids Road in Richland, Washington for the period from July 1 through December 31, 2013.

If there are any questions, please contact me at (509) 375-8638.

Very truly yours,

A handwritten signature in cursive script that reads 'R. K. Burklin'.

R. K. Burklin
Radiation Protection

/mah

Attachments

cc: V. McCree, U.S. Nuclear Regulatory Commission, Region II
P. J. Martell, State of Washington Department of Health
M.G. Crespo, U.S. Nuclear Regulatory Commission, Region II
D.B. Jansen, Director, Office of Radiation Protection (WDOH)

LIMSSOF

AREVA NP INC.

2101 Horn Rapids Road, Richland, WA 99354
Tel.: 509 375 8100 www.aveva.com

Gaseous Effluent July 1- December 31, 2013				
Stack	Average Concentration (μCi/ml)	Estimated Average MDC (μCi/ml)*	Quantity (μCi alpha)	Flow (m ³)
Low Enriched Uranium based on alpha				
K03	6.48E-16	9.33E-16	0.18	2.83E+08
K06	1.52E-16	2.56E-15	0.02	1.03E+08
K21	4.24E-16	5.22E-15	0.02	5.06E+07
K25	4.01E-16	1.13E-14	0.01	2.33E+07
K31	2.80E-15	5.03E-13**	0.76	2.70E+08
K37	1.38E-16	2.62E-15	0.01	1.01E+08
K42	3.65E-16	5.61E-15	0.02	4.71E+07
K46	4.81E-16	2.40E-15	0.05	1.10E+08
K47	1.90E-15	3.54E-14	0.01	7.47E+06
K49	4.02E-16	4.20E-15	0.03	6.29E+07
K56	1.32E-14	4.80E-14	0.06	5.50E+06
K58	1.10E-16	2.06E-15	0.01	1.28E+08
K60	3.33E-16	2.40E-15	0.04	1.10E+08
K62	3.03E-16	6.74E-16	0.12	3.92E+08
K65	5.61E-16	1.63E-14	0.01	1.62E+07
K67	7.87E-16	3.61E-14	0.01	7.32E+06
K72	9.54E-16	1.17E-15	0.22	2.26E+08
K75	7.76E-16	3.50E-14	0.01	7.54E+06
TOTAL			1.59	

* Estimated average minimum detectable concentrations for 7-day sampling.

** There are several sampled effluent streams discharged via this stack; MDC listed is the highest of any sampled effluent stream

Gaseous Effluent July 1- December 31, 2013				
Stack	Average Concentration (μCi/ml)	Estimated Average MDC (μCi/ml)*	Quantity (μCi beta)**	Flow (m ³)
Mixed Fission and Activation/Corrosion Products- Based upon Gross Beta results				
K52	8.37E-15	1.73E-14	0.27	3.20E+07
TOTAL			0.27	

* Estimated average minimum detectable concentration for 7-day sampling.

** Principal isotopes (by activity) are estimated to be Co-60 (~66%), Mn-54 (~20%), and Sb-125 (~9%).

Stack	Average Concentration ($\mu\text{Ci/ml}$)	Average MDC ($\mu\text{Ci/ml}$)*	Quantity (μCi)	Flow (m^3)
Radionuclide: Rn-220				
K03	1.65E-08	---	4.66E+06	2.83E+08
K31	4.48E-09	---	1.21E+06	2.70E+08
K72	1.89E-07	---	4.28E+07	2.26E+08
K75	1.91E-07	---	1.44E+06	7.54E+06
TOTAL			4.87E+07	

* Radon concentrations are determined by e-perms, which rely on changes in voltage; not counting instruments.

Liquid Effluent*				
July 1 – December 31, 2013				
Constituent	Concentration ($\mu\text{Ci/ml}$)	LLD ($\mu\text{Ci/ml}$)	Quantity (Ci)	Liquid Volume (m^3)
Soluble U	3.42E-08	***	0.0009	2.73E+04
Insoluble U**	5.88E-08	***	0.0016	
Tc-99	2.19E-07	***	0.0060	
Total Ci			0.0085	

- * Combined liquid effluent released to City of Richland sewer system.
- ** For each calendar month the average concentration of insoluble uranium was less than 50 ppb.
- *** These constituents are analyzed chemically via Inductively Coupled Plasma/Mass Spectroscopy (ICP/MS) as opposed to radiation counting. Laboratory detection limits for uranium and Tc-99 are generally 1 ppb and 5 ppt, respectively.