

February 27, 2014

U.S. NRC Region III
Materials Licensing Section
2443 Warrenville Road
Suite 210
Lisle, Illinois 60532-4352

Re: Control No. 581554

RE: Correction to Renewal of NRC License No. 21-01333-01 (Amendment No. 96)

Dear Sara Forster:

Upon careful review of the NRC License Renewal (Amendment No. 96), Conditions 6.M; 7.M; and 8.M. were not included under Conditions 10.B; 10.C; 10.D and 10.E. Please add Depleted uranium; solid metal, 999 kilograms; which is used as shielding for the Tc-99m/Mo-99 generators; to the following addresses under Condition 10.

10. B. William Beaumont Hospital – Troy, 44201 Dequindre, Troy, MI

10. C. Outpatient Services Center, 44250 Dequindre, Sterling Heights, MI

10. D. William Beaumont Hospital – West Bloomfield Medical Office Bldg., 6900 Orchard Lake Rd., West Bloomfield, MI

10.E. North Macomb Ambulatory Care Center, 15979 Hall Rd., Macomb, MI and Beaumont Hospital, Gross Pointe, 468 Cadieux Road, Grosse Pointe, MI

Please rename the locations under Condition 10 as follows:

10.A. Beaumont Hospital –Royal Oak

10.B. Beaumont Hospital – Troy

10.C. No change

10.D. Beaumont Medical Center – West Bloomfield

10.E.. Beaumont Medical Center – Macomb Township

10.F. No change

The addresses listed under Condition 10 are correct and no change is requested.

Thank you.



Cheryl Culver Schultz, M.S.
Corporate Radiation Safety Officer

Control No. 581554

Forster, Sara

From: Cheryl Schultz <CSCHULTZ@beaumont.edu>
Sent: Thursday, February 27, 2014 8:22 AM
To: Forster, Sara
Cc: Janice Campbell, PhD
Subject: Correction to Renewal (Amendment 96) of NRC License# 21-01333-01
Attachments: NRC Renewal Response 022714.pdf

Importance: High

Dear Sara Forster,
Please see the attachment.
Thank you.

Cheryl Calver Schultz

Corporate Radiation Safety Officer
Medical Nuclear Physicist, DABR®
Assistant Professor of Radiology, OU-WB School of Medicine
Beaumont Health System
248-551-0548
248-551-8297 (Fax)