

NRC F	ORM	374A U.S. NUCLEAR REGULATORY COMMISSION	PAGE 2 of 4 PAGES			
			License Number 40-29268-01			
		MATERIALS LICENSE	Docket or Reference Number			
		SUPPLEMENTARY SHEET	030-37498			
			Amendment No. 03			
	coi is a Ag	he jurisdiction status of a Federal facility within an Agentact the federal agency controlling the job site in que an area of exclusive Federal jurisdiction. Authorization reement States not under exclusive Federal jurisdict gulatory agency.	estion to determine whether the proposed job site on for use of radioactive materials at job sites in			
11.		ensed materials may be used by, or under the super o have received the training described in the applica				
12.	12. The Radiation Safety Officer (RSO) for this license is Cory Foerster.					
13.	A.	Sealed sources shall be tested for leakage and/or of intervals specified in the certificate of registration is under 10 CFR 32.210 or by an Agreement State.				
	B. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State prior to the transfer, a sealed source or detector cell received from another person shall not be put into use until tested and the results received.					
	C.	Sealed sources need not be tested if they are in sto they are removed from storage for use or transferrer within the required leak test interval, they shall be to shall be stored for a period of more than 10 years w contamination.	d to another person, and have not been tested ested before use or transfer. No sealed source			
	D.	The leak test shall be capable of detecting the press radioactive material on the test sample. If the test r (185 becquerels) or more of removable contamination Regulatory Commission in accordance with 10 CFF immediately from service and decontaminated, repar Commission regulations. The report shall be filed we known with the U.S. Nuclear Regulatory Commission Arlington, Texas 76011-4511, ATTN: Director, Division specify the source involved, the test results, and co	eveals the presence of 0.005 microcurie on, a report shall be filed with the U.S. Nuclear 30.50(c)(2), and the source shall be removed aired, or disposed of in accordance with ithin 5 days of the date the leak test result is on, Region IV, 1600 East Lamar Boulevard, ion of Nuclear Materials Safety. The report shall			
	E.	Tests for leakage and/or contamination shall be per U.S. Nuclear Regulatory Commission or an Agreem the licensee is authorized to collect leak test sample test samples must be performed by persons specific Agreement State to perform such services.	nent State to perform such services. In addition, es but not perform the analysis; analysis of leak			
	F.	Records of leak tests results shall be kept in units of	f microcuries and shall be maintained for 3 years.			
14.		aled sources or source rods containing licensed mat tached from source rods or gauges by the licensee, o				

NRC F	ORM 374A U.S. NUCLEAR REGULATORY COMMISSIO	PAGE 3 of 4 PAGES				
		License Number 40-29268-01				
	MATERIALS LICENSE SUPPLEMENTARY SHEET	Docket or Reference Number 030-37498				
		Amendment No. 03				
15.	The licensee shall conduct a physical inventory every U.S. Nuclear Regulatory Commission, to account for under the license. Records of inventories shall be m inventory, and shall include the radionuclides, quanti- the date of the inventory.	all sources and/or devices received and possessed aintained for 5 years from the date of each				
16.	Except for maintaining labeling as required by 10 CFR Part 20 or 71, the licensee shall obtain authorization from U.S. Nuclear Regulatory Commission before making any changes in the sealed source, device, or source-device combination that would alter the description or specifications as indicated in the respective Certificates of Registration issued either by the Commission pursuant to 10 CFR 32.210 or by an Agreement State.					
17.	Each portable nuclear gauge shall have a lock or outer locked container designed to prevent unauthorized or accidental removal of the sealed source from its shielded position. The gauge or its container must be locked when in transport, storage or when not under the direct surveillance of an authorized user.					
18.	Any cleaning, maintenance, or repair of the gauges that requires detaching the source or source rod from the gauge shall be performed only by the manufacturer or other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.					
19.	<ul> <li>A. If the licensee uses unshielded sealed sources extended more than 3 feet below the surface, the licensee shall use surface casing that extends from the lowest depth to 12 inches above the surface and other appropriate procedures to reduce the probability of the source or probe becoming lodged below the surface. If it is not feasible to extend the casing 12 inches above the surface, the licensee shall implement procedures to ensure that the cased hole is free of obstruction before making measurements.</li> <li>B. If a sealed source or a probe containing sealed sources becomes lodged below the surface and it becomes apparent that efforts to recover the sealed source or probe may not be successful, the</li> </ul>					
	licensee shall notify the U.S. Nuclear Regulatory 10 CFR 30.50(b)(2) and (c). The licensee shall n	Commission and submit the report required by ot abandon the sealed source or probe without Notification and reporting requirements should be				
20.	The licensee is authorized to transport licensed mate 10 CFR Part 71, "Packaging and Transportation of R					

NRC FO	DRM 374A U.S.	NUCLEAR REGULATORY C	OMMISSION	PAGE 4 of 4 PAGES
		LS LICENSE NTARY SHEET		License Number 40-29268-01 Docket or Reference Number 030-37498 Amendment No. 03
<ul> <li>21. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, include any enclosures, listed below. The U.S. Nuclear Regulatory Commission's regulations shall govern up the statements, representations, and procedures in the licensee's application and correspondence ar more restrictive than the regulations.</li> <li>A. Application dated June 28, 2007 (ML071870540)</li> <li>B. Letter dated June 28, 2007 (ML071870540)</li> <li>C. E-mail dated August 7, 2007 (ML072190593)</li> </ul>				rocedures contained in the documents, including ory Commission's regulations shall govern unless icensee's application and correspondence are

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

COMMISSI

Date March 18, 2014

TES

UNITED STAT

By

/RA/

Roberto J. Torres, Senior Health Physicist Nuclear Materials Safety Branch B **Region IV** Arlington, Texas 76011-4511