NRC FORM 699 U.S. NUCLEAR REGULATORY COMMISSION			DATE				
(05-2012)			3/25/2014				
CONVERSA [*]	TION RECORD		TIME AM				
			11 : 10 <u> </u>				
NAME OF PERSON(S) CONTACTED OR IN CONTACT WITH YOU		TELEPHONE NO.	TYPE OF CONVERSATION				
See below			IN-PERSON				
E-MAIL ADDRESS			E-MAIL				
			TELEPHONE				
ORGANIZATION Croft Associates and Missouri University Research R	A A (NALIDD)						
Croft Associates and Missouri University Research R	leactor (MUKK)		INCOMING				
Revised Draft CoC Discussion (Corvected)			OUTGOING				
			L				
SUMMARY NRC participants: Chris Allen and Michele Sampso	n						
Croft participant: Sarah Bryson							
MURR participants: Michael Flagg, Amber Gaddy,	C.J. Roberts, John Ernst		8				
A copy of the attached revised draft certificate of cor							
approximately 11:10 A.M. eastern standard time. The							
liquid contents had not been provided, the NRC wou package at this time. The NRC acknowledged that a							
give Croft the opportunity to address the situation. M	MURR expressed strong disa	appointment that liquids wo	ould not be authorized for				
transport in the Safkeg-HS and asked to know the re-							
suggestions for avoiding extensive technical review missing from the application as well as the review cr							
MURR noted their concern that the NRC's review o	f liquid contents appeared i	inconsistent with the application	ation of international				
regulations as reflected in certificates issued by other							
general harmonization in the specific regulatory requ countries. The call concluded at approximately 11:4			view criteria in different				
The same same same and the same same same same same same same sam	J Thirth outstand						
Continue on Page 2			4				
ACTION REQUIRED							
1 112							
NAME OF PERSON DOCUMENTING CONVERSATION	SIGNATURE		DATE				
Chris Allen	William (Men	april 3, 2014				
ACTION TAKEN			,				
TITLE OF PERSON TAKING ACTION	SIGNATURE OF PERSON TAKIN	IG ACTION	DATE				
i de la companya de l							

NRC FORM 618 (8-2000) 10 CFR 71

U.S. NUCLEAR REGULATORY COMMISSION

CERTIFICATE OF COMPLIANCE FOR RADIOACTIVE MATERIAL PACKAGES

TORTADIOACTIVE MIATERIAE LAGRAGES						
a. CERTIFICATE NUMBER	b. REVISION NUMBER	c. DOCKET NUMBER	d. PACKAGE IDENTIFICATION NUMBER	PAGE		PAGES
9338	0	71-9338	USA/9338/B(U)-96	1	OF	6

2. PREAMBLE

- a. This certificate is issued to certify that the package (packaging and contents) described in Item 5 below meets the applicable safety standards set forth in Title 10, Code of Federal Regulations, Part 71, "Packaging and Transportation of Radioactive Material."
- b. This certificate does not relieve the consignor from compliance with any requirement of the regulations of the U.S. Department of Transportation or other applicable regulatory agencies, including the government of any country through or into which the package will be transported.
- 3. THIS CERTIFICATE IS ISSUED ON THE BASIS OF A SAFETY ANALYSIS REPORT OF THE PACKAGE DESIGN OR APPLICATION
- a. ISSUED TO (Name and Address)

 Croft Associates Limited
 Building F4, Culham Science Centre
 Culham, Abingdon
 Oxfordshire, OX14 3BD, United Kingdom
- b. TITLE AND IDENTIFICATION OF REPORT OR APPLICATION Croft Associates Limited application dated September 29, 2012, as supplemented.

4. CONDITIONS

This certificate is conditional upon fulfilling the requirements of 10 CFR Part 71, as applicable, and the conditions specified below.

(a) Packaging

5.

(1) Model No.: 3977A

(2) Description

The Model No. 3977A is a package for the transport of radioisotopes used in a wide range of therapeutic and diagnostic applications and research. The packaging consists of an outer stainless steel keg and an inner containment vessel surrounded by insulating cork packing. There are two specific inserts, designated as Shielding Insert Design Nos. 3982 and 3985, authorized for use in the Model No. 3977A. The outer keg provides impact and thermal protection. Containment is provided by the containment vessel. Shielding is provided by the containment vessel and shielding inserts.

The keg has a stainless steel outer shell and a stainless steel liner, between which insulating cork is fitted. The keg lid is attached to the body by eight stainless steel studs and nuts, with a single O-ring weather seal. An inner cork liner is fitted between the keg liner and the top and sides of the containment vessel, consisting of a cork body and cork top, with no cork between the bottom of the containment vessel and the keg liner.

The containment vessel consists of a body and lid. The body has a stainless steel outer wall, base, and flange/cavity wall. The flange/cavity wall is welded to the outer wall to form a cavity into which DU shielding is placed. The DU shielding thickness is approximately 46 mm at the base of the CV and 47.6 mm along the side of the CV except at the top where the lid seats. The DU shielding thickness at the top is 22.5 mm thick. After the DU shielding is installed, the base is then welded to the outer wall. The containment vessel lid top and lid shielding casing are stainless steel, with 45.9 mm of DU inside. The containment vessel lid is secured by eight, M-10x1.5x20, alloy steel recessed hexagon socket head cap

NRC FORM 618 U.S. NUCLEAR REGULATORY COMMISSION (8-2000) 10 CFR 71 CERTIFICATE OF COMPLIANCE FOR RADIOACTIVE MATERIAL PACKAGES a. CERTIFICATE NUMBER d. PACKAGE IDENTIFICATION NUMBER b. REVISION NUMBER c. DOCKET NUMBER PAGE PAGES 2 OF 9338 0 71-9338 USA/9338/B(U)-96 6

5.(a) (2) Description (Continued)

screws. The containment vessel is sealed by two concentric fluoroelastomer O-rings, and the lid is equipped with a leak test port.

There are two shielding inserts designed for use in the Model No. 3977A packaging. Design No. 3982, HS-12x95-Tu, is a tungsten insert with inner cavity size of 12 mm diameter by 95 mm height. The approximate mass of the insert is 9.2 kg. Design No. 3985, HS-31x114-Tu, is a tungsten insert with inner cavity size of 31 mm diameter by 114 mm in height. The approximate mass of the insert is 7.9 kg.

The radioactive material shall be enclosed in a convenient product container such as a quartz vial or aluminum capsule. Irradiated items may be carried in a plastic or metal can or wrapping to minimize the contamination of the insert.

The approximate dimensions and mass of the package are:

Overall package outer diameter	424 mm
Overall package height	585 mm
Containment vessel outer diameter	200 mm
Containment vessel height	302.5 mm
Containment vessel cavity inner diameter	65.8 mm
Containment vessel cavity inner height	157.1 mm
Maximum package mass	163 kg

(3) Drawings

The packaging is constructed and assembled in accordance with Croft Associates Limited Drawing Nos:

1C-5940, Rev. E	Cover Sheet for Safkeg HS Design No. 3977A (Licensing Drawing)
0C-5941, Rev. D	SAFKEG HS Design No. 3977A (Licensing Drawing)
0C-5942, Rev. B	Keg Design No. 3977 (Licensing Drawing)
0C-5943, Rev. B	Cork Set for Safkeg HS (Licensing Drawing)
1C-5944, Rev. C	Containment Vessel Design No. 3978 (Licensing Drawing)
1C-5945, Rev. C	Containment Vessel Lid (Licensing Drawing)
1C-5946, Rev. D	Containment Vessel Body (Licensing Drawing)
2C-6920, Rev. A	Silicone Sponge Rubber Disc (Licensing Drawing)

The shielding inserts are constructed and assembled in accordance with Croft Associates Limited Drawing Nos:

2C-6173, Rev. D	HS-12 x 95-Tu Insert Design No. 3982 (Licensing Drawing)
2C-6174, Rev. D	HS-31 x 114-Tu Insert Design No. 3985 (Licensing Drawing)

NRC FORM 618 (8-2000) 10 CFR 71

U.S. NUCLEAR REGULATORY COMMISSION

CERTIFICATE OF COMPLIANCE
FOR RADIOACTIVE MATERIAL PACKAGES

					-	
a. CERTIFICATE NUMBER	b. REVISION NUMBER	c. DOCKET NUMBER	d. PACKAGE IDENTIFICATION NUMBER	PAGE		PAGES
9338	0	71-9338	USA/9338/B(U)-96	3	OF	6

5.(b) Contents

(1) Type and form of material

Solid material must have a melting point greater than 250 °C and must not be volatile below 250 °C.

- (i). Solids, normal or special form material, as limited in Table 1, within insert Design No. 3982. Only compounds of Cs, Hg, I, Na, and P are allowed. All other contents may be shipped as individual elements or compounds.
- (ii). Solids, normal or special form material, as limited in Table 2, within insert Design No. 3985. Only compounds of Cs, Hg, I, Na, and P are allowed. All other contents may be shipped as individual elements or compounds.
- (iii). Gases, normal form material, as limited in Table 3, within insert Design No. 3985 as individual elements. The product container shall be a quartz vial sealed by fusing or aluminum capsules.
- (2) Maximum quantity of material per package

Decay heat not to exceed 30 watts per package for both solid and gaseous contents. Mixtures of nuclides are allowed providing the sum of the proportionate amounts of each nuclide with respect to the quantities shown in the respective table does not exceed unity. The contents include the progeny of the radionuclides listed in Tables 1 through 4; however, the quantities in the tables are for the listed radionuclides without progeny present (i.e., at the time of loading, only the radionuclides explicitly listed in the table may be present up to the quantities shown in the tables).

NRC FORM 618 U.S. NUCLEAR REGULATORY COMMISSION (8-2000) 10 CFR 71 CERTIFICATE OF COMPLIANCE FOR RADIOACTIVE MATERIAL PACKAGES a. CERTIFICATE NUMBER d. PACKAGE IDENTIFICATION NUMBER b. REVISION NUMBER c. DOCKET NUMBER PAGE PAGES 4 OF 9338 USA/9338/B(U)-96 6 0 71-9338

(i) For the contents described in 5(b)(1)(i):

Total mass of contents and insert not to exceed 9.3 kg. Maximum mass of radioactive material is 45 g.

TABLE 1

Radionuclide	Maximum TBq	Radionuclide	Maximum TBq	Radionuclide	Maximum TBq
Ac-225	2.51E+00	I-131	3.26E+02	Re-186	1.56E+02
Ac-227	7.24E-01	In-111	4.25E+02	Re-188	7.25E-01
Ac-228	4.28E-01	Ir-192	1.81E+02	Rh-105	8.12E+02
Am-241	3.51E-01	Ir-194	2.05E+00	Se-75	4.61E+02
As-77	7.90E+02	Lu-177	1.03E+03	Sm-153	6.12E-01
Au-198	2.56E+02	Mo-99	5.27E+01	Sr-89	1.22E+01
Ba-131	1.88E+02	Na-24	2.63E-02	Sr-90	1.73E+00
C-14	7.20E+00	Np-237	1.17E-03	Tb-161	1.61E+01
Co-60	2.38E-01	P-32	5.58E+00	Th-227	1.01E+01
Cs-131	6.71E+03	P-33	2.44E+03	Th-228	6.79E-02
Cs-134	7.05E+00	Pb-203	5.20E+02	TI-201	1.45E+03
Cs-137	1.44E+02	Pb-210	8.04E+00	W-187	2.24E+01
Cu-67	6.91E+02	Pd-109	2.96E+02	W-188	6.43E-01
Hg-203	3.57E+01	Ra-223	6.83E+00	Y-90	1.73E+00
Ho-166	2.04E+00	Ra-224	8.86E-02	Yb-169	4.42E+02
I-125	3.19E+03	Ra-226	9.91E-02	Yb-175	1.11E+03
I-129	2.93E-04				

Note: Boron and beryllium shall not be loaded with the contents in Table 1.

NRC FORM 618

(8-2000) 10 CFR 71 U.S. NUCLEAR REGULATORY COMMISSION

CERTIFICATE OF COMPLIANCE FOR RADIOACTIVE MATERIAL PACKAGES

a. CERTIFICATE NUMBER	b. REVISION NUMBER	c. DOCKET NUMBER	d. PACKAGE IDENTIFICATION NUMBER	PAGE		PAGES
9338	0	71-9338	USA/9338/B(U)-96	5	OF	6

5.(b) (2) (continued)

(ii) For the contents described in 5(b)(1)(ii):

Total mass of contents and insert not to exceed 8.6 kg. Maximum mass of radioactive material is 345 g.

TABLE 2

Radionuclide	Maximum TBq	Radionuclide	Maximum TBq	Radionuclide	Maximum TBq
Ac-225	5.47E-01	I-131	3.26E+02	Re-186	2.66E+01
Ac-227	1.63E-01	In-111	4.25E+02	Re-188	2.61E-01
Ac-228	9.30E-02	Ir-192	1.81E+02	Rh-105	8.12E+02
Am-241	7.92E-01	Ir-194	4.83E-01	Se-75	4.61E+02
As-77	7.90E+02	Lu-177	1.03E+03	Sm-153	5.71E+02
Au-198	5.69E+01	Mo-99	9.56E+00	Sr-89	2.59E+00
Ba-131	3.06E+01	Na-24	6.38E-03	Sr-90	4.15E-01
C-14	5.52E+01	Np-237	8.97E-03	Tb-161	3.70E+00
Co-60	4.68E-02	P-32	1.25E+00	Th-227	2.09E+00
Cs-131	6.71E+03	P-33	2.44E+03	Th-228	1.67E-02
Cs-134	1.32E+00	Pb-203	5.20E+02	TI-201	1.45E+03
Cs-137	1.58E+02	Pb-210	1.66E+00	W-187	4.28E+00
Cu-67	6.91E+02	Pd-109	4.81E+01	W-188	2.19E-01
Hg-203	5.58E+02	Ra-223	2.07E+00	Y-90	4.15E-01
Ho-166	4.60E-01	Ra-224	2.19E-02	Yb-169	4.42E+02
I-125	3.19E+03	Ra-226	2.34E-02	Yb-175	1.11E+03
I-129	2.24E-03			V	

Note: Boron and beryllium shall not be loaded with the contents in Table 2.

5.(b) (2) (continued)

(iii) For the contents described in 5(b)(1)(iii):

Total mass of contents and insert not to exceed 8.6 kg. Maximum mass of radioactive material is less than one gram. Maximum volume of contents, including the product container material and packing, is less than 10 cc.

TABLE 3

Radionuclide	Maximum TBq	Radionuclide	Maximum TBq
Kr-79	1.15E+01	Xe-133	1.04E+03

NRC FORM 618 U.S. NUCLEAR REGULATORY COMMISSION (8-2000) 10 CFR 71 CERTIFICATE OF COMPLIANCE FOR RADIOACTIVE MATERIAL PACKAGES a. CERTIFICATE NUMBER b. REVISION NUMBER d. PACKAGE IDENTIFICATION NUMBER PAGE c. DOCKET NUMBER PAGES OF USA/9338/B(U)-96 6 6 9338 0 71-9338

- 6. In addition to the requirements of Subpart G of 10 CFR Part 71:
 - (a) The package shall be prepared for shipment and operated in accordance with the Package Operations in Section 7.0 of the application, as supplemented.
 - (b) The package must meet the Acceptance Tests and Maintenance Program in Section 8.0 of the application, as supplemented.
- 7. The package authorized by this certificate is hereby approved for use under the general license provisions of 10 CFR 71.17.
- 8. Expiration date:

March 31, 2019.

REFERENCES

Croft Associates Limited application dated September 29, 2012.

Supplements dated: December 20, 2012; April 23, September 20, November 21, and 28, December 13, 16, and 17, 2013; January 6, 10, 27, and 31, and February 11, 2014.

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

DRAFT

Michele Sampson, Chief Licensing Branch Division of Spent Fuel Storage and Transportation Office of Nuclear Material Safety and Safeguards

Date:	