



Region I Office
Division of Nuclear Materials Safety
2100 Renaissance Boulevard
Suite 100
King of Prussia, PA 19406-2713
(610)337-5000

Telephone Conversation Record

Date: March 28, 2014
 License No.: 06-28502-01
 Docket No. (no hyphens): 03031642
 Mail Control/Report No.: 583227
 Licensee Name: Jefferson Radiology, PC
 Participant(s) Name/Title: Chris Kulman / Clinical Manager
 Work Telephone No.: 860-289-3375 ext.88010
 Business Cellphone No.:
 NRC Representative Name/Title: Robin Elliott / Health Physicist

Subject: Facility Diagram clarification

(This is the title that will be used in ADAMS)

Discussion: I called Jefferson Radiology to obtain clarification of the facility diagram that was submitted for the amendment to add two new imaging rooms. I spoke with Chris Kulman who informed me that the floor plan submitted was for the ground floor. This means that there is earth below the rooms being added, to the right is an outside wall, at the bottom of the diagram, the imaging rooms bound mechanical space. Above the new imaging rooms are offices. Chris also confirmed that no licensed material will be stored in these locations.

Action Required: Proceed with processing the license amendment.

SUNSI REVIEW		
Document Availability:	<input checked="" type="checkbox"/> Public	or <input type="checkbox"/> Non-Public
Document Sensitivity: <i>(select "1" value to the right)</i>	<input checked="" type="checkbox"/> Non-Sensitive	<input type="checkbox"/> MD 3.4 Non-Public B.1 (Non-Sensitive)
	<input type="checkbox"/> Non-Sensitive Copyright	<input type="checkbox"/> MD 3.4 Non-Public A.3 (Sensitive Security Related)
	<input type="checkbox"/> Sensitive – Proprietary	<input type="checkbox"/> MD 3.4 Non-Public A.4 (Sensitive Proprietary)
	<input type="checkbox"/> Sensitive – Privacy Act (includes Personally Identifiable Information (PII))	<input type="checkbox"/> MD 3.4 Non-Public A.5 (Sensitive-Privacy Act)
	<input type="checkbox"/> Sensitive – Internal, Periodic Review required (All Other Sensitive Internal Info.)	<input type="checkbox"/> MD 3.4 Non-Public A.6 (Sensitive-Federal, State, etc)
	<input type="checkbox"/> Sensitive – Security-Related-Periodic Review Required	<input type="checkbox"/> MD 3.4 Non-Public A.7 (Internal)
SUNSI Review Completed by: RElliott 3/31/14		

: If applicable, add OFFICIAL USE ONLY – SECURITY RELATED INFORMATION banners and change SUNSI review to A.3.