

## CHAPTER 15— ACCIDENT ANALYSES

### LIST OF FIGURES

Figure 15.0-1	RCCA Position as a Function of Time to Reach for Full Insertion .....	15.0-140
Figure 15.0-2	Normalized RCCA Rod Worth as a Function of Position Within the Core .....	15.0-141
Figure 15.0-3	Normalized RCCA Reactivity Worth as a Function of Rod Drop Time .....	15.0-142
Figure 15.0-4	MCR Envelope Post-Accident HVAC Filtration Mode Model ....	15.0-143
Figure 15.0-5	Small Line Break Accident Scenario .....	15.0-144
Figure 15.0-6	SGTR - Ruptured SG Release Scenario Diagram.....	15.0-145
Figure 15.0-7	MSLB Scenario Diagram .....	15.0-146
Figure 15.0-8	LRA Scenario Diagram .....	15.0-147
Figure 15.0-9	REA - Primary Containment Leakage Scenario Diagram .....	15.0-148
Figure 15.0-10	REA - Secondary-Side Leakage Scenario Diagram .....	15.0-149
Figure 15.0-11	FHA Scenario Diagram .....	15.0-150
Figure 15.0-12	Model for the Loss of Coolant Accident Analysis .....	15.0-151
Figure 15.1-1	Decrease in Feedwater Temperature - Main Feedwater Flow Rate.....	15.1-43
Figure 15.1-2	Decrease in Feedwater Temperature - Steam Generator Narrow Range Liquid Level.....	15.1-44
Figure 15.1-3	Decrease in Feedwater Temperature - Heat Transfer to Steam Generators.....	15.1-45
Figure 15.1-4	Decrease in Feedwater Temperature - Cold Leg Temperatures.....	15.1-46
Figure 15.1-5	Decrease in Feedwater Temperature - Reactor Power .....	15.1-47
Figure 15.1-6	Decrease in Feedwater Temperature - Reactivity .....	15.1-48
Figure 15.1-7	Decrease in Feedwater Temperature - RCS and Secondary System Pressures.....	15.1-49
Figure 15.1-8	Decrease in Feedwater Temperature - Pressurizer Level .....	15.1-50
Figure 15.1-9	Increase in Feedwater Flow - Reactor Power.....	15.1-51
Figure 15.1-10	Increase in Feedwater Flow - Reactivity.....	15.1-52
Figure 15.1-11	Increase in Main Feedwater Flow - RCS Pressures .....	15.1-53

---

Figure 15.1-12	Increase in Main Feedwater Flow - RCS Flow.....	15.1-54
Figure 15.1-13	Increase in Main Feedwater Flow - RCS Loop Temperatures.....	15.1-55
Figure 15.1-14	Increase in Main Feedwater Flow - Affected Core Segment Temperatures .....	15.1-56
Figure 15.1-15	Increase in Main Feedwater Flow - Unaffected Core Segment Temperatures .....	15.1-57
Figure 15.1-16	Increase in Main Feedwater Flow - Heat Flux .....	15.1-58
Figure 15.1-17	Increase in Main Feedwater Flow - MFW and Main Steam Flows .....	15.1-59
Figure 15.1-18	Increase in Main Feedwater Flow - SG Pressures .....	15.1-60
Figure 15.1-19	Increase in Main Feedwater Flow - SG NR Liquid Levels.....	15.1-61
Figure 15.1-20	Increase in Feedwater Flow - SG Collapsed Level.....	15.1-62
Figure 15.1-21	Increase in Feedwater Flow - Reactivity .....	15.1-63
Figure 15.1-22	Increase in Steam Flow - Reactor Power .....	15.1-64
Figure 15.1-23	Increase in Steam Flow - Reactivity.....	15.1-65
Figure 15.1-24	Increase in Steam Flow - RCS Pressures .....	15.1-66
Figure 15.1-25	Increase in Steam Flow - RCS Flow Rate .....	15.1-67
Figure 15.1-26	Increase in Steam Flow - RCS Loop Temperatures .....	15.1-68
Figure 15.1-27	Increase in Steam Flow - Core Fluid Temperatures .....	15.1-69
Figure 15.1-28	Increase in Steam Flow - Heat Flux.....	15.1-70
Figure 15.1-29	Increase in Steam Flow - MFW and Main Steam Flow Rates.....	15.1-71
Figure 15.1-30	Increase in Steam Flow - SG Pressures.....	15.1-72
Figure 15.1-31	Increase in Steam Flow - SG WR Liquid Level.....	15.1-73
Figure 15.1-32	Increase in Steam Flow - Reactivity (Detail).....	15.1-74
Figure 15.1-33	Inadvertent Opening of a SG Relief or Safety Valve - MSRT Flow Rate.....	15.1-75
Figure 15.1-34	Inadvertent Opening of a SG Relief or Safety Valve - MFW Flow Rate .....	15.1-76
Figure 15.1-35	Inadvertent Opening of a SG Relief or Safety Valve - SG NR Liquid Levels.....	15.1-77
Figure 15.1-36	Inadvertent Opening of a SG Relief or Safety Valve - Heat Transfer to SGs.....	15.1-78

Figure 15.1-37	Inadvertent Opening of a SG Relief or Safety Valve - Cold Leg Temperatures .....	15.1-79
Figure 15.1-38	Inadvertent Opening of a SG Relief or Safety Valve - Reactor Power .....	15.1-80
Figure 15.1-39	Inadvertent Opening of a SG Relief or Safety Valve - Reactivity .....	15.1-81
Figure 15.1-40	Inadvertent Opening of a SG Relief or Safety Valve - RCS and Secondary System Pressures .....	15.1-82
Figure 15.1-41	Inadvertent Opening of a SG Relief or Safety Valve - Pressurizer Level .....	15.1-83
Figure 15.1-42	Inadvertent Opening of a SG Relief or Safety Valve - Steam Flow Rate .....	15.1-84
Figure 15.1-43	Inadvertent Opening of a SG Relief or Safety Valve - TSV Position .....	15.1-85
Figure 15.1-44	MSLB - Break Flow Rate .....	15.1-86
Figure 15.1-45	MSLB - Steam Generator Pressures .....	15.1-87
Figure 15.1-46	MSLB - Main Steam Relief Train Flow Rate .....	15.1-88
Figure 15.1-47	MSLB - Steam Generator Heat Transfer Rates .....	15.1-89
Figure 15.1-48	MSLB - Feedwater Flow Rates .....	15.1-90
Figure 15.1-49	MSLB - Steam Generator Secondary-Side Liquid Inventories .....	15.1-91
Figure 15.1-50	MSLB - Core Inlet Temperatures .....	15.1-92
Figure 15.1-51	MSLB - Pressurizer Pressure .....	15.1-93
Figure 15.1-52	MSLB - Pressurizer Level .....	15.1-94
Figure 15.1-53	MSLB - Medium-Head Safety Injection Flow Rates .....	15.1-95
Figure 15.1-54	MSLB - Reactivity .....	15.1-96
Figure 15.1-55	MSLB - Reactor Power .....	15.1-97
Figure 15.1-56	MSLB - Longer-Term Reactor Power .....	15.1-98
Figure 15.1-57	Decrease in Feedwater Temperature - Representative Plot of Normalized Minimum DNBR and Maximum LPD to SAFDL .....	15.1-99
Figure 15.1-58	Increase in Main Feedwater Flow - Representative Plot of Normalized Minimum DNBR and Maximum LPD to SAFDL .....	15.1-100
Figure 15.1-59	Increase in Steam Flow - Representative Plot of Normalized Minimum DNBR and Maximum LPD to SAFDL .....	15.1-101

Figure 15.1-60	Inadvertent Opening of a SG Relief or Safety Valve - Representative Plot of Normalized Minimum DNBR and Maximum LPD to SAFDL.....	15.1-102
Figure 15.1-61	MSLB (small break, pre-scrum) - Representative Plot of Normalized Minimum DNBR and Maximum LPD to SAFDL .....	15.1-103
Figure 15.2-1	Turbine Trip RCS Overpressurization - Peak RCS Pressure.....	15.2-49
Figure 15.2-2	Turbine Trip RCS Overpressurization - Peak Secondary Pressure.....	15.2-50
Figure 15.2-3	Turbine Trip RCS Overpressurization - Steam Generator Steam Dome Pressures.....	15.2-51
Figure 15.2-4	Turbine Trip RCS Overpressurization - % Reactor Power.....	15.2-52
Figure 15.2-5	Turbine Trip RCS Overpressurization - Total Reactivity .....	15.2-53
Figure 15.2-6	Turbine Trip RCS Overpressurization - Total RCS Flow .....	15.2-54
Figure 15.2-7	Turbine Trip RCS Overpressurization - Core Fluid Temperatures.....	15.2-55
Figure 15.2-8	Turbine Trip RCS Overpressurization - RCS Loop Temperature .....	15.2-56
Figure 15.2-9	Turbine Trip RCS Overpressurization - PZR Pressure .....	15.2-57
Figure 15.2-10	Turbine Trip RCS Overpressurization - PZR Level.....	15.2-58
Figure 15.2-11	Turbine Trip RCS Overpressurization - PSRV Flow Rates.....	15.2-59
Figure 15.2-12	Turbine Trip RCS Overpressurization - MSRT Flow Rates .....	15.2-60
Figure 15.2-13	Turbine Trip RCS Overpressurization - MFW Flows.....	15.2-61
Figure 15.2-14	MSIVC Secondary Overpressurization—MSIV Flow Rates.....	15.2-62
Figure 15.2-15	MSIVC Secondary Overpressurization - Safety Valve Flows for the Affected Loop.....	15.2-63
Figure 15.2-16	MSIVC Secondary Overpressurization—Cold Leg Temperatures.....	15.2-64
Figure 15.2-17	MSIVC Secondary Overpressurization — Average Core Heat Flux.....	15.2-65
Figure 15.2-18	MSIVC Secondary Overpressurization — Maximum Primary Pressure.....	15.2-66
Figure 15.2-19	MSIVC Secondary Overpressurization — Reactor Power.....	15.2-67
Figure 15.2-20	MSIVC Secondary Overpressurization — Pressurizer Level.....	15.2-68
Figure 15.2-21	MSIVC Secondary Overpressurization — Pressurizer Relief Valve Flows.....	15.2-69

Figure 15.2-22	MSIVC Secondary Overpressurization—Total Reactivity .....	15.2-70
Figure 15.2-23	MSIVC Secondary Overpressurization — Maximum Secondary Pressures.....	15.2-71
Figure 15.2-24	MSIVC Secondary Overpressurization — Average Core Fluid Temperature.....	15.2-72
Figure 15.2-25	MSIVC Secondary Overpressurization — Turbine Control Valve Flow .....	15.2-73
Figure 15.2-26	MSIVC Secondary Overpressurization — Safety Valve Flows for an Unaffected Loop .....	15.2-74
Figure 15.2-27	Loss of Normal Feedwater - Reactor and Total SG Power.....	15.2-75
Figure 15.2-28	Loss of Normal Feedwater - SG Power .....	15.2-76
Figure 15.2-29	Loss of Normal Feedwater - PZR Pressure .....	15.2-77
Figure 15.2-30	Loss of Normal Feedwater - PZR Spray Flow .....	15.2-78
Figure 15.2-31	Loss of Normal Feedwater - PSRV Flow .....	15.2-79
Figure 15.2-32	Loss of Normal Feedwater - PZR Liquid Level .....	15.2-80
Figure 15.2-33	Loss of Normal Feedwater - RCS Loop Mass Flow .....	15.2-81
Figure 15.2-34	Loss of Normal Feedwater - RCS Temperatures.....	15.2-82
Figure 15.2-35	Loss of Normal Feedwater - Core Exit Subcooling .....	15.2-83
Figure 15.2-36	Loss of Normal Feedwater - Core Flow Rate.....	15.2-84
Figure 15.2-37	Loss of Normal Feedwater - Flow Rates through Main Steam Relief Train, Unaffected SGs.....	15.2-85
Figure 15.2-38	Loss of Normal Feedwater - Flow Rates through Main Steam Relief Train, Affected SGs .....	15.2-86
Figure 15.2-39	Loss of Normal Feedwater - SG Pressure .....	15.2-87
Figure 15.2-40	Loss of Normal Feedwater - SG NR Liquid Level.....	15.2-88
Figure 15.2-41	Loss of Normal Feedwater - SG WR Liquid Level .....	15.2-89
Figure 15.2-42	Loss of Normal Feedwater - SG Total Mass Inventory .....	15.2-90
Figure 15.2-43	Loss of Normal Feedwater - SG Liquid Mass Inventory .....	15.2-91
Figure 15.2-44	Loss of Normal Feedwater - Steam and EFW Flow, Unaffected.....	15.2-92
Figure 15.2-45	Loss of Normal Feedwater - Steam and EFW Flow, Affected.....	15.2-93
Figure 15.2-46	Loss of Normal Feedwater - MFW Flow .....	15.2-94
Figure 15.2-47	Loss of Normal Feedwater - Blowdown Flow.....	15.2-95

---

Figure 15.2-48	Loss of Normal Feedwater - Net Heat Addition to RCS.....	15.2-96
Figure 15.2-49	FWLB Representative Small Break - Reactor and Total Steam Generator Power .....	15.2-97
Figure 15.2-50	FWLB Representative Small Break - Pressurizer Pressure.....	15.2-98
Figure 15.2-51	FWLB Representative Small Break - Pressurizer Spray Flow .....	15.2-99
Figure 15.2-52	FWLB Representative Small Break - PSRV Flow.....	15.2-100
Figure 15.2-53	FWLB Representative Small Break - Pressurizer Liquid Level .....	15.2-101
Figure 15.2-54	FWLB Representative Small Break - RCS Cold Leg Temperatures.....	15.2-102
Figure 15.2-55	FWLB Representative Small Break - RCS Hot Leg Temperatures.....	15.2-103
Figure 15.2-56	FWLB Representative Small Break - Core Exit Subcooling.....	15.2-104
Figure 15.2-57	FWLB Representative Small Break - Core Flow.....	15.2-105
Figure 15.2-58	FWLB Representative Small Break - Break Flow .....	15.2-106
Figure 15.2-59	FWLB Representative Small Break - Main Steam Relief Loops 1 and 2 .....	15.2-107
Figure 15.2-60	FWLB Representative Small Break - Main Steam Relief Loops 3 and 4 .....	15.2-108
Figure 15.2-61	FWLB Representative Small Break - Steam Generator Dome Pressure .....	15.2-109
Figure 15.2-62	FWLB Representative Small Break - Steam Generator Total Mass .....	15.2-110
Figure 15.2-63	FWLB Representative Small Break - Steam Generator Liquid Mass.....	15.2-111
Figure 15.2-64	FWLB Representative Small Break - Net Heat Addition to RCS .....	15.2-112
Figure 15.2-65	FWLB Representative Small Break - RCS Maximum Pressure.....	15.2-113
Figure 15.2-66	FWLB Representative Small Break - Steam Generator Maximum Pressure .....	15.2-114
Figure 15.2-67	FWLB Representative Small Break - Reactivities .....	15.2-115
Figure 15.2-68	FWLB Representative Small Break - Liquid Volume Fraction in Pressurizer Dome .....	15.2-116
Figure 15.2-69	FWLB Maximum RCS Pressure Case - Reactor and Total Steam Generator Power .....	15.2-117

---

Figure 15.2-70	FWLB Maximum RCS Pressure Case - Pressurizer Pressure.....	15.2-118
Figure 15.2-71	FWLB Maximum RCS Pressure Case - PSRV Flow .....	15.2-119
Figure 15.2-72	FWLB Maximum RCS Pressure Case - Pressurizer Liquid Level .....	15.2-120
Figure 15.2-73	FWLB Maximum RCS Pressure Case - RCS Cold Leg Temperatures.....	15.2-121
Figure 15.2-74	FWLB Maximum RCS Pressure Case - RCS Hot Leg and Upper Head Temperatures .....	15.2-122
Figure 15.2-75	FWLB Maximum RCS Pressure Case - Core Exit Subcooling .....	15.2-123
Figure 15.2-76	FWLB Maximum RCS Pressure Case - Core Flow .....	15.2-124
Figure 15.2-77	FWLB Maximum RCS Pressure Case - Break Flow.....	15.2-125
Figure 15.2-78	FWLB Maximum RCS Pressure Case - Main Steam Relief Loops 1 and 2.....	15.2-126
Figure 15.2-79	FWLB Maximum RCS Pressure Case - Main Steam Relief Loops 3 and 4.....	15.2-127
Figure 15.2-80	FWLB Maximum RCS Pressure Case - Steam Generator Dome Pressures .....	15.2-128
Figure 15.2-81	FWLB Maximum RCS Pressure Case - Steam Generator Total Mass .....	15.2-129
Figure 15.2-82	FWLB Maximum RCS Pressure Case - Steam Generator Liquid Mass.....	15.2-130
Figure 15.2-83	FWLB Maximum RCS Pressure Case - Net Heat Addition to RCS .....	15.2-131
Figure 15.2-84	FWLB Maximum RCS Pressure Case - RCS Maximum Pressure.....	15.2-132
Figure 15.2-85	FWLB Maximum RCS Pressure Case - Steam Generator Maximum Pressure .....	15.2-133
Figure 15.2-86	FWLB Maximum RCS Pressure Case - Reactivities .....	15.2-134
Figure 15.2-87	FWLB Maximum Secondary Pressure Case - Reactor and Total Steam Generator Power .....	15.2-135
Figure 15.2-88	FWLB Maximum Secondary Pressure Case - Pressurizer Pressure.....	15.2-136
Figure 15.2-89	FWLB Maximum Secondary Pressure Case - PSRV Flow.....	15.2-137
Figure 15.2-90	FWLB Maximum Secondary Pressure Case - Pressurizer Liquid Level.....	15.2-138

Figure 15.2-91	FWLB Maximum Secondary Pressure Case - RCS Cold Leg Temperatures.....	15.2-139
Figure 15.2-92	FWLB Maximum Secondary Pressure Case - RCS Hot Leg and Upper Head Temperature .....	15.2-140
Figure 15.2-93	FWLB Maximum Secondary Pressure Case - Core Exit Subcooling .....	15.2-141
Figure 15.2-94	FWLB Maximum Secondary Pressure Case - Core Flow.....	15.2-142
Figure 15.2-95	FWLB Maximum Secondary Pressure Case - Break Flow .....	15.2-143
Figure 15.2-96	FWLB Maximum Secondary Pressure Case - Main Steam Relief Loops 1 and 2.....	15.2-144
Figure 15.2-97	FWLB Maximum Secondary Pressure Case - Main Steam Relief Loops 3 and 4.....	15.2-145
Figure 15.2-98	FWLB Maximum Secondary Pressure Case - Steam Generator Dome Pressures.....	15.2-146
Figure 15.2-99	FWLB Maximum Secondary Pressure Case - Steam Generator Total Mass .....	15.2-147
Figure 15.2-100	FWLB Maximum Secondary Pressure Case - Steam Generator Liquid Mass.....	15.2-148
Figure 15.2-101	FWLB Maximum Secondary Pressure Case - Net Heat Addition to RCS .....	15.2-149
Figure 15.2-102	FWLB Maximum Secondary Pressure Case - RCS Maximum Pressure .....	15.2-150
Figure 15.2-103	FWLB Maximum Secondary Pressure Case - Steam Generator Maximum Pressure.....	15.2-151
Figure 15.2-104	FWLB Maximum Secondary Pressure Case - Reactivities.....	15.2-152
Figure 15.3-1	Partial Loss of Forced Reactor Coolant Flow Event - RCS Flow Rates .....	15.3-17
Figure 15.3-2	Partial Loss of Forced Reactor Coolant Flow Event - Reactor Power .....	15.3-18
Figure 15.3-3	Partial Loss of Forced Reactor Coolant Flow Event - Core Average Heat Flux .....	15.3-19
Figure 15.3-4	Partial Loss of Forced Reactor Coolant Flow Event - Primary System Pressure .....	15.3-20
Figure 15.3-5	Complete Loss of Forced Reactor Coolant Flow Event - RCS Flow Rates .....	15.3-21
Figure 15.3-6	Complete Loss of Forced Reactor Coolant Flow Event - Reactor Power .....	15.3-22



---

Figure 15.3-7	Complete Loss of Forced Reactor Coolant Flow Event - Core Average Heat Flux .....	15.3-23
Figure 15.3-8	Complete Loss of Forced Reactor Coolant Flow Event - Primary System Pressure .....	15.3-24
Figure 15.3-9	Reactor Coolant Pump Rotor Seizure Event - RCS Flow Rates.....	15.3-25
Figure 15.3-10	Reactor Coolant Pump Rotor Seizure Event - Reactor Power.....	15.3-26
Figure 15.3-11	Reactor Coolant Pump Rotor Seizure Event - Primary System Pressure.....	15.3-27
Figure 15.3-12	Reactor Coolant Pump Rotor Seizure Event - Core Average Heat Flux .....	15.3-28
Figure 15.3-13	Partial Loss of Forced Reactor Coolant Flow Event - Reactivity .....	15.3-29
Figure 15.3-14	Partial Loss of Forced Reactor Coolant Flow Event - Representative DNBR and LPD.....	15.3-30
Figure 15.3-15	Partial Loss of Forced Reactor Coolant Flow Event - Core Inlet Temperature.....	15.3-31
Figure 15.3-16	Complete Loss of Forced Reactor Coolant Flow Event - Reactivity .....	15.3-32
Figure 15.3-17	Complete Loss of Forced Reactor Coolant Flow Event - Representative DNBR and LPD.....	15.3-33
Figure 15.3-18	Complete Loss of Forced Reactor Coolant Flow Event - Core Inlet Temperature.....	15.3-34
Figure 15.3-19	Reactor Coolant Pump Rotor Seizure Event - Reactivity.....	15.3-35
Figure 15.3-20	Reactor Coolant Pump Rotor Seizure Event - Core Inlet Temperature .....	15.3-36
Figure 15.4-1	Uncontrolled Control Bank Withdrawal from a Subcritical or Low Power Startup Condition - Reactor Power .....	15.4-55
Figure 15.4-2	Uncontrolled Control Bank Withdrawal from a Subcritical or Low Power Startup Condition - Reactivity .....	15.4-56
Figure 15.4-3	Uncontrolled Control Bank Withdrawal from a Subcritical or Low Power Startup Condition - Primary System Pressure.....	15.4-57
Figure 15.4-4	Uncontrolled Control Bank Withdrawal from a Subcritical or Low Power Startup Condition - Primary System Temperature .....	15.4-58

Figure 15.4-5	Uncontrolled Control Bank Withdrawal from a Subcritical or Low Power Startup Condition - Cold Leg Mass Flow .....	15.4-59
Figure 15.4-6	Uncontrolled Control Bank Withdrawal at Power - Reactor Power .....	15.4-60
Figure 15.4-7	Uncontrolled Control Bank Withdrawal at Power - Reactivity .....	15.4-61
Figure 15.4-8	Uncontrolled Control Bank Withdrawal at Power - Average Core Heat Flux .....	15.4-62
Figure 15.4-9	Uncontrolled Control Bank Withdrawal at Power - Primary Pressure .....	15.4-63
Figure 15.4-10	Uncontrolled Control Bank Withdrawal at Power - Cold Leg Flow .....	15.4-64
Figure 15.4-11	Uncontrolled Control Bank Withdrawal at Power - Primary System Temperature .....	15.4-65
Figure 15.4-12	Uncontrolled Control Bank Withdrawal at Power - Pressurizer Level .....	15.4-66
Figure 15.4-13	Uncontrolled Control Bank Withdrawal at Power - SG Secondary Pressure .....	15.4-67
Figure 15.4-14	Uncontrolled Control Bank Withdrawal at Power - Pressurizer Spray .....	15.4-68
Figure 15.4-15	Dropped RCCA - Reactor Power .....	15.4-69
Figure 15.4-16	Dropped RCCA - Reactivity .....	15.4-70
Figure 15.4-17	Dropped RCCA - Average Core Heat Flux .....	15.4-71
Figure 15.4-18	Dropped RCCA - Primary System Pressure .....	15.4-72
Figure 15.4-19	Dropped RCCA - Primary System Temperature .....	15.4-73
Figure 15.4-20	Startup of an Inactive Reactor Coolant Pump at an Incorrect Temperature - Total RCS Loop Flow .....	15.4-74
Figure 15.4-21	Startup of an Inactive Reactor Coolant Pump at an Incorrect Temperature - RCS Loop Flows .....	15.4-75
Figure 15.4-22	Startup of an Inactive Reactor Coolant Pump at an Incorrect Temperature - RCP Speeds .....	15.4-76
Figure 15.4-23	Startup of an Inactive Reactor Coolant Pump at an Incorrect Temperature - Core Temperatures .....	15.4-77
Figure 15.4-24	Startup of an Inactive Reactor Coolant Pump at an Incorrect Temperature - Indicated Reactor Power .....	15.4-78
Figure 15.4-25	Startup of an Inactive Reactor Coolant Pump at an Incorrect Temperature - Reactivity .....	15.4-79

---

Figure 15.4-26	Startup of an Inactive Reactor Coolant Pump at an Incorrect Temperature - Cold Leg Temperatures .....	15.4-80
Figure 15.4-27	Startup of an Inactive Reactor Coolant Pump at an Incorrect Temperature - RCS Bottom Pressure.....	15.4-81
Figure 15.4-28	Rod Ejection Accident DNBR Analysis - BOC HFP Transient Power Fraction.....	15.4-82
Figure 15.4-29	Rod Ejection Accident DNBR Analysis - BOC HFP Transient Peak Fuel and Cladding Temperatures .....	15.4-83
Figure 15.4-30	Rod Ejection Accident DNBR Analysis - EOC HZP Transient Power Fraction.....	15.4-84
Figure 15.4-31	Rod Ejection Accident DNBR Analysis - EOC HZP Transient Peak Fuel and Cladding Temperatures .....	15.4-85
Figure 15.4-32	HFP Rod Ejection Accident Overpressurization Analysis - Percent Reactor Power.....	15.4-86
Figure 15.4-33	HFP Rod Ejection Accident Overpressurization Analysis - Reactivity .....	15.4-87
Figure 15.4-34	HFP Rod Ejection Accident Overpressurization Analysis - Primary System Pressure .....	15.4-88
Figure 15.4-35	HFP Rod Ejection Accident Overpressurization Analysis - Primary System Temperature .....	15.4-89
Figure 15.4-36	60% NP Rod Ejection Accident Overpressurization Analysis - Percent Reactor Power.....	15.4-90
Figure 15.4-37	60% NP Rod Ejection Accident Overpressurization Analysis - Reactivity .....	15.4-91
Figure 15.4-38	60% NP Rod Ejection Accident Overpressurization Analysis - Primary System Pressure .....	15.4-92
Figure 15.4-39	60% NP Rod Ejection Accident Overpressurization Analysis - Primary System Temperature.....	15.4-93
Figure 15.4-40	HZP Rod Ejection Accident Overpressurization Analysis - Percent Reactor Power.....	15.4-94
Figure 15.4-41	HZP Rod Ejection Accident Overpressurization Analysis - Reactivity .....	15.4-95
Figure 15.4-42	HZP Rod Ejection Accident Overpressurization Analysis - Primary System Pressure .....	15.4-96
Figure 15.4-43	HZP Rod Ejection Accident Overpressurization Analysis - Primary System Temperature .....	15.4-97

Figure 15.4-44	Uncontrolled Control Bank Withdrawal from a Subcritical or Low Power Startup Condition - Primary Hot Leg Temperature .....	15.4-98
Figure 15.4-45	Uncontrolled Control Bank Withdrawal from a Subcritical or Low Power Startup Condition - Primary Cold Leg Temperature .....	15.4-99
Figure 15.4-46	Uncontrolled Control Bank Withdrawal from a Subcritical or Low Power Startup Condition - Normalized Minimum DNBR and FCM to SAFDL .....	15.4-100
Figure 15.4-47	Startup of an Inactive Reactor Coolant Pump at an Incorrect Temperature - Normalized Minimum DNBR and Maximum LPD to SAFDL.....	15.4-101
Figure 15.4-48	HFP Rod Ejection Accident Overpressurization Analysis - Primary Hot Leg Temperature .....	15.4-102
Figure 15.4-49	HFP Rod Ejection Accident Overpressurization Analysis - Primary Cold Leg Temperature.....	15.4-103
Figure 15.4-50	60% NP Rod Ejection Accident Overpressurization Analysis - Primary Hot Leg Temperature .....	15.4-104
Figure 15.4-51	60% NP Rod Ejection Accident Overpressurization Analysis - Primary Cold Leg Temperature .....	15.4-105
Figure 15.4-52	HZP Rod Ejection Accident Overpressurization Analysis - Primary Hot Leg Temperature .....	15.4-106
Figure 15.4-53	HZP Rod Ejection Accident Overpressurization Analysis - Primary Cold Leg Temperature.....	15.4-107
Figure 15.4-54	Uncontrolled Control Bank Withdrawal at Power - Representative Plot of Normalized Minimum DNBR and Maximum LPD to SAFDL .....	15.4-108
Figure 15.4-55	Dropped RCCA - Minimum DNBR and Maximum LPD Normalized to SAFDL .....	15.4-109
Figure 15.5-1	Inadvertent Operation of the EBS - Transient Reactor Power.....	15.5-18
Figure 15.5-2	Inadvertent Operation of the EBS - Core Average Heat Flux.....	15.5-19
Figure 15.5-3	Inadvertent Operation of the EBS - Core Inlet Mass Flux.....	15.5-20
Figure 15.5-4	Inadvertent Operation of the EBS - RCS Temperature.....	15.5-21
Figure 15.5-5	Inadvertent Operation of the EBS - PZR Pressure .....	15.5-22
Figure 15.5-6	Inadvertent Operation of the EBS - PZR Level.....	15.5-23

Figure 15.5-7	Inadvertent Operation of the EBS - PSRV Flow .....	15.5-24
Figure 15.5-8	Inadvertent Operation of the EBS - SG Pressure .....	15.5-25
Figure 15.5-9	Inadvertent Operation of the EBS - EBS Flow .....	15.5-26
Figure 15.5-10	CVCS Malfunction that Increases RCS Inventory - Transient Reactor Power .....	15.5-27
Figure 15.5-11	CVCS Malfunction that Increases RCS Inventory - Core Average Heat Flux .....	15.5-28
Figure 15.5-12	CVCS Malfunction that Increases RCS Inventory - Core Inlet Mass Flux.....	15.5-29
Figure 15.5-13	CVCS Malfunction that Increases RCS Inventory - RCS Temperature .....	15.5-30
Figure 15.5-14	CVCS Malfunction that Increases RCS Inventory - PZR Pressure .....	15.5-31
Figure 15.5-15	CVCS Malfunction that Increases RCS Inventory - PZR Level .....	15.5-32
Figure 15.5-16	CVCS Malfunction that Increases RCS Inventory - PSRV Flow .....	15.5-33
Figure 15.5-17	CVCS Malfunction that Increases RCS Inventory - SG Pressure.....	15.5-34
Figure 15.5-18	CVCS Malfunction that Increases RCS Inventory - Charging Flow.....	15.5-35
Figure 15.6-1	IOPSRV Event - Transient Reactor Power .....	15.6-70
Figure 15.6-2	IOPSRV Event - PZR Pressure .....	15.6-71
Figure 15.6-3	IOPSRV Event - MHSI and PSRV Flow Rates .....	15.6-72
Figure 15.6-4	IOPSRV Event - Reactor Vessel Fluid Mass .....	15.6-73
Figure 15.6-5	IOPSRV Event - Core Exit Void Fraction .....	15.6-74
Figure 15.6-6	IOPSRV Event - Core Average Heat Flux .....	15.6-75
Figure 15.6-7	IOPSRV Event - Pressurizer Level .....	15.6-76
Figure 15.6-8	IOPSRV Event - Core Inlet Temperature.....	15.6-77
Figure 15.6-9	IOPSRV Event - RCS Average Temperature .....	15.6-78
Figure 15.6-10	IOPSRV Event - SG Pressure .....	15.6-79
Figure 15.6-11	SGTR Radiological Case - Reactor Power .....	15.6-80
Figure 15.6-12	SGTR Radiological Case Pressurizer and Affected SG Dome Pressure .....	15.6-81
Figure 15.6-13	SGTR Radiological Case - SG Blowdown Flow Rates .....	15.6-82

---

Figure 15.6-14	SGTR Radiological Case - EFW Flow Rates.....	15.6-83
Figure 15.6-15	SGTR Radiological Case - Total MHSI Flow Rate.....	15.6-84
Figure 15.6-16	SGTR Radiological Case - EBS Flow Rate .....	15.6-85
Figure 15.6-17	SGTR Radiological Case - PSRV Flow Rate.....	15.6-86
Figure 15.6-18	SGTR Radiological Case - Break Flow Rate .....	15.6-87
Figure 15.6-19	SGTR Radiological Case - Core Exit Subcooling .....	15.6-88
Figure 15.6-20	SGTR Radiological Case - Pressurizer Level.....	15.6-89
Figure 15.6-21	SGTR Radiological Case - SG Wide Range Levels .....	15.6-90
Figure 15.6-22	SGTR Radiological Case - Affected SG Liquid Volume.....	15.6-91
Figure 15.6-23	SGTR Radiological Case - Integrated Break Mass Flow .....	15.6-92
Figure 15.6-24	SGTR Radiological Case - Integrated Steam Mass Release.....	15.6-93
Figure 15.6-25	SGTR Radiological Case - Integrated Mass Flashed .....	15.6-94
Figure 15.6-26	SGTR Radiological Case - Affected SG Apex Liquid Fractions .....	15.6-95
Figure 15.6-27	RLBLOCA - PCT Independent of Elevation for the Limiting PCT Case (Cycle 1).....	15.6-96
Figure 15.6-28	RLBLOCA - PCT Independent Elevation for the Limiting PCT Case Hot Rod (Cycle 1).....	15.6-97
Figure 15.6-29	RLBLOCA - Primary System Pressure for the Limiting PCT Case (Cycle 1).....	15.6-98
Figure 15.6-30	RLBLOCA - Flows Supplied to ECCS (includes Accumulator, MHSI and LHSI) for the Limiting PCT Case (Cycle 1) .....	15.6-99
Figure 15.6-31	RLBLOCA - Flows Delivered by ECCS for the Limiting PCT Case (Cycle 1).....	15.6-100
Figure 15.6-32	RLBLOCA - Core Inlet Flow for the Limiting PCT Case (Cycle 1) .....	15.6-101
Figure 15.6-33	RLBLOCA - Core Outlet Flow for the Limiting PCT Case (Cycle 1) .....	15.6-102
Figure 15.6-34	RLBLOCA - Break Flow for the Limiting PCT Case (Cycle 1).....	15.6-103
Figure 15.6-35	RLBLOCA - Collapsed Liquid Level in Downcomer for the Limiting PCT Case (Cycle 1).....	15.6-104
Figure 15.6-36	RLBLOCA - Core Liquid Level for the Limiting PCT Case (Cycle 1) .....	15.6-105

Figure 15.6-37	RLBLOCA - Reactor Power for the Limiting PCT Case (Cycle 1).....	15.6-106
Figure 15.6-38	RLBLOCA - Secondary Pressure for the Limiting PCT Case (Cycle 1) .....	15.6-107
Figure 15.6-39	RLBLOCA - Downcomer Mass Flowrate for the Limiting PCT Case (Cycle 1).....	15.6-108
Figure 15.6-40	RLBLOCA - Core Inlet Temperature for the Limiting PCT Case (Cycle 1) .....	15.6-109
Figure 15.6-41	RLBLOCA - Core Inlet Quality for the Limiting PCT Case (Cycle 1) .....	15.6-110
Figure 15.6-42	RLBLOCA - Core Inlet Quality for the Limiting PCT Case on Smaller Time Scale (Cycle 1).....	15.6-111
Figure 15.6-43	RLBLOCA - Core Outlet Temperature for the Limiting PCT Case (Cycle 1).....	15.6-112
Figure 15.6-44	RLBLOCA - Core Outlet Quality for the Limiting PCT Case (Cycle 1) .....	15.6-113
Figure 15.6-45	RLBLOCA - Core Outlet Quality for the Limiting PCT Case on Smaller Time Scale (Cycle 1).....	15.6-114
Figure 15.6-46	RLBLOCA - In-Core Temperature for the Limiting PCT Case (Cycle 1) .....	15.6-115
Figure 15.6-47	RLBLOCA - In-Core Quality for the Limiting PCT Case (Cycle 1).....	15.6-116
Figure 15.6-48	RLBLOCA - In-Core Quality for the Limiting PCT Case on Smaller Time Scale (Cycle 1) .....	15.6-117
Figure 15.6-49	RLBLOCA - Cladding Temperature for the Limiting PCT Case (Cycle 1) .....	15.6-118
Figure 15.6-50	RLBLOCA - Heat Transfer Coefficient for the Limiting PCT Case (Cycle 1).....	15.6-119
Figure 15.6-51	SBLOCA - PCT - Break Spectrum with LOOP.....	15.6-120
Figure 15.6-52	SBLOCA - 6.5 Inch Break - Reactor Power .....	15.6-121
Figure 15.6-53	SBLOCA - 6.5 Inch Break - Primary and Secondary System Pressure.....	15.6-122
Figure 15.6-54	SBLOCA - 6.5 Inch Break - MSRT Flow .....	15.6-123
Figure 15.6-55	SBLOCA - 6.5 Inch Break - Break Flow.....	15.6-124
Figure 15.6-56	SBLOCA - 6.5 Break - Loop Seal Void Fraction .....	15.6-125
Figure 15.6-57	SBLOCA - 6.5 Break - ECCS Flow .....	15.6-126
Figure 15.6-58	SBLOCA - 6.5 Break - MFW Flow .....	15.6-127

---

Figure 15.6-59	SBLOCA - 6.5 Inch Break - Steam Generator Mass Inventory .....	15.6-128
Figure 15.6-60	SBLOCA - 6.5 Inch Break - Steam Generator Wide Range Level.....	15.6-129
Figure 15.6-61	SBLOCA - 6.5 Inch Break - Steam Generator Steam Line Pressure.....	15.6-130
Figure 15.6-62	SBLOCA - 6.5 Inch Break - Steam Generator Steam Line Pressure and MSRT Cooldown Curve.....	15.6-131
Figure 15.6-63	SBLOCA 6.5 Inch Break - Primary System Inventory.....	15.6-132
Figure 15.6-64	SBLOCA - 6.5 Inch Break - Hot Assembly Collapsed Liquid Level.....	15.6-133
Figure 15.6-65	SBLOCA - 6.5 Inch Break - MHSI Flow Rate.....	15.6-134
Figure 15.6-66	SBLOCA - 6.5 Inch Break - LHSI Flow .....	15.6-135
Figure 15.6-67	SBLOCA - 6.5 Inch Break - Peak Cladding Temperature and Coolant Temperature.....	15.6-136
Figure 15.6-68	SBLOCA - 6.5 inch Break - Hot Assembly Cladding Temperature and Coolant Temperature .....	15.6-137
Figure 15.6-69	SBLOCA - 6.5 inch Break - Inner Core Cladding Temperature and Coolant Temperature .....	15.6-138
Figure 15.6-70	SBLOCA - 6.5 inch Break - Outer Core Cladding Temperature and Coolant Temperature .....	15.6-139
Figure 15.6-71	SBLOCA - 6.5 inch Break - Heat Transfer Coefficients for Hot Rod, Hot Assembly, Inner Core and Outer Core .....	15.6-140
Figure 15.6-72	SBLOCA - 6.5 inch Break - Core Inlet Quality .....	15.6-141
Figure 15.6-73	SBLOCA - 6.5 inch Break - Core Outlet Quality .....	15.6-142
Figure 15.6-74	SBLOCA - 6.5 inch Break - Core Inlet Temperature.....	15.6-143
Figure 15.6-75	SBLOCA - 6.5 inch Break - Core Outlet Temperature.....	15.6-144
Figure 15.6-76	SBLOCA - 6.5 inch Break - Core Inlet Mass Flow Rate .....	15.6-145
Figure 15.6-77	SBLOCA - 6.5 inch Break - Core Outlet Mass Flow Rate .....	15.6-146
Figure 15.6-78	SBLOCA - 6.5 inch Break - Quality at the PCT Node Location .....	15.6-147
Figure 15.6-79	SBLOCA - 6.5 inch Break - Reactor Vessel Downcomer Mass Flow Rate .....	15.6-148



Figure 15.6-80	SBLOCA - 6.5 inch Break - Primary System to Secondary System Heat Transfer Rate .....	15.6-149
Figure 15.6-81	SBLOCA - 6.5 inch Break - RC Speed .....	15.6-150
Figure 15.6-82	SBLOCA - PCT - Delayed Pump Trip (Without LOOP) Break Spectrum .....	15.6-151
Figure 15.6-83	SBLOCA - Comparison PCT - Break Spectrum With/Without LOOP .....	15.6-152
Figure 15.6-84	SBLOCA - 6.5 Inch Break - Integral of Upper Plenum Flow to the Hot Legs .....	15.6-153
Figure 15.6-85	SBLOCA - 6.5 Inch Break - Integral of Core Region Exit Flows.....	15.6-154
Figure 15.6-86	SBLOCA - 6.5 Inch Break - Integral of Lower Plenum Flow to Lower Head.....	15.6-155
Figure 15.6-87	SBLOCA - 6.5 Inch Break - Pressurizer and Steam Generator 1 Pressure .....	15.6-156
Figure 15.6-88	LBLOCA with Hot Leg Injection at 60 Minutes - Integrated Flow from Upper Plenum to Hot Legs.....	15.6-157
Figure 15.6-89	LBLOCA with Hot Leg Injection at 60 Minutes - Integrated Flow from Core Regions to Upper Plenum .....	15.6-158
Figure 15.6-90	LBLOCA with Hot Leg Injection at 60 Minutes - Integrated Flow from Lower Plenum to Core Regions .....	15.6-159
Figure 15.6-91	LBLOCA with Hot Leg Injection at 60 Minutes - Integrated Flow from Lower Head to Lower Plenum.....	15.6-160
Figure 15.6-92	Time Dependent Boron Concentration During the Pool Boiling Period with and without Hot Leg Injection at 60 Minutes .....	15.6-161
Figure 15.6-93	IOPSRV Event- Representative Plot of Normalized Minimum DNBR and Maximum LPD Normalized to the SAFDL .....	15.6-162
Figure 15.6-94	SGTR Overfill Case - Reactor Power .....	15.6-163
Figure 15.6-95	SGTR Overfill Case - Pressurizer and Affected SG Dome Pressure .....	15.6-164
Figure 15.6-96	SGTR Overfill Case - SG Blowdown Flow Rates.....	15.6-165
Figure 15.6-97	SGTR Overfill Case - MFW Flow Rates.....	15.6-166
Figure 15.6-98	SGTR Overfill Case - Total MHSI Flow Rate .....	15.6-167
Figure 15.6-99	SGTR Overfill Case - EBS Flow Rate.....	15.6-168
Figure 15.6-100	SGTR Overfill Case - PSRV Flow Rate .....	15.6-169

---

Figure 15.6-101 SGTR Overfill Case - Break Flow Rate.....	15.6-170
Figure 15.6-102 SGTR Overfill Case - Core Exit Subcooling.....	15.6-171
Figure 15.6-103 SGTR Overfill Case - Pressurizer Level .....	15.6-172
Figure 15.6-104 SGTR Overfill Case - EFW Flows.....	15.6-173
Figure 15.6-105 SGTR Overfill Case - Affected SG Liquid Volume .....	15.6-174
Figure 15.6-106 SGTR Overfill Case - Integrated Break Mass Flow .....	15.6-175
Figure 15.6-107 SGTR Overfill Case - Integrated Steam Mass Release.....	15.6-176
Figure 15.6-108 SGTR Overfill Case - Integrated Mass Flashed.....	15.6-177
Figure 15.6-109 RLBLOCA - Primary to Secondary Heat Transfer Rate for the Limiting PCT Case (Cycle 1) .....	15.6-178
Figure 15.6-110 RLBLOCA - Pump Speed for the Limiting PCT Case (Cycle 1).....	15.6-179
Figure 15.6-111 RLBLOCA - Containment Pressure for the Limiting PCT Case (Cycle 1) .....	15.6-180
Figure 15.6-112 RLBLOCA - PCT Independent of Elevation for the Limiting PCT Case (Equilibrium Cycle).....	15.6-181
Figure 15.6-113 RLBLOCA - PCT Independent of Elevation for the Limiting PCT Case Hot Rod (Equilibrium Cycle).....	15.6-182
Figure 15.6-114 RLBLOCA - Primary System Pressure for the Limiting PCT Case (Equilibrium Cycle) .....	15.6-183
Figure 15.6-115 RLBLOCA - Flows Supplied to ECCS (includes Accumulator, MHSI and LHSI) for the Limiting PCT Case (Equilibrium Cycle) .....	15.6-184
Figure 15.6-116 RLBLOCA - Flows Delivered by ECCS for the Limiting PCT Case (Equilibrium Cycle) .....	15.6-185
Figure 15.6-117 RLBLOCA - Core Inlet Flow for the Limiting PCT Case (Equilibrium Cycle).....	15.6-186
Figure 15.6-118 RLBLOCA - Core Outlet Flow for the Limiting PCT Case (Equilibrium Cycle) .....	15.6-187
Figure 15.6-119 RLBLOCA - Break Flow for the Limiting PCT Case (Equilibrium Cycle).....	15.6-188
Figure 15.6-120 RLBLOCA - Collapsed Liquid Level in Downcomer for the Limiting PCT Case (Equilibrium Cycle).....	15.6-189
Figure 15.6-121 RLBLOCA - Core Liquid Level for the Limiting PCT Case (Equilibrium Cycle) .....	15.6-190
Figure 15.6-122 RLBLOCA - Reactor Power for the Limiting PCT Case (Equilibrium Cycle).....	15.6-191

---

Figure 15.6-123	RLBLOCA - Secondary Pressure for the Limiting PCT Case (Equilibrium Cycle) .....	15.6-192
Figure 15.6-124	RLBLOCA - Downcomer Mass Flowrate for the Limiting PCT Case (Equilibrium Cycle) .....	15.6-193
Figure 15.6-125	RLBLOCA - Core Inlet Temperature for the Limiting PCT Case (Equilibrium Cycle) .....	15.6-194
Figure 15.6-126	RLBLOCA - Core Inlet Quality for the Limiting PCT Case (Equilibrium Cycle).....	15.6-195
Figure 15.6-127	RLBLOCA - Core Inlet Quality for the Limiting PCT Case on Smaller Time Scale (Equilibrium Cycle) .....	15.6-196
Figure 15.6-128	RLBLOCA - Core Outlet Temperature for the Limiting PCT Case (Equilibrium Cycle) .....	15.6-197
Figure 15.6-129	RLBLOCA - Core Outlet Quality for the Limiting PCT Case (Equilibrium Cycle) .....	15.6-198
Figure 15.6-130	RLBLOCA - Core Outlet Quality for the Limiting PCT Case on Smaller Time Scale (Equilibrium Cycle) .....	15.6-199
Figure 15.6-131	RLBLOCA - In-Core Temperature for the Limiting PCT Case (Equilibrium Cycle) .....	15.6-200
Figure 15.6-132	RLBLOCA - In-Core Quality for the Limiting PCT Case (Equilibrium Cycle).....	15.6-201
Figure 15.6-133	RLBLOCA - In-Core Quality for the Limiting PCT Case on Smaller Time Scale (Equilibrium Cycle).....	15.6-202
Figure 15.6-134	RLBLOCA - Cladding Temperature for the Limiting PCT Case (Equilibrium Cycle) .....	15.6-203
Figure 15.6-135	RLBLOCA - Heat Transfer Coefficient for the Limiting PCT Case (Equilibrium Cycle) .....	15.6-204
Figure 15.6-136	RLBLOCA - Primary to Secondary Heat Transfer Rate for the Limiting PCT Case (Equilibrium Cycle).....	15.6-205
Figure 15.6-137	RLBLOCA - Pump Speed for the Limiting PCT Case (Equilibrium Cycle).....	15.6-206
Figure 15.6-138	RLBLOCA - Containment Pressure for the Limiting PCT Case (Equilibrium Cycle) .....	15.6-207
Figure 15.6-139	LBLOCA with Hot Leg Injection at 60 Minutes - Integrated Flow through Core Bypass Regions .....	15.6-208

[Next File](#)