


LA SALLE COUNTY STATION
UPDATED FINAL SAFETY ANALYSIS REPORT

FIGURE 9.1-1
NEW FUEL STORAGE

REV. 0 - APRIL 1984




A CROSS SECTIONAL VIEW OF AN ARRAY OF STORAGE BOXES

LA SALLE COUNTY STATION
UPDATED FINAL SAFETY ANALYSIS REPORT

FIGURE 9.1-2a

Unit 1
 Spent Fuel Storage


FIGURE 9.1-2a



LA SALLE COUNTY STATION
UPDATED FINAL SAFETY ANALYSIS REPORT

FIGURE 9.1-2b


Unit 2
Spent Fuel Storage



LA SALLE COUNTY STATION
 UPDATED FINAL SAFETY ANALYSIS REPORT

FIGURE 9.1-2c

Unit 2 Spent Fuel
 Storage Plan Arrangement



LA SALLE COUNTY STATION
UPDATED FINAL SAFETY ANALYSIS REPORT

FIGURE 9.1-2d

Unit 1 Spent Fuel
Storage Plan Arrangement

THIS PAGE INTENTIONALLY LEFT BLANK


LASALLE COUNTY STATION UPDATED FINAL SAFETY ANALYSIS REPORT
FIGURE 9.1-3 UNIT 1 SPENT FUEL POOL ECCENTRIC POSITIONING

THIS PAGE INTENTIONALLY LEFT BLANK

LASALLE COUNTY STATION UPDATED FINAL SAFETY ANALYSIS REPORT
FIGURE 9.1-4 FUEL STORED IN CONTROL ROD RACKS

THIS PAGE INTENTIONALLY LEFT BLANK

LASALLE COUNTY STATION UPDATED FINAL SAFETY ANALYSIS REPORT
FIGURE 9.1-5 ABNORMAL FUEL STORAGE CONDITIONS



--- CASK PATH




(ALSO RUNWAY DIRECTION)

LA SALLE COUNTY STATION
UPDATED FINAL SAFETY ANALYSIS REPORT

FIGURE 9.1-6
REFUELING FLOOR PLAN


Figure 9.1-7



LASALLE COUNTY STATION
UPDATED FINAL SAFETY ANALYSIS
REPORT

FIGURE 9.1-7

NEW FUEL STORAGE VAULT




LASALLE COUNTY STATION
UPDATED FINAL SAFETY ANALYSIS REPORT

FIGURE 9.2-1


CAPACITY CURVE FOR LSCS
ULTIMATE HEAT SINK

**Figure H7.5, Case 3a: UHS LOCA Temperature Transient
 Worst 31-Day Temperature Period
 (d = 18", t = 0900 hrs, Ti = 102.3F)**



LASALLE COUNTY STATION
 UPDATED FINAL SAFETY ANALYSIS REPORT
 FIGURE 9.2-2
 UHS TEMPERATURE RESPONSE TO LOCA
 WORST 31-DAY TEMPERATURE CONDITIONS


**Figure H7.7, Case 3c: UHS LOCA Drawdown
Worst 30 Day Evaporation Weather Period
(d = 18", t=1200 hrs, Ti = 102.3F)**



LASALLE COUNTY STATION UPDATED FINAL SAFETY ANALYSIS REPORT FIGURE 9.2-3
UHS TEMPERATURE RESPONSE TO LOCA WORST 30-DAY EVAPORATION CONDITIONS

Figure 9.2-4 has been deleted


Figure 9.2-5 has been deleted



LASALLE COUNTY STATION
UPDATED FINAL SAFETY ANALYSIS REPORT
FIGURE 9.2-6
UHS HEAT LOAD FOLLOWING LOCA

Figure 9.2-7 has been deleted


LSCS-UFSAR



LASALLE COUNTY STATION
UPDATED FINAL SAFETY ANALYSIS REPORT

FIGURE 9.3-1

SODIUM PENTABORATE VOLUME
CONCENTRATION REQUIREMENTS




LA SALLE COUNTY STATION
UPDATED FINAL SAFETY ANALYSIS REPORT

FIGURE 9.3-2

SATURATION TEMPERATURE OF
SODIUM PENTABORATE

REV. 0 - APRIL 1984



MB = Mixing Box with Temperature Controller
 = TYPICAL AREA IN SERVICE BUILDING

NOTE:

1. HUMIDIFIER STEAM GENERATOR IS
 OUT-OF-SERVICE(005) 960000174.

REV. 14

LASALLE COUNTY STATION UPDATED FINAL SAFETY ANALYSIS REPORT
FIGURE 9.4-1 TYPICAL SERVICE BUILDING HVAC SYSTEM

REV. 14, APRIL 2002