



Region I Office
Division of Nuclear Materials Safety
2100 Renaissance Boulevard
Suite 100
King of Prussia, PA 19406-2713
(610)337-5000

Telephone Conversation Record

Date: 4/15/2014

License No.:45-25534-01

Docket No.: 03035465

Mail Control/Report No.: 583663

Licensee Name: ECS Mid-Atlantic, LLC

Participant(s) Name/Title: Brian Wyatt / VP & RSO

Work Telephone No.: (540) 362-2000

Business Cellphone No.: Unknown

NRC Representative Name/Title: Dennis Lawyer/ Health Physicist

Subject: Discussion of additional location and alternate RSO

Discussion: I discussed that in the mailing address of a license, we only allow for one address. That he could dispatch material from any location authorized on his Virginia license to temporary job locations in area of Federal jurisdiction under the NRC license. I also discussed that we do not place on alternate RSO on the license that he was responsible for that position and duties could be delegated but he still would maintain responsibility.

Action Required: Amend the license for the material amount changes.

SUNSI REVIEW

Document Availability: ☒ Public or ☐ Non-Public

Document Sensitivity:

(select "1" value to the right)

<input checked="" type="checkbox"/>	Non-Sensitive	<input type="checkbox"/>	MD 3.4 Non-Public B.1 (Non-Sensitive)
<input type="checkbox"/>	Non-Sensitive Copyright	<input type="checkbox"/>	MD 3.4 Non-Public A.3 (Sensitive Security Related
<input type="checkbox"/>	Sensitive – Proprietary	<input type="checkbox"/>	MD 3.4 Non-Public A.4 (Sensitive Proprietary
<input type="checkbox"/>	Sensitive – Privacy Act (includes Personally Identifiable Information (PII))	<input type="checkbox"/>	MD 3.4 Non-Public A.5 (Sensitive-Privacy Act)
<input type="checkbox"/>	Sensitive – Internal, Periodic Review required (All Other Sensitive Internal Info.)	<input type="checkbox"/>	MD 3.4 Non-Public A.6 (Sensitive-Federal, State, etc)
<input type="checkbox"/>	Sensitive – Security-Related-Periodic Review Required	<input type="checkbox"/>	MD 3.4 Non-Public A.7 (Internal)

: If applicable, add OFFICIAL USE ONLY – SECURITY RELATED INFORMATION banners and change SUNSI review to A.3.