

Region I Office
Division of Nuclear Materials Safety
2100 Renaissance Boulevard
Suite 100
King of Prussia, PA 19406-2713
(610)337-5000

Telephone Conversation Record

Date: April 28, 2014

License No.: 47-35142-01

Docket No.(no hyphens): 03038733 Mail Control/Report No.: 583589

Licensee Name: Tunnel Ridge, LLC (Applicant for new license)
Participant(s) Name/Title: John Dubowski, Environtal Coordinator

Work Telephone No.: 304-547-2904

Business Cellphone No.:

NRC Representative Name/Title: Sattar Lodhi, Sr. Health Physicist

Subject: Items Missing from Application

Discussion:

I called the applicant to request information about the items not fully addressed in its application. I informed the applicant that in order to complete our review of the application, we need: (1) their procedure for maintaining accountability of licensed material at all times; (2) who will perform analysis of leak test samples, and (3) their procedure for non-routine maintenance of gauges.

I suggested that he may use the language of NUREG 1556, Vol 4, Rev 1 to respond to these items. He promised to send the response as soon as possible.

Action Required: Document

SUNSI REVIEW		_										
Document Availability:	Х	Public or Non-Public										
Document Sensitivity:												
(select "1" value to the right)	Χ	Non-Sensitive		MD 3.4 Non-Public B.1 (Non-Sensitive)								
		Non-Sensitive Copyright		MD 3.4 Non-Public A.3 (Sensitive Security Related								
		Sensitive – Proprietary		MD 3.4 Non-Public A.4 (Sensitive Proprietary								
		Sensitive – Privacy Act (includes Personally Identifiable Information (PII))		MD 3.4 Non-Public A.5 (Sensitive-Privacy Act)								
		Sensitive – Internal, Periodic Review required (All Other Sensitive Internal Info.)		MD 3.4 Non-Public A.6 (Sensitive-Federal, State, etc)								
		Sensitive – Security-Related-Periodic Review Required		MD 3.4 Non-Public A.7 (Internal)								
SUNSI Review Completed by: Sattar Lodhi												

applicable, add	OFFICIAL USE ONL	Y - SECURITY R	ELATED INFOR	RMATION bann	ers and change	e SUNSI review to	Α.: