



- NOTES:**
- EXCAVATION:**
1. BEFORE ANY EXCAVATION TAKES PLACE AT THE JOBSITE THE FIELD PERSONNEL SHALL VERIFY ALL FIELD DIMENSIONS AND CONDITIONS AFFECTING THE WORK AND COORDINATE WITH CIVIL, MECHANICAL, AND ELECTRICAL DRAWINGS TO LOCATE ALL UNDERGROUND UTILITIES IN THE AREA.
 2. ANY UNIDENTIFIED PIPE, CONDUIT, OR STRUCTURE UNCOVERED DURING EXCAVATION SHALL BE IMMEDIATELY BROUGHT TO THE ATTENTION OF THE ENGINEER, AND THE EXCAVATION SHALL NOT CONTINUE IN THAT AREA WITHOUT APPROVAL FROM THE ENGINEER.
 3. FOR RELOCATION OF THE EXISTING C.P.S., P.S. #802, TELL STUB-UP, AND UNDERGROUND PIPING SEE MECH. DWG. NO. 5154153 AND ELECT. DWG. NO. 5149777.
 4. NO HEAVY TRUCK LOADS OR OTHER CONSTRUCTION LOADS SHALL BE ALLOWED WITHIN 7'-0" FROM THE EXCAVATION LINES UNLESS SHORING IS PROVIDED FOR THE SLURRY WALL.
 5. SLURRY USED SHALL BE A 3 SACK SLURRY MIX.

PRC
APERTURE
CARD

NON-SAFETY RELATED

SAMPLING STATION BUILDING T.M.I. UNIT-1		LOCATION SAN ONOFRE NUCLEAR GEN. STATION	SHEET NO.
		LOCATION & EXCAVATION PLAN	
SE EDISON			OF SHTS.

REFERENCE DRAWINGS	NO.	REVISIONS	M	DATE	P.E.	Q.A.E.	SUPV.	APPROVED	ENGR.	CK'D.	MADE	LD. NO.	HO.	REVISIONS	M	DATE	P.E.	Q.A.E.	SUPV.	APPROVED	ENGR.	CK'D.	MADE	LD. NO.	
5159588 SECTIONS AND DETAILS																									
5159587 SECTIONS AND DETAILS																									
5159586 SECTIONS AND DETAILS																									
5159585 ROOF AND FOUNDATION PLAN																									
5159623 GENERAL NOTES																									
DC-684 CALCULATIONS																									

REGULATORY DOCKET FILE COPY 5159584-1

821207027 | Docket # 50-206
Control # 821207026
Date 12-03-82 of Document
REGULATORY DOCKET FILE



26X