



Region I Office
Division of Nuclear Materials Safety
2100 Renaissance Boulevard
Suite 100
King of Prussia, PA 19406-2713
(610)337-5000

Telephone Conversation Record

Date: June 10, 2014

License No.: 52-31342-01

Docket No.(no hyphens): 03037851

Report No.: 2014-001

Licensee Name: TAMRIO, Inc.

Participant(s) Name/Title: Merisabeth Fernandez/Radiation Safety Officer

Work Telephone No.: 787-805-4120

Business Cellphone No.: None

NRC Representative Name/Title: Steven R. Courtemanche/Health Physicist

Subject: SS&D Listed Radiation Levels

(This is the title that will be used in ADAMS)

Discussion: (6/9/14; 10:30) I called the licensee to inform them of my findings for the radiation levels about gauges as stated in the Sealed Source and Device Registry. The listed dose rate levels were in line with what was measured during the inspection. Senora Fernandez requested the information and I stated that I would provide it in an e-mail. The radiation dose rate levels for the Seaman Model R-75 gauge (radium-226 only) were significantly higher than expected. I also provided the information on the Seaman Model C-200 and C-300 (americium-241/beryllium and cesium-137) for comparison purposes.

Action Required: Document for next inspection.

SUNSI REVIEW

Document Availability: ☒ Public or ☐ Non-Public

Document Sensitivity:

(select "1" value to the right)

- | | |
|--|--|
| <input checked="" type="checkbox"/> Non-Sensitive | <input type="checkbox"/> MD 3.4 Non-Public B.1 (Non-Sensitive) |
| <input type="checkbox"/> Non-Sensitive Copyright | <input type="checkbox"/> MD 3.4 Non-Public A.3 (Sensitive Security Related) |
| <input type="checkbox"/> Sensitive – Proprietary | <input type="checkbox"/> MD 3.4 Non-Public A.4 (Sensitive Proprietary) |
| <input type="checkbox"/> Sensitive – Privacy Act (includes Personally Identifiable Information (PII)) | <input type="checkbox"/> MD 3.4 Non-Public A.5 (Sensitive-Privacy Act) |
| <input type="checkbox"/> Sensitive – Internal, Periodic Review required (All Other Sensitive Internal Info.) | <input type="checkbox"/> MD 3.4 Non-Public A.6 (Sensitive-Federal, State, etc) |
| <input type="checkbox"/> Sensitive – Security-Related-Periodic Review Required | <input type="checkbox"/> MD 3.4 Non-Public A.7 (Internal) |

SUNSI Review Completed by: Steven R. Courtemanche