

June 24, 2014

UNITED STATES OF AMERICA
NUCLEAR REGULATORY COMMISSION

BEFORE THE ATOMIC SAFETY AND LICENSING BOARD

In the Matter of)	
)	
POWERTECH (USA) INC.,)	Docket No. 40-9075-MLA
)	ASLBP No. 10-898-02-MLA-BD01
(Dewey-Burdock In Situ Uranium Recovery)	
Facility))	

ERRATUM TO NRC STAFF'S STATEMENT OF POSITION

On page 29 of the NRC Staff's Initial Statement of Position (June 20, 2014), the first full sentence begins, "Although Table 3.5-4 also does not address sample values exceeding MCLs. . . ." The sentence should begin, "Although Table 3.5-4 also does not address sample values below the MCLs. . . ."

Respectfully submitted,

/Signed (electronically) by/ Michael J. Clark
Michael J. Clark
Counsel for the NRC Staff

/Signed (electronically) by/ Patricia A. Jehle
Patricia A. Jehle
Counsel for the NRC Staff

Dated at Rockville, Maryland
this 24th day of June 2014

UNITED STATES OF AMERICA
NUCLEAR REGULATORY COMMISSION

BEFORE THE ATOMIC SAFETY AND LICENSING BOARD

In the Matter of)	
)	
POWERTECH (USA) INC)	Docket No. 40-9075-MLA
)	ASLBP No. 10-898-02- MLA-BD01
)	
(Dewey-Burdock In Situ Uranium Recovery)	Date: June 24, 2014
Facility))	

CERTIFICATE OF SERVICE

Pursuant to 10 C.F.R. § 2.305, I certify that copies of the "ERRATUM TO NRC STAFF'S STATEMENT OF POSITION" have been served via the NRC's Electronic Information Exchange (EIE) or, for those participants exempted from filing through the EIE, by electronic mail, on this 24th day of June, 2014.

***/Signed (electronically) by/
Michael J. Clark***

Michael J. Clark
Counsel for the NRC Staff
U.S. Nuclear Regulatory Commission
Mail Stop O-15 D21
Washington, DC 20555-0001
(301) 415-2011
Michael.Clark@nrc.gov
Date of Signature: June 24, 2014.