

official

FEB 08 1990

Docket No: 50-261
License No: DPR-23

Carolina Power and Light Company
ATTN: Mr. Lynn W. Eury
Executive Vice President
Power Supply
P. O. Box 1551
Raleigh, NC 27602

Gentlemen:

SUBJECT: NRC INSPECTION REPORT NO. 50-261/89-32

This refers to the Nuclear Regulatory Commission (NRC) inspection conducted by L. W. Garner on December 16, 1989 - January 10, 1990. The inspection included a review of activities authorized for your H. B. Robinson facility. At the conclusion of the inspection, the findings were discussed with those members of your staff identified in the enclosed inspection report.

Areas examined during the inspection are identified in the report. Within these areas, the inspection consisted of selective examinations of procedures and representative records, interviews with personnel, and observation of activities in progress.

Within the scope of the inspection, no violations or deviations were identified.

Your corrective actions in response to the root causes of the auxiliary feedwater system net positive suction head issue were comprehensive. The resultant efforts of identifying and correcting the emergency diesel generator exhaust line seismic acceptability concern were especially noteworthy. As a result of your extensive problem identification and corrective action initiative, no enforcement action is being taken regarding this issue.

In accordance with Section 2.790 of the NRC's "Rules of Practice," Part 2, Title 10, Code of Federal Regulations, a copy of this letter and its enclosure will be placed in the NRC Public Document Room.

Should you have any questions concerning this letter, please contact us.

Sincerely,

ORIGINAL SIGNED BY
DAVID M. VERRELLI

David M. Verrelli, Chief
Reactor Projects Branch 1
Division of Reactor Projects

Enclosure: (See page 2)

9002260112 900208
PDR ADOCK 05000261
Q PIC

IE01

FEB 08 1990

Enclosure:
NRC Inspection Report

cc w/encl:
C. R. Dietz, Manager
Robinson Nuclear Project Department
H. B. Robinson Steam Electric Plant
P. O. Box 790
Hartsville, SC 29550

bcc w/encl:
Document Control Desk

NRC Resident Inspector
U.S. Nuclear Regulatory Commission
Route 5, Box 413
Hartsville, SC 29550

R. E. Morgan, Plant General Manager
H. B. Robinson Steam Electric Plant
P. O. Box 790
Hartsville, SC 29550

Dayne H. Brown, Director
Division of Radiation Protection
N. C. Department of Environment,
Health & Natural Resources
P. O. Box 27687
Raleigh, NC 27611-7687

McCuen Morrell, Chairman
Darlington County Board of Supervisors
County Courthouse
Darlington, SC 29535

Richard E. Jones, General Counsel
Carolina Power and Light Company
P. O. Box 1551
Raleigh, NC 27602

H. A. Cole
Special Deputy Attorney General
State of North Carolina
P. O. Box 629
Raleigh, NC 27602

Avery Upchurch, Chairman
Triangle J Council of Governments
100 Park Drive
P. O. Box 12276
Research Triangle Park, NC 27709

Robert Gruber
Executive Director
Public Staff - NCUC
P. O. Box 29520
Raleigh, NC 27626-0520

State of South Carolina

RII:DRP

HD
HDance/
02/5/90