

DETROIT EDISON - FERMI 2
AUTOMATED RECORD MANAGEMENT
DISTRIBUTION CONTROL LIST
06/12/14

To: 00935

US NRC
DOCUMENT CNTRL DESK

PAGE 1

WASHINGTON, DC 20555

Media: 8 1/2 X 11

DTC	Doc. Serial Number	Page	Rev	Number Copies	Cnt Lvl	Issue Date	Sec	Status
TMTRM	TRM VOL I		107	1	IR	06/12/14		AFC

Please destroy or mark all revised, superseded, or cancelled documents as such. CONTROLLED stamps must be voided by lining through and initialing.

=====
Detroit Edison EF2, C/O Info Mgmt 140 NOC, 6400 North Dixie Highway,
Newport MI 48166. (734) 586-4338 OR (734) 586-4061 for questions or concerns.

Ref: u18400

A 001
MLL

LICENSING DOCUMENT TRANSMITTAL
FERMI 2 TECHNICAL REQUIREMENTS MANUAL – VOL I
Revision 107 dated 6/12/14

Immediately, upon receipt of the item(s) below, please insert and/or remove the pages indicated. Destroy the removed pages. Be sure that Revision 106 has been inserted prior to inserting these pages.

<u>SECTION</u>	<u>REMOVE and DESTROY</u>	<u>INSERT</u>
In Front of TRM Manual	Title Page Rev 106 03/19/14	Title Page Rev 107 06/12/14
Immediately following Title Page	List of Effective Pages LEP-1 through LEP-4 Rev 106 03/19/14	List of Effective Pages LEP-1 through LEP-4 Rev 107 06/12/14
Table of Contents	TRM-ii Rev 73 01/05 TRM-v Rev 79 03/06	TRM-ii Rev 107 06/14 TRM-v Rev 107 06/14
3.7 Detailed Index of Section	TRM 3.7-a Rev 73 01/05 TRM 3.7-b Rev 31 10/99	TRM 3.7-a Rev 107 06/14 N/A
3.7 Plant Systems	TRM 3.7-2 Rev 70 10/04	TRM 3.7-2 Rev 107 06/14
B3.7 Plant Systems	TRM B3.7.2-1 Rev 31 10/99	TRM B3.7.2-1 Rev 107 06/14

END

Fermi 2

Technical Requirements Manual

Volume I

DTE
Energy

<i>ARMS - INFORMATION</i>			
DTC: TMTRM	File: 1754	DSN: TRM VOL I	Rev:107
Date 6/12/14		Recipient	935

FERMI 2 - TECHNICAL REQUIREMENTS MANUAL VOL I

LIST OF EFFECTIVE PAGES

<u>Page</u>	<u>Revision</u>	<u>Page</u>	<u>Revision</u>
TRM i	Revision 106	TRM 3.3-31	Revision 31
TRM ii	Revision 107	TRM 3.3-32	Revision 31
TRM iii	Revision 105	TRM 3.3-33	Revision 31
TRM iv	Revision 106	TRM 3.3-34	Revision 31
TRM v	Revision 107	TRM 3.3-34a	Revision 106
TRM vi	Revision 31	TRM 3.3-35	Revision 60
TRM 1.0-a	Revision 31	TRM 3.3-36	Revision 104
TRM 1.0-1	Revision 31	TRM 3.3-37	Revision 72
TRM 2.0-1	Revision 31	TRM 3.3-38	Revision 31
TRM 3.0-a	Revision 31	TRM 3.3-39	Revision 31
TRM 3.0-1	Revision 63	TRM 3.3-40	Revision 56
TRM 3.0-2	Revision 72	TRM 3.3-41	Revision 56
TRM 3.0-3	Revision 54	TRM 3.3-42	Revision 45
TRM 3.0-4	Revision 72	TRM 3.3-43	Revision 62
TRM 3.1-a	Revision 31	TRM 3.3-44	Revision 72
TRM 3.1-1	Revision 31	TRM 3.3-45	Revision 31
TRM 3.2-1	Revision 31	TRM 3.3-46	Revision 31
TRM 3.3-a	Revision 31	TRM 3.3-47	Revision 31
TRM 3.3-b	Revision 31	TRM 3.3-48	Revision 31
TRM 3.3-c	Revision 106	TRM 3.3-49	Revision 31
TRM 3.3-d	Revision 31	TRM 3.4-a	Revision 31
TRM 3.3-1	Revision 106	TRM 3.4-1	Revision 36
TRM 3.3-2	Revision 106	TRM 3.4-1a	Revision 71
TRM 3.3-3	Revision 31	TRM 3.4-1b	Revision 71
TRM 3.3-4	Revision 31	TRM 3.4-2	Revision 31
TRM 3.3-5	Revision 31	TRM 3.4-3	Revision 31
TRM 3.3-6	Revision 31	TRM 3.4-4	Revision 31
TRM 3.3-7	Revision 31	TRM 3.4-5	Revision 31
TRM 3.3-8	Revision 106	TRM 3.4-6	Revision 31
TRM 3.3-9	Revision 31	TRM 3.4-7	Revision 31
TRM 3.3-10	Revision 106	TRM 3.4-8	Revision 31
TRM 3.3-11	Revision 31	TRM 3.4-9	Revision 31
TRM 3.3-12	Revision 67	TRM 3.4-10	Revision 31
TRM 3.3-13	Revision 74	TRM 3.5-1	Revision 31
TRM 3.3-13a	Revision 67	TRM 3.6-a	Revision 70
TRM 3.3-14	Revision 67	TRM 3.6-1	Revision 60
TRM 3.3-15	Revision 31	TRM 3.6-2	Revision 67
TRM 3.3-16	Revision 31	TRM 3.6-3	Revision 31
TRM 3.3-17	Revision 31	TRM 3.6-4	Revision 55
TRM 3.3-18	Revision 100	TRM 3.6-5	Revision 87
TRM 3.3-19	Revision 31	TRM 3.6-6	Revision 33
TRM 3.3-20	Revision 31	TRM 3.6-7	Revision 31
TRM 3.3-21	Revision 59	TRM 3.6-8	Revision 31
TRM 3.3-22	Revision 31	TRM 3.6-9	Revision 85
TRM 3.3-23	Revision 31	TRM 3.6-10	Revision 31
TRM 3.3-24	Revision 31	TRM 3.6-11	Revision 31
TRM 3.3-25	Revision 31	TRM 3.6-12	Revision 31
TRM 3.3-26	Revision 31	TRM 3.6-13	Revision 71
TRM 3.3-27	Revision 31	TRM 3.6-14	Revision 31
TRM 3.3-28	Revision 76	TRM 3.6-15	Revision 31
TRM 3.3-29	Revision 76	TRM 3.6-16	Revision 31
TRM 3.3-30	Revision 31	TRM 3.6-17	Revision 31

LIST OF EFFECTIVE PAGES

<u>Page</u>	<u>Revision</u>	<u>Page</u>	<u>Revision</u>
TRM 3.6-18	Revision 31	TRM 3.8-12	Revision 31
TRM 3.6-19	Revision 31	TRM 3.8-13	Revision 61
TRM 3.6-20	Revision 31	TRM 3.8-14	Revision 46
TRM 3.6-21	Revision 31	TRM 3.8-15	Revision 31
TRM 3.6-22	Revision 31	TRM 3.8-16	Revision 31
TRM 3.6-23	Revision 31	TRM 3.8-17	Revision 43
TRM 3.6-24	Revision 58	TRM 3.8-18	Revision 33
TRM 3.6-25	Revision 31	TRM 3.9-a	Revision 31
TRM 3.6-26	Revision 31	TRM 3.9-1	Revision 31
TRM 3.6-27	Revision 31	TRM 3.9-2	Revision 65
TRM 3.6-28	Revision 31	TRM 3.9-3	Revision 80
TRM 3.6-29	Revision 31	TRM 3.9-4	Revision 88
TRM 3.6-30	Revision 31	TRM 3.9-5	Revision 31
TRM 3.6-31	Revision 31	TRM 3.10-1	Revision 31
TRM 3.6-32	Revision 70	TRM 3.11-a	Revision 31
TRM 3.6-33	Revision 31	TRM 3.11-1	Revision 31
TRM 3.6-34	Revision 31	TRM 3.12-a	Revision 31
TRM 3.6-35	Revision 31	TRM 3.12-1	Revision 75
TRM 3.7-a	Revision 107	TRM 3.12-2	Revision 31
TRM 3.7-1	Revision 60	TRM 3.12-3	Revision 31
TRM 3.7-2	Revision 107	TRM 3.12-4	Revision 102
TRM 3.7-3	Revision 70	TRM 3.12-5	Revision 53
TRM 3.7-4	Revision 73	TRM 3.12-6	Revision 53
TRM 3.7-5	Revision 31	TRM 3.12-7	Revision 31
TRM 3.7-6	Revision 31	TRM 3.12-8	Revision 57
TRM 3.7-7	Revision 31	TRM 3.12-9	Revision 40
TRM 3.7-8	Revision 31	TRM 3.12-10	Revision 31
TRM 3.7-9	Revision 31	TRM 3.12-11	Revision 49
TRM 3.7-10	Revision 44	TRM 3.12-12	Revision 31
TRM 3.7-11	Revision 31	TRM 3.12-13	Revision 75
TRM 3.7-12	Revision 72	TRM 3.12-14	Revision 31
TRM 3.7-13	Revision 31	TRM 3.12-15	Revision 31
TRM 3.7-14	Revision 31	TRM 3.12-16	Revision 75
TRM 3.7-15	Revision 98	TRM 3.12-17	Revision 31
TRM 3.7-16	Revision 31	TRM 3.12-18	Revision 75
TRM 3.7-17	Revision 31	TRM 3.12-19	Revision 31
TRM 3.7-18	Revision 77	TRM 3.12-20	Revision 75
TRM 3.7-19	Revision 31	TRM 3.12-21	Revision 31
TRM 3.7-20	Revision 79	TRM 3.12-22	Revision 31
TRM 3.8-a	Revision 31	TRM 3.12-23	Revision 31
TRM 3.8-1	Revision 31	TRM 3.12-24	Revision 31
TRM 3.8-2	Revision 31	TRM 3.12-25	Revision 31
TRM 3.8-3	Revision 96	TRM 3.12-26	Revision 75
TRM 3.8-4	Revision 96	TRM 3.12-27	Revision 31
TRM 3.8-5	Revision 31	TRM 3.12-28	Revision 31
TRM 3.8-6	Revision 50	TRM 3.12-29	Revision 78
TRM 3.8-7	Revision 50	TRM 3.12-30	Revision 31
TRM 3.8-8	Revision 50	TRM 4.0-1	Revision 31
TRM 3.8-9	Revision 50	TRM 5.0-a	Revision 105
TRM 3.8-10	Revision 50	TRM 5.0-1	Revision 105
TRM 3.8-11	Revision 50	TRM 5.0-2	Revision 105

LIST OF EFFECTIVE PAGES

<u>Page</u>	<u>Revision</u>	<u>Page</u>	<u>Revision</u>
TRM B1.0-1	Revision 31	TRM B3.6.2-1	Revision 67
TRM B2.0-1	Revision 31	TRM B3.6.3-1	Revision 87
TRM B3.0-1	Revision 63	TRM B3.6.4-1	Revision 31
TRM B3.0-2	Revision 63	TRM B3.6.5-1	Revision 31
TRM B3.0-2a	Revision 72	TRM B3.6.6-1	Revision 70
TRM B3.0-2b	Revision 72	TRM B3.6.7-1	Revision 31
TRM B3.0-2c	Revision 72	TRM B3.6.8-1	Revision 31
TRM B3.0-3	Revision 31	TRM B3.7.1-1	Revision 31
TRM B3.0-4	Revision 31	TRM B3.7.2-1	Revision 107
TRM B3.0-5	Revision 54	TRM B3.7.3-1	Revision 73
TRM B3.0-6	Revision 72	TRM B3.7.4-1	Revision 31
TRM B3.0-7	Revision 72	TRM B3.7.4-2	Revision 31
TRM B3.1-1	Revision 31	TRM B3.7.5-1	Revision 31
TRM B3.2-1	Revision 31	TRM B3.7.6-1	Revision 31
TRM B3.3.1-1	Revision 31	TRM B3.7.7-1	Revision 99
TRM B3.3.1-2	Revision 31	TRM B3.7.8-1	Revision 31
TRM B3.3.2-1	Revision 31	TRM B3.7.9-1	Revision 79
TRM B3.3.2-2	Revision 31	TRM B3.8.1-1	Revision 31
TRM B3.3.3-1	Revision 67	TRM B3.8.2-1	Revision 31
TRM B3.3.4-1	Revision 31	TRM B3.8.3-1	Revision 96
TRM B3.3.4-2	Revision 84	TRM B3.8.4-1	Revision 31
TRM B3.3.5-1	Revision 31	TRM B3.8.5-1	Revision 31
TRM B3.3.5-2	Revision 31	TRM B3.8.6-1	Revision 43
TRM B3.3.6-1	Revision 31	TRM B3.9.1-1	Revision 31
TRM B3.3.6-2	Revision 31	TRM B3.9.2-1	Revision 65
TRM B3.3.6-3	Revision 31	TRM B3.9.3-1	Revision 31
TRM B3.3.6-4	Revision 31	TRM B3.9.4-1	Revision 31
TRM B3.3.6-5	Revision 76	TRM B3.10-1	Revision 31
TRM B3.3.6-6	Revision 76	TRM B3.11.1-1	Revision 31
TRM B3.3.7-1	Revision 31	TRM B3.12.1-1	Revision 31
TRM B3.3.7-2	Revision 31	TRM B3.12.2-1	Revision 44
TRM B3.3.7-3	Revision 106	TRM B3.12.3-1	Revision 31
TRM B3.3.8-1	Revision 31	TRM B3.12.4-1	Revision 31
TRM B3.3.9-1	Revision 31	TRM B3.12.5-1	Revision 31
TRM B3.3.10-1	Revision 56	TRM B3.12.6-1	Revision 31
TRM B3.3.11-1	Revision 45	TRM B3.12.7-1	Revision 31
TRM B3.3.12-1	Revision 62	TRM B3.12.8-1	Revision 31
TRM B3.3.13-1	Revision 31		
TRM B3.3.14-1	Revision 31		
TRM B3.4.1-1	Revision 31		
TRM B3.4.1-2	Revision 71		
TRM B3.4.1-3	Revision 71		
TRM B3.4.1-4	Revision 71		
TRM B3.4.1-5	Revision 71		
TRM B3.4.2-1	Revision 31		
TRM B3.4.3-1	Revision 31		
TRM B3.4.4-1	Revision 31		
TRM B3.4.5-1	Revision 31		
TRM B3.4.6-1	Revision 31		
TRM B3.4.7-1	Revision 31		
TRM B3.5-1	Revision 31		
TRM B3.6.1-1	Revision 31		

FERMI 2 - TECHNICAL REQUIREMENTS MANUAL VOL I

LIST OF EFFECTIVE PAGES

CORE OPERATING LIMITS REPORT

COLR 17, Revision 0

Page Revision

Notation Page

1	0
2	0
3	0
4	0
5	0
6	0
7	0
8	0
9	0
10	0
11	0
12	0
13	0
14	0
15	0
16	0
17	0
18	0
19	0
20	0
21	0
22	0
23	0
24	0

FERMI 2 - TECHNICAL REQUIREMENTS MANUAL VOL I

Table of Contents (Cont'd)

<u>Section and Title</u>	<u>Page</u>
TR 3.4.2	Safety Relief Valve (SRV) Position Indication TRM 3.4-2
TR 3.4.3	Reactor Coolant System (RCS) Leakage Detection System TRM 3.4-3
TR 3.4.4	Reactor Pressure Vessel Water Level - Cold Shutdown TRM 3.4-4
TR 3.4.5	Chemistry TRM 3.4-5
TR 3.4.6	Structural Integrity TRM 3.4-9
TR 3.4.7	Recirculation Pump MG Set Scoop Tube TRM 3.4-10
TR 3.5	EMERGENCY CORE COOLING SYSTEMS (ECCS) AND REACTOR CORE ISOLATION COOLANT (RCIC) SYSTEM (Blank) TRM 3.5-1
TR 3.6	CONTAINMENT SYSTEMS
TR 3.6.1	Suppression Chamber TRM 3.6-1
TR 3.6.2	Primary Containment Hydrogen Recombiners (Blank) . TRM 3.6-2
TR 3.6.3	Primary Containment Isolation Valves (PCIVs) TRM 3.6-3
TR 3.6.4	Reactor Building-to-Suppression Chamber Vacuum Breaker Position Indication TRM 3.6-27
TR 3.6.5	Suppression Chamber-to-Drywell Vacuum Breaker Position Indication TRM 3.6-29
TR 3.6.6	Main Steam Isolation Valve (MSIV) Leakage Control System (LCS) (Blank) TRM 3.6-32
TR 3.6.7	Secondary Containment Isolation Valves (SCIVs) ... TRM 3.6-33
TR 3.6.8	Drywell Spray TRM 3.6-34
TR 3.7	PLANT SYSTEMS
TR 3.7.1	Ultimate Heat Sink (UHS) Minimum Temperature TRM 3.7-1
TR 3.7.2	(Blank) TRM 3.7-2
TR 3.7.3	(Blank) TRM 3.7-4
TR 3.7.4	Shore Barrier Protection TRM 3.7-5
TR 3.7.5	Sealed Source Contamination TRM 3.7-9
TR 3.7.6	Main Turbine Bypass System TRM 3.7-11
TR 3.7.7	Appendix R Alternative Shutdown Auxiliary Systems (Blank) TRM 3.7-12
TR 3.7.8	(Blank) TRM 3.7-19
TR 3.7.9	Snubbers TRM 3.7-20
TR 3.8	ELECTRICAL POWER SYSTEMS
TR 3.8.1	AC Circuits Inside Primary Containment TRM 3.8-1
TR 3.8.2	(Blank) TRM 3.8-2
TR 3.8.3	AC Sources TRM 3.8-3
TR 3.8.4	Electrical Equipment Protective Devices Motor-Operated Valves Thermal Overload Protection TRM 3.8-5
TR 3.8.5	Primary Containment Penetration Conductor Overcurrent Protection Devices TRM 3.8-12
TR 3.8.6	Standby Liquid Control (SLC) System Associated Isolation Devices TRM 3.8-16

(continued)

FERMI 2 - TECHNICAL REQUIREMENTS MANUAL VOL I

Table of Contents (Cont'd)

<u>Section and Title</u>	<u>Page</u>
TR B3.6	CONTAINMENT SYSTEMS
TR B3.6.1	Suppression Chamber TRM B3.6.1-1
TR B3.6.2	Primary Containment Hydrogen Recombiners (Blank) TRM B3.6.2-1
TR B3.6.3	Primary Containment Isolation Valves (PCIVs) TRM B3.6.3-1
TR B3.6.4	Reactor Building-to-Suppression Chamber Vacuum Breaker Position Indication TRM B3.6.4-1
TR B3.6.5	Suppression Chamber-to-Drywell Vacuum Breaker Position Indication TRM B3.6.5-1
TR B3.6.6	Main Steam Isolation Valve (MSIV) Leakage Control System (LCS) (Blank) TRM B3.6.6-1
TR B3.6.7	Secondary Containment Isolation Valves (SCIVs) .. TRM B3.6.7-1
TR B3.6.8	Drywell Spray TRM B3.6.8-1
TR B3.7	PLANT SYSTEMS
TR B3.7.1	Ultimate Heat Sink (UHS) Minimum Temperature TRM B3.7.1-1
TR B3.7.2	(Blank) TRM B3.7.2-1
TR B3.7.3	Control Center Air Temperature TRM B3.7.3-1
TR B3.7.4	Shore Barrier Protection TRM B3.7.4-1
TR B3.7.5	Sealed Source Contamination TRM B3.7.5-1
TR B3.7.6	Main Turbine Bypass System TRM B3.7.6-1
TR B3.7.7	Appendix R Alternative Shutdown Auxiliary Systems TRM B3.7.7-1
TR B3.7.8	(Blank) TRM B3.7.8-1
TR B3.7.9	(Blank) TRM B3.7.9-1
TR B3.8	ELECTRICAL POWER SYSTEMS
TR B3.8.1	AC Circuits Inside Primary Containment TRM B3.8.1-1
TR B3.8.2	(Blank) TRM B3.8.2-1
TR B3.8.3	AC Sources TRM B3.8.3-1
TR B3.8.4	Electrical Equipment Protective Devices Motor-Operated Valves Thermal Overload Protection TRM B3.8.4-1
TR B3.8.5	Primary Containment Penetration Conductor Overcurrent Protection Devices TRM B3.8.5-1
TR B3.8.6	Standby Liquid Control System Associated Isolation Devices TRM B3.8.6-1
TR B3.9	REFUELING OPERATIONS
TR B3.9.1	Communications TRM B3.9.1-1
TR B3.9.2	Refueling Platform TRM B3.9.2-1
TR B3.9.3	Crane Travel - Spent Fuel Storage Pool TRM B3.9.3-1
TR B3.9.4	Reactor Pressure Vessel Water Level - Refueling . TRM B3.9.4-1
TR B3.10	SPECIAL OPERATIONS (Blank) TRM B3.10-1
TR B3.11	RADIOACTIVE EFFLUENTS
TR B3.11.1	Temporary Outdoor Storage Tank Radioactivity TRM B3.11.1-1

(continued)

SECTION 3.7
DETAILED INDEX OF SECTION

Page

TR 3.7.1	Ultimate Heat Sink (UHS) Minimum Temperature TRM 3.7-1 (TRLCO, ACTION, TRSR)
TR 3.7.2	Control Room Emergency Filtration (CREF) System ... TRM 3.7-2 (Tables TR3.7.2-1 and TR 3.7.2-2) (Intentionally Left Blank)
TR 3.7.3	Control Center Air Temperature TRM 3.7-4 (TRLOC, ACTION) (Intentionally Left Blank)
TR 3.7.4	Shore Barrier Protection TRM 3.7-5 (TRLCO, ACTION, TRSR)
Table TR3.7.4-1	Shore Barrier Survey Points TRM 3.7-7 (TR 3.7.4 applicability)
TR 3.7.5	Sealed Source Contamination TRM 3.7-9 (TRLCO, ACTION, TRSR)
TR 3.7.6	Main Turbine Bypass System TRM 3.7-11 (Table TR3.7.6-1 only)
Table TR3.7.6-1	Main Turbine Bypass System TRM 3.3-11 (Technical Specification 3.7.6 response time)
TR 3.7.7	Appendix R Alternative Shutdown Auxiliary Systems TRM 3.7-12 (TRLCO, ACTION, TRSR)
Table TR3.7.7-1	Appendix R Alternative Shutdown Control Circuits .. TRM 3.7-15 (TR 3.7.7 applicability)
TR 3.7.8 TRM 3.7-19 (Intentionally left blank)
TR 3.7.9	Snubbers TRM 3.7-20 (TRLCO, ACTION, TRSR)

THIS PAGE INTENTIONALLY LEFT BLANK

THIS PAGE INTENTIONALLY LEFT BLANK