Docket No. 50-261

Mr. E. E. Utley

Senior Executive Vice President

Power Supply and Engineering & Construction

Carolina Power & Light Company

Post Office Box 1551

Raleigh, North Carolina 27602

Dear Mr. Utley:

DISTRIBUTION

Docket File ACRS (10)

NRC & Local PDRs

PD 21 r/f

S. Varga

G. Lainas

P. Anderson

K. Eccleston

OGC-B

E. Jordan

J. Partlow

SUBJECT: EXTENDED BURNUP TOPICAL REPORT XN-NF-87-17 (TAC NO. 55156)

By letter dated March 20, 1987, Carolina Power & Light Company (CP&L) submitted a topical report entitled "Mechanical Design Report for H. B. Robinson Extended Burnup Assemblies" (XN-NF-87-17). This report described fuel assembly design for extended burnup based on the approved generic topical report XN-NF-82-06, Rev. 1 (Qualification of ANF Fuel for Estimated Burnup Report).

We have completed our review of your submittal for extended fuel burnup for H. B. Robinson, Unit No. 2, and conclude that topical report XN-NF-87-17 is acceptable for extended burnup licensing applications at the H. B. Robinson facility.

The enclosed Safety Evaluation Report documents our findings.

Sincerely,

Kenneth T. Eccleston, Sr. Project Manager

Project Directorate II-1

Division of Reactor Projects I/II

Enclosure: As stated

cc w/enclosure: See next page

KEccleston/dsf

8801140044 880107

EAdensam

1/7/88

Mr. E. E. Utley Carolina Power & Light Company

cc: Mr. R. E. Jones, General Counsel Carolina Power & Light Company P. O. Box 1551 Raleigh, North Carolina 27602

Mr. McCuen Morrell, Chairman Darlington County Board of Supervisors County Courthouse Darlington, South Carolina 29535

Mr. H. A. Cole Special Deputy Attorney General State of North Carolina P.O. Box 629 Raleigh, North Carolina 27602

Mr. D. E. Hollar Associate General Counsel Carolina Power and Light Company P.O. Box 1551 Raleigh, North Carolina 27602

U.S. Nuclear Regulatory Commission Resident Inspector's Office H. B. Robinson Steam Electric Plant Route 5, Box 413 Hartsville, South Carolina 29550

Regional Administrator, Region II U.S. Nuclear Regulatory Commission Suite 2900 101 Marietta Street Atlanta, Georgia 30303

Mr. R. Morgan General Manager H. B. Robinson Steam Electric Plant Post Office Box 790 Hartsville, South Carolina 29550

Mr. Avery Upchurch, Chairman Triangle J Council of Governments 100 Park Drive Post Office Box 12276 Research Triangle Park, NC 27709

H. B. Robinson 2

Mr. Dayne H. Brown, Chief Radiation Protection Branch Division of Facility Services Department of Human Resources 701 Barbour Drive Raleigh, North Carolina 27603-2008

Mr. Robert P. Gruber Executive Director Public Staff - NCUC P.O. Box 29520 Raleigh, North Carolina 27626-0520