

August 5, 1985

Docket No. 50-261

Mr. E. E. Utley, Senior Executive Vice President
Power Supply and Engineering & Construction
Carolina Power and Light Company
Post Office Box 1551
Raleigh, North Carolina 27602

Distribution
Docket file

ORB#1 RDG	NRC PDR
Gray file	L PDR
OELD	HThompson
BGrimes	EJordan
ACRS (10)	JPartlow
NTrehan	LOlshan
	CParrish

Dear Mr. Utley:

SUBJECT: H. B. ROBINSON-2 - GENERIC LETTER 83-28, REVIEW OF DESIGN FOR
AUTOMATIC SHUNT TRIP FOR REACTOR TRIP BREAKERS, ITEM 4.3.
(TAC NO. 53191)

By letter dated April 1, 1985 we provided you with a safety evaluation (SE) for your responses to Generic Letter 83-28, Item 4.3, Review of Design for Automatic Shunt Trip For Reactor Trip Breakers. Based on that review we found the design modifications acceptable, except as noted in the SE. You were requested, by our letter, to respond to the confirmatory items summarized in the conclusions section of the SE.

By letter dated May 20, 1985 you responded to the concerns contained in our SE. We have completed our review of your responses and find that the design modifications for the automatic shunt trip, and the CP&L commitment to provide control room indication of bypass breaker position during the next refueling outage, acceptable. We understand that your next refueling outage is #11, and is currently scheduled to begin about May 1987. Your proposed technical specifications will be handled as a separate item (TAC No. 55373). This completes our review of this item (TAC No. 5319).

A copy of our supplemental safety evaluation is enclosed for your information.

Sincerely,
/s/SVarga

8508210328 850805
PDR ADOCK 05000261
P PDR

Steven A. Varga, Chief
Operating Reactors Branch #1
Division of Licensing

Enclosure:
As stated

cc w/enclosure:
See next page

ORB#1:DL
CParrish
07/ /85

ORB#1:DL
GRequa/ts
07/29/85

BC ORB#1:DL
SVarga
07/29/85

Mr. E. E. Utley
Carolina Power & Light Company

H. B. Robinson 2

cc:
G. F. Trowbridge, Esquire
Shaw, Pittman, Potts and Trowbridge
1800 M Street, N.W.
Washington, DC 20036

Mr. Dayne H. Brown, Chief
Radiation Protection Branch
Division of Facility Services
Department of Human Resources
P.O. Box 12200
Raleigh, North Carolina 27605

Mr. McCuen Morrell, Chairman
Darlington County Board of Supervisors
County Courthouse
Darlington, South Carolina 29535

State Clearinghouse
Division of Policy Development
116 West Jones Street
Raleigh, North Carolina 27603

Attorney General
Department of Justice
Justice Building
Raleigh, North Carolina 27602

U.S. Nuclear Regulatory Commission
Resident Inspector's Office
H. B. Robinson Steam Electric Plant
Route 5, Box 413
Hartsville, South Carolina 29550

Regional Administrator, Region II
U.S. Nuclear Regulatory Commission
Suite 2900
101 Marietta Street
Atlanta, Georgia 30303

Mr. R. Morgan
General Manager
H. B. Robinson Steam Electric Plant
Post Office Box 790
Hartsville, South Carolina 29550