

---

## CHAPTER 3—DESIGN OF STRUCTURES, COMPONENTS, EQUIPMENT AND SYSTEMS

### TABLE OF CONTENTS

3.0	DESIGN OF STRUCTURES, COMPONENTS, EQUIPMENT AND SYSTEMS .....	3.1-1
3.1	Compliance with Nuclear Regulatory Commission General Design Criteria .....	3.1-1
3.1.1	Overall Requirements .....	3.1-1
3.1.1.1	Criterion 1 – Quality Standards and Records .....	3.1-1
3.1.1.2	Criterion 2 – Design Bases for Protection Against Natural Phenomena .....	3.1-2
3.1.1.3	Criterion 3 – Fire Protection .....	3.1-2
3.1.1.4	Criterion 4 – Environmental and Missile Design Bases .....	3.1-4
3.1.1.5	Criterion 5 – Sharing of Structures, Systems, and Components .....	3.1-4
3.1.2	Protection by Multiple Fission Product Barriers .....	3.1-4
3.1.2.1	Criterion 10 – Reactor Design .....	3.1-4
3.1.2.2	Criterion 11 – Reactor Inherent Protection .....	3.1-5
3.1.2.3	Criterion 12 – Suppression of Reactor Power Oscillations .....	3.1-6
3.1.2.4	Criterion 13 – Instrumentation and Control .....	3.1-6
3.1.2.5	Criterion 14 – Reactor Coolant Pressure Boundary .....	3.1-7
3.1.2.6	Criterion 15 – Reactor Coolant System Design .....	3.1-7
3.1.2.7	Criterion 16 – Containment Design .....	3.1-8
3.1.2.8	Criterion 17 – Electrical Power Systems .....	3.1-9
3.1.2.9	Criterion 18 – Inspection and Testing of Electric Power Systems .....	3.1-10
3.1.2.10	Criterion 19 – Control Room .....	3.1-11
3.1.3	Protection and Reactivity Control Systems .....	3.1-12

---

3.1.3.1	Criterion 20 – Protection System Functions .....	3.1-12
3.1.3.2	Criterion 21 – Protection System Reliability and Testability .....	3.1-13
3.1.3.3	Criterion 22 – Protection System Independence .....	3.1-13
3.1.3.4	Criterion 23 – Protection System Failure Modes .....	3.1-15
3.1.3.5	Criterion 24 – Separation of Protection and Control Systems .....	3.1-15
3.1.3.6	Criterion 25 – Protection System Requirements for Reactivity Control Malfunctions .....	3.1-16
3.1.3.7	Criterion 26 – Reactivity Control System Redundancy and Capability .....	3.1-17
3.1.3.8	Criterion 27 – Combined Reactivity Control Systems Capability.....	3.1-17
3.1.3.9	Criterion 28 – Reactivity Limits.....	3.1-18
3.1.3.10	Criterion 29 – Protection Against Anticipated Operational Occurrences .....	3.1-18
3.1.4	Fluid Systems .....	3.1-19
3.1.4.1	Criterion 30 – Quality of Reactor Coolant Pressure Boundary .....	3.1-19
3.1.4.2	Criterion 31 – Fracture Prevention of Reactor Coolant Pressure Boundary .....	3.1-19
3.1.4.3	Criterion 32 – Inspection of Reactor Coolant Pressure Boundary .....	3.1-20
3.1.4.4	Criterion 33 – Reactor Coolant Makeup .....	3.1-21
3.1.4.5	Criterion 34 – Residual Heat Removal.....	3.1-22
3.1.4.6	Criterion 35 – Emergency Core Cooling .....	3.1-23
3.1.4.7	Criterion 36 – Inspection of Emergency Core Cooling System .....	3.1-24
3.1.4.8	Criterion 37 – Testing of Emergency Core Cooling System .....	3.1-24
3.1.4.9	Criterion 38 – Containment Heat Removal System .....	3.1-25
3.1.4.10	Criterion 39 – Inspection of Containment Heat Removal System .....	3.1-25

---

3.1.4.11	Criterion 40 – Testing of Containment Heat Removal System .....	3.1-26
3.1.4.12	Criterion 41 – Containment Atmosphere Cleanup .....	3.1-26
3.1.4.13	Criterion 42 – Inspection of Containment Atmosphere Cleanup System .....	3.1-27
3.1.4.14	Criterion 43 – Testing of Containment Atmosphere Cleanup Systems.....	3.1-27
3.1.4.15	Criterion 44 – Cooling Water.....	3.1-27
3.1.4.16	Criterion 45 – Inspection of Cooling Water System .....	3.1-28
3.1.4.17	Criterion 46 – Testing of Cooling Water System .....	3.1-28
3.1.5	Reactor Containment.....	3.1-29
3.1.5.1	Criterion 50 – Containment Design Basis .....	3.1-29
3.1.5.2	Criterion 51 – Fracture Prevention of Containment Pressure Boundary .....	3.1-30
3.1.5.3	Criterion 52 – Capability for Containment Leakage Rate Testing .....	3.1-30
3.1.5.4	Criterion 53 – Provisions for Containment Testing and Inspection .....	3.1-31
3.1.5.5	Criterion 54 – Piping Systems Penetrating Containment.....	3.1-31
3.1.5.6	Criterion 55 – Reactor Coolant Pressure Boundary Penetrating Containment .....	3.1-32
3.1.5.7	Criterion 56 – Primary Containment Isolation .....	3.1-33
3.1.5.8	Criterion 57 – Closed System Isolation Valves .....	3.1-33
3.1.6	Fuel and Reactivity Control .....	3.1-34
3.1.6.1	Criterion 60 – Control of Releases of Radioactive Materials to the Environment.....	3.1-34
3.1.6.2	Criterion 61 – Fuel Storage and Handling and Radioactivity Control .....	3.1-34
3.1.6.3	Criterion 62 – Prevention of Criticality in Fuel Storage and Handling .....	3.1-35
3.1.6.4	Criterion 63 – Monitoring Fuel and Waste Storage.....	3.1-36

---

3.1.6.5	Criterion 64 – Monitoring Radioactivity Releases .....	3.1-36
3.1.7	References .....	3.1-37
3.2	Classification of Structures, Systems, and Components.....	3.2-1
3.2.1	Seismic Classification.....	3.2-2
3.2.1.1	Seismic Category I .....	3.2-4
3.2.1.2	Seismic Category II .....	3.2-4
3.2.1.3	Radwaste Seismic.....	3.2-4
3.2.1.4	Conventional Seismic.....	3.2-5
3.2.1.5	Non-Seismic.....	3.2-5
3.2.2	System Quality Group Classification .....	3.2-6
3.2.2.1	Quality Group A.....	3.2-7
3.2.2.2	Quality Group B.....	3.2-7
3.2.2.3	Quality Group C .....	3.2-8
3.2.2.4	Quality Group D .....	3.2-8
3.2.2.5	Quality Group E.....	3.2-9
3.2.3	References .....	3.2-213
3.3	Wind, Hurricane and Tornado Loadings.....	3.3-1
3.3.1	Wind Loadings.....	3.3-1
3.3.1.1	Design Wind Velocity .....	3.3-1
3.3.1.2	Determination of Applied Wind Forces.....	3.3-1
3.3.2	Extreme Wind Loads (Hurricanes and Tornadoes) .....	3.3-2
3.3.2.1	Applicable Hurricane and Tornado Design Parameters.....	3.3-3
3.3.2.2	Determination of Hurricane and Tornado Forces on Structures .....	3.3-3
3.3.2.3	Interaction of Non-Seismic Category I Structures with Seismic Category I Structures .....	3.3-4
3.3.3	References .....	3.3-5
3.4	Water Level (Flood) Design.....	3.4-1
3.4.1	Internal Flood Protection .....	3.4-1
3.4.2	External Flood Protection .....	3.4-3
3.4.3	Analysis of Flooding Events .....	3.4-4
3.4.3.1	Internal Flooding Events .....	3.4-4

---

3.4.3.2	External Flooding Events .....	3.4-6
3.4.3.3	Reactor Building Flooding Analysis.....	3.4-6
3.4.3.4	Safeguard Buildings Flooding Analysis.....	3.4-9
3.4.3.5	Fuel Building Flooding Analysis .....	3.4-13
3.4.3.6	Nuclear Auxiliary Building Flooding Analysis .....	3.4-15
3.4.3.7	Radioactive Waste Building Flooding Analysis .....	3.4-15
3.4.3.8	Emergency Power Generating Buildings Flooding Analysis .....	3.4-16
3.4.3.9	Essential Service Water Pump Buildings and Essential Service Water Cooling Tower Structures Flooding Analysis.....	3.4-16
3.4.3.10	Ultimate Heat Sink Makeup Water Intake Structure Flooding Analysis .....	3.4-16
3.4.3.11	Permanent Dewatering System .....	3.4-16
3.4.4	Analysis Procedures.....	3.4-17
3.4.5	References .....	3.4-17
3.5	Missile Protection .....	3.5-1
3.5.1	Missile Selection and Description.....	3.5-2
3.5.1.1	Internally Generated Missiles Outside Containment.....	3.5-3
3.5.1.2	Internally Generated Missiles Inside Containment.....	3.5-6
3.5.1.3	Turbine Missiles .....	3.5-9
3.5.1.4	Missiles Generated by Extreme Winds .....	3.5-10
3.5.1.5	Site Proximity Missiles (Except Aircraft).....	3.5-10
3.5.1.6	Aircraft Hazards .....	3.5-11
3.5.2	Structures, Systems, and Components to be Protected from Externally Generated Missiles.....	3.5-11
3.5.3	Barrier Design Procedures .....	3.5-12
3.5.3.1	Local Damage Prediction .....	3.5-13
3.5.3.2	Overall Damage Prediction .....	3.5-17
3.5.3.3	Ductility Requirements for Missile Barriers .....	3.5-18
3.5.4	References .....	3.5-18
3.6	Protection Against Dynamic Effects Associated with Postulated Rupture of Piping.....	3.6-1

---

3.6.1	Plant Design for Protection Against Postulated Piping Failures in Fluid Systems Outside of Containment.....	3.6-1
3.6.1.1	Design Basis .....	3.6-3
3.6.1.2	Protection Considerations .....	3.6-7
3.6.1.3	Failure Mode and Effects Analysis .....	3.6-10
3.6.1.4	References .....	3.6-11
3.6.2	Determination of Rupture Locations and Dynamic Effects Associated with the Postulated Rupture of Piping.....	3.6-22
3.6.2.1	Criteria Used to Define Break and Crack Location and Configuration .....	3.6-22
3.6.2.2	Guard Pipe Assembly Design Criteria.....	3.6-31
3.6.2.3	Analytical Methods to Define Forcing Functions and Response Models.....	3.6-32
3.6.2.4	Dynamic Analysis Methods to Verify Integrity and Operability .....	3.6-34
3.6.2.5	Implementation of Criteria Dealing with Special Features .....	3.6-39
3.6.2.6	References .....	3.6-41
3.6.3	Leak-Before-Break Evaluation Procedures .....	3.6-43
3.6.3.1	Application of Leak-Before-Break to the U.S. EPR .....	3.6-43
3.6.3.2	Methods and Criteria .....	3.6-43
3.6.3.3	Potential Piping Failure Mechanisms .....	3.6-44
3.6.3.4	Inputs for Leak-Before-Break Analysis.....	3.6-51
3.6.3.5	General Methodology .....	3.6-55
3.6.3.6	Results .....	3.6-71
3.6.3.7	Leak Detection .....	3.6-76
3.6.3.8	References .....	3.6-76
3.7	Seismic Design.....	3.7-1
3.7.1	Seismic Design Parameters .....	3.7-3
3.7.1.1	Design Ground Motion .....	3.7-3
3.7.1.2	Percentage of Critical Damping Values .....	3.7-11
3.7.1.3	Supporting Media for Seismic Category I Structures .....	3.7-13
3.7.1.4	References .....	3.7-14

---

3.7.2 Seismic System Analysis.....	3.7-88
3.7.2.1 Seismic Analysis Methods .....	3.7-90
3.7.2.2 Natural Frequencies and Response Loads .....	3.7-93
3.7.2.3 Procedures Used for Analytical Modeling .....	3.7-94
3.7.2.4 Soil-Structure Interaction.....	3.7-106
3.7.2.5 Development of Floor Response Spectra .....	3.7-112
3.7.2.6 Three Components of Earthquake Motion .....	3.7-117
3.7.2.7 Combination of Modal Responses .....	3.7-117
3.7.2.8 Interaction of Non-Seismic Category I Structures with Seismic Category I Structures.....	3.7-118
3.7.2.9 Effects of Parameter Variations on Floor Response Spectra.....	3.7-123
3.7.2.10 Use of Constant Vertical Static Factors .....	3.7-123
3.7.2.11 Method Used to Account for Torsional Effects .....	3.7-124
3.7.2.12 Comparison of Responses.....	3.7-125
3.7.2.13 Methods for Seismic Analysis of Category I Dams.....	3.7-125
3.7.2.14 Determination of Dynamic Stability of Seismic Category I Structures.....	3.7-125
3.7.2.15 Analysis Procedure for Damping.....	3.7-125
3.7.2.16 References .....	3.7-125
3.7.3 Seismic Subsystem Analysis.....	3.7-315
3.7.3.1 Seismic Analysis Methods .....	3.7-315
3.7.3.2 Determination of Number of Earthquake Cycles .....	3.7-320
3.7.3.3 Procedures Used for Analytical Modeling .....	3.7-321
3.7.3.4 Basis for Selection of Frequencies.....	3.7-323
3.7.3.5 Analysis Procedure for Damping.....	3.7-323
3.7.3.6 Three Components of Earthquake Motion .....	3.7-326
3.7.3.7 Combination of Modal Responses .....	3.7-327
3.7.3.8 Interaction of Non-Seismic Category I SSC .....	3.7-330
3.7.3.9 Multiply-Supported Equipment and Components with Distinct Inputs .....	3.7-332

---

3.7.3.10	Use of Equivalent Vertical Static Factors .....	3.7-333
3.7.3.11	Torsional Effects of Eccentric Masses .....	3.7-334
3.7.3.12	Buried Seismic Category I Piping and Conduits .....	3.7-334
3.7.3.13	Methods for Seismic Analysis of Category I Concrete Dams .....	3.7-335
3.7.3.14	Methods for Seismic Analysis of Aboveground Tanks .....	3.7-335
3.7.3.15	References .....	3.7-335
3.7.4	Seismic Instrumentation .....	3.7-337
3.7.4.1	Comparison with NRC Regulatory Guide 1.12....	3.7-337
3.7.4.2	Location and Description of Instrumentation.....	3.7-337
3.7.4.3	Control Room Operator Notification .....	3.7-340
3.7.4.4	Comparison with Regulatory Guide 1.166 .....	3.7-340
3.7.4.5	Instrument Surveillance.....	3.7-342
3.7.4.6	Program Implementation.....	3.7-343
3.7.4.7	References .....	3.7-343
3.8	Design of Category I Structures .....	3.8-1
3.8.1	Concrete Containment.....	3.8-2
3.8.1.1	Description of the Containment.....	3.8-2
3.8.1.2	Applicable Codes, Standards, and Specifications .....	3.8-7
3.8.1.3	Loads and Load Combinations .....	3.8-9
3.8.1.4	Design and Analysis Procedures .....	3.8-16
3.8.1.5	Structural Acceptance Criteria .....	3.8-28
3.8.1.6	Materials, Quality Control, and Special Construction Techniques .....	3.8-29
3.8.1.7	Testing and Inservice Inspection Requirements .....	3.8-34
3.8.2	Steel Containment.....	3.8-37
3.8.2.1	Description of the Containment.....	3.8-37
3.8.2.2	Applicable Codes, Standards, and Specifications .....	3.8-41
3.8.2.3	Loads and Load Combinations .....	3.8-42
3.8.2.4	Design and Analysis Procedures .....	3.8-48

---

---

3.8.2.5	Structural Acceptance Criteria .....	3.8-52
3.8.2.6	Materials, Quality Control, and Special Construction Techniques .....	3.8-53
3.8.2.7	Testing and Inservice Inspection Requirements .....	3.8-54
3.8.3	Concrete and Steel Internal Structures of Concrete Containment .....	3.8-54
3.8.3.1	Description of the Internal Structures .....	3.8-54
3.8.3.2	Applicable Codes, Standards, and Specifications .....	3.8-65
3.8.3.3	Loads and Load Combinations .....	3.8-67
3.8.3.4	Design and Analysis Procedures .....	3.8-74
3.8.3.5	Structural Acceptance Criteria .....	3.8-83
3.8.3.6	Materials, Quality Control, and Special Construction Techniques .....	3.8-84
3.8.3.7	Testing and Inservice Inspection Requirements .....	3.8-89
3.8.4	Other Seismic Category I Structures .....	3.8-89
3.8.4.1	Description of the Structures .....	3.8-89
3.8.4.2	Applicable Codes, Standards, and Specifications .....	3.8-97
3.8.4.3	Loads and Load Combinations .....	3.8-100
3.8.4.4	Design and Analysis Procedures .....	3.8-108
3.8.4.5	Structural Acceptance Criteria .....	3.8-125
3.8.4.6	Materials, Quality Control, and Special Construction Techniques .....	3.8-125
3.8.4.7	Testing and Inservice Inspection Requirements .....	3.8-127
3.8.5	Foundations .....	3.8-127
3.8.5.1	Description of the Foundations .....	3.8-127
3.8.5.2	Applicable Codes, Standards, and Specifications .....	3.8-130
3.8.5.3	Loads and Load Combinations .....	3.8-130
3.8.5.4	Design and Analysis Procedures .....	3.8-132
3.8.5.5	Structural Acceptance Criteria .....	3.8-144

---

3.8.5.6	Materials, Quality Control, and Special Construction Techniques .....	3.8-147
3.8.5.7	Testing and Inservice Inspection Requirements .....	3.8-149
3.8.6	References .....	3.8-149
3.9	Mechanical Systems and Components .....	3.9-1
3.9.1	Special Topics for Mechanical Components .....	3.9-1
3.9.1.1	Design Transients .....	3.9-2
3.9.1.2	Computer Programs Used in Analyses .....	3.9-17
3.9.1.3	Experimental Stress Analysis.....	3.9-19
3.9.1.4	Considerations for the Evaluation of the Faulted Condition .....	3.9-19
3.9.1.5	References .....	3.9-19
3.9.2	Dynamic Testing and Analysis of Systems, Components, and Equipment .....	3.9-22
3.9.2.1	Piping Vibration, Thermal Expansion, and Dynamic Effects .....	3.9-24
3.9.2.2	Seismic Analysis and Qualification of Seismic Category I Mechanical Equipment.....	3.9-27
3.9.2.3	Dynamic Response Analysis of Reactor Internals Under Operational Flow Transients and Steady-State Conditions .....	3.9-29
3.9.2.4	Preoperational Flow-Induced Vibration Testing of Reactor Internals .....	3.9-31
3.9.2.5	Dynamic System Analysis of the Reactor Internals Under Faulted Conditions.....	3.9-34
3.9.2.6	Correlations of Reactor Internals Vibration Tests with the Analytical Results.....	3.9-35
3.9.2.7	References .....	3.9-35
3.9.3	ASME Code Class 1, 2, and 3 Components, Component Supports, and Core Support Structures .....	3.9-37
3.9.3.1	Loading Combinations, System Operating Transients, and Stress Limits .....	3.9-39
3.9.3.2	Design and Installation of Pressure-Relief Devices .....	3.9-43
3.9.3.3	Pump and Valve Operability Assurance.....	3.9-44
3.9.3.4	Component Supports .....	3.9-45

---

3.9.3.5	References .....	3.9-47
3.9.4	Control Rod Drive System .....	3.9-61
3.9.4.1	Descriptive Information of CRDS .....	3.9-61
3.9.4.2	Applicable CRDS Design Specifications .....	3.9-65
3.9.4.3	Design Loads, Stress Limits, and Allowable Deformations .....	3.9-65
3.9.4.4	CRDS Operability Assurance Program .....	3.9-66
3.9.4.5	References .....	3.9-68
3.9.5	Reactor Pressure Vessel Internals .....	3.9-71
3.9.5.1	Design Arrangements .....	3.9-72
3.9.5.2	Loading Conditions .....	3.9-78
3.9.5.3	Design Bases .....	3.9-79
3.9.5.4	BWR Reactor Pressure Vessel Internal Including Steam Dryer.....	3.9-81
3.9.5.5	References .....	3.9-81
3.9.6	Functional Design, Qualification, and Inservice Testing Programs for Pumps, Valves, and Dynamic Restraints.....	3.9-92
3.9.6.1	Functional Design and Qualification of Pumps, Valves, and Dynamic Restraints .....	3.9-96
3.9.6.2	Inservice Testing Program for Pumps .....	3.9-99
3.9.6.3	Inservice Testing Program for Valves .....	3.9-100
3.9.6.4	Inservice Testing Program for Dynamic Restraints .....	3.9-110
3.9.6.5	Relief Requests and Alternative Authorizations to the OM Code .....	3.9-113
3.9.6.6	References .....	3.9-114
3.10	Seismic and Dynamic Qualification of Mechanical and Electrical Equipment .....	3.10-1
3.10.1	Seismic Qualification Criteria.....	3.10-4
3.10.1.1	Qualification Standards .....	3.10-4
3.10.1.2	Performance Requirements for Seismic Qualification .....	3.10-6
3.10.1.3	Acceptance Criteria .....	3.10-6
3.10.1.4	Input Motion .....	3.10-6

---

3.10.2 Methods and Procedures for Qualifying Mechanical, Electrical and I&C Equipment.....	3.10-6
3.10.2.1 Seismic Qualification of Electrical Equipment and Instrumentation .....	3.10-9
3.10.2.2 Seismic Qualification of Active Mechanical Equipment .....	3.10-9
3.10.2.3 Seismic Qualification of Non-Active Mechanical Equipment.....	3.10-10
3.10.3 Methods and Procedures for Qualifying Supports of Mechanical and Electrical Equipment and Instrumentation...	3.10-11
3.10.4 Test and Analysis Results and Experience Database.....	3.10-12
3.10.5 References .....	3.10-13
3.11 Environmental Qualification of Mechanical and Electrical Equipment .....	3.11-1
3.11.1 Equipment Identification and Environmental Conditions .....	3.11-2
3.11.1.1 Equipment Identification.....	3.11-2
3.11.1.2 Definition of Environmental Conditions .....	3.11-6
3.11.1.3 Equipment Operability Times .....	3.11-8
3.11.2 Qualification Tests and Analysis.....	3.11-8
3.11.2.1 Environmental Qualification of Electrical Equipment .....	3.11-8
3.11.2.2 Environmental Qualification of Mechanical Equipment.....	3.11-10
3.11.2.3 Justification for Using Latest IEEE Standards Not Endorsed by a RG.....	3.11-16
3.11.3 Qualification Test Results.....	3.11-20
3.11.4 Loss of Ventilation .....	3.11-21
3.11.5 Estimated Chemical and Radiation Environment .....	3.11-21
3.11.5.1 Chemical Environments .....	3.11-21
3.11.5.2 Radiation Environments .....	3.11-21
3.11.6 Qualification of Mechanical Equipment .....	3.11-22
3.11.7 References .....	3.11-22
3.12 ASME Code Class 1, 2, and 3 Piping Systems, Piping Components, and their Associated Supports .....	3.12-1
3.12.1 Introduction.....	3.12-1
3.12.2 Codes and Standards.....	3.12-1
3.12.3 Piping Analysis Methods .....	3.12-1

---

3.12.3.1	Experimental Stress Analysis Methods .....	3.12-1
3.12.3.2	Modal Response Spectrum Method .....	3.12-1
3.12.3.3	Response Spectra Method (or Independent Support Motion Method).....	3.12-1
3.12.3.4	Time History Method .....	3.12-2
3.12.3.5	Inelastic Analysis Method.....	3.12-2
3.12.3.6	Small Bore Piping Method.....	3.12-2
3.12.3.7	Non-Seismic/Seismic Interaction (II/I) .....	3.12-2
3.12.3.8	Seismic Category I Buried Piping.....	3.12-2
3.12.4	Piping Modeling Techniques .....	3.12-2
3.12.4.1	Computer Codes .....	3.12-2
3.12.4.2	Dynamic Piping Model .....	3.12-2
3.12.4.3	Piping Benchmark Program .....	3.12-2
3.12.4.4	Decoupling Criteria.....	3.12-3
3.12.5	Piping Stress Analyses Criteria .....	3.12-3
3.12.5.1	Seismic Input Envelope versus Site-Specific Spectra.....	3.12-3
3.12.5.2	Design Transients .....	3.12-3
3.12.5.3	Loadings and Load Combinations.....	3.12-3
3.12.5.4	Damping Values.....	3.12-3
3.12.5.5	Combination of Modal Responses .....	3.12-3
3.12.5.6	High-Frequency Modes .....	3.12-3
3.12.5.7	Fatigue Evaluation for ASME Code Class 1 Piping .....	3.12-4
3.12.5.8	Fatigue Evaluation of ASME Code Class 2 and 3 Piping .....	3.12-4
3.12.5.9	Thermal Oscillations in Piping Connected to the Reactor Coolant System .....	3.12-4
3.12.5.10	Thermal Stratification .....	3.12-6
3.12.5.11	Safety Relief Valve Design, Installation, and Testing .....	3.12-8
3.12.5.12	Functional Capability.....	3.12-8
3.12.5.13	Combination of Inertial and Seismic Anchor Movement Effects .....	3.12-8

---

3.12.5.14	Operating Basis Earthquake as a Design Load .....	3.12-8
3.12.5.15	Welded Attachments .....	3.12-8
3.12.5.16	Modal Damping for Composite Structures .....	3.12-9
3.12.5.17	Minimum Temperature for Thermal Analyses .....	3.12-9
3.12.5.18	Intersystem Loss-of-Coolant Accident .....	3.12-9
3.12.5.19	Effects of Environment on Fatigue Design.....	3.12-9
3.12.6	Piping Support Design Criteria .....	3.12-9
3.12.6.1	Applicable Codes .....	3.12-9
3.12.6.2	Jurisdictional Boundaries .....	3.12-9
3.12.6.3	Loads and Load Combinations .....	3.12-9
3.12.6.4	Pipe Support Baseplate and Anchor Bolt Design .....	3.12-9
3.12.6.5	Use of Energy Absorbers and Limit Stops .....	3.12-9
3.12.6.6	Use of Snubbers .....	3.12-9
3.12.6.7	Pipe Support Stiffnesses.....	3.12-10
3.12.6.8	Seismic Self-Weight Excitation .....	3.12-10
3.12.6.9	Design of Supplementary Steel.....	3.12-10
3.12.6.10	Consideration of Friction Forces .....	3.12-10
3.12.6.11	Pipe Support Gaps and Clearances.....	3.12-10
3.12.6.12	Instrumentation Line Support Criteria .....	3.12-10
3.12.6.13	Pipe Deflection Limits.....	3.12-10
3.12.7	References .....	3.12-10
3.13	Threaded Fasteners (ASME Code Class 1, 2, and 3).....	3.13-1
3.13.1	Design Considerations .....	3.13-2
3.13.1.1	Materials Selection .....	3.13-2
3.13.1.2	Special Materials Fabrication Processes and Special Controls .....	3.13-2
3.13.1.3	Fracture Toughness Requirements for Threaded Fasteners Made from Ferritic Materials.....	3.13-3
3.13.1.4	Pre-Service Inspection Requirements.....	3.13-3
3.13.1.5	Certified Material Test Reports .....	3.13-3
3.13.2	Inservice Inspection Requirements .....	3.13-4

---

3.13.3	References .....	3.13-4
3A	Criteria for Distribution System Analysis and Support.....	3A-1
3A.1	Piping and Supports .....	3A-1
3A.2	Heating, Ventilation, and Air Conditioning Ducts and Supports .....	3A-1
3A.2.1	Codes and Standards .....	3A-1
3A.2.2	HVAC Ductwork .....	3A-2
3A.2.3	HVAC Duct Supports and Restraints .....	3A-3
3A.2.4	Design and Analysis.....	3A-4
3A.2.5	Other Criteria.....	3A-6
3A.3	Cable Tray, Conduit, and Supports .....	3A-7
3A.3.1	Codes and Standards .....	3A-7
3A.3.2	Loads .....	3A-7
3A.3.3	Load Combinations .....	3A-7
3A.3.4	Allowable Stress Criteria .....	3A-8
3A.3.5	Damping .....	3A-8
3A.3.6	Seismic Analysis .....	3A-8
3A.4	References .....	3A-12
3B	Dimensional Arrangement Drawings .....	3B-1
3C	Reactor Coolant System Structural Analysis Methods.....	3C-1
3C.1	Hydraulic Model Development.....	3C-1
3C.1.1	Reactor Coolant System Four Loop Hydraulic Model .....	3C-1
3C.1.2	Steam Generator Secondary Side Hydraulic Model .....	3C-5
3C.1.3	Reactor Pressure Vessel Isolated Hydraulic Model .....	3C-6
3C.1.4	Asymmetric Cavity Pressure Hydraulic Model .....	3C-7
3C.2	Structural Model Development .....	3C-8
3C.2.1	Reactor Coolant System Four Loop Structural Model .....	3C-8
3C.2.2	Reactor Pressure Vessel Isolated Structural Model .....	3C-12
3C.3	Hydraulic Loading Analyses .....	3C-14
3C.3.1	Thrust Loading .....	3C-14

---

3C.3.2	Jet Impingement Loading .....	3C-14
3C.3.3	System Internal Pressure Waves .....	3C-15
3C.3.4	Asymmetric Cavity Pressure Wave Loading .....	3C-17
3C.4	Structural Loading Analysis .....	3C-18
3C.4.1	Static Loading .....	3C-19
3C.4.2	Dynamic Loading .....	3C-20
3C.4.3	Load Combinations .....	3C-27
3C.5	Amplified Response Spectra Generation .....	3C-27
3C.6	Description of Computer Programs .....	3C-28
3C.7	References .....	3C-30
3D	Methodology for Qualifying Safety-Related Electrical and Mechanical Equipment .....	3D-1
3D.1	Purpose .....	3D-1
3D.2	Scope .....	3D-1
3D.3	Introduction .....	3D-1
3D.4	Qualification Criteria .....	3D-2
3D.4.1	Qualification Guides .....	3D-2
3D.4.2	Definitions .....	3D-2
3D.4.3	Mild versus Harsh Environments .....	3D-4
3D.4.4	Test Sequence .....	3D-4
3D.4.5	Aging .....	3D-5
3D.4.6	Operability Time .....	3D-9
3D.4.7	Performance Criterion .....	3D-9
3D.4.8	Margin .....	3D-10
3D.4.9	Treatment of Failures .....	3D-10
3D.4.10	Traceability .....	3D-10
3D.5	Design Specifications .....	3D-10
3D.5.1	Normal Operating Conditions .....	3D-10
3D.5.2	Abnormal Operating Conditions .....	3D-11
3D.5.3	Seismic .....	3D-11
3D.5.4	Containment Test Environment .....	3D-11
3D.5.5	Design Basis Event Conditions .....	3D-11
3D.6	Qualification Methods .....	3D-12
3D.6.1	Type Test .....	3D-13

---

---

3D.6.2	Analysis .....	3D-14
3D.7	Equipment Qualification Maintenance Requirements.....	3D-16
3D.7.1	Operating Experience .....	3D-17
3D.7.2	On-Going Qualification.....	3D-18
3D.7.3	Combinations of Methods .....	3D-18
3D.8	Documentation .....	3D-19
3D.8.1	Equipment Qualification Data Package.....	3D-19
3D.8.2	Equipment Qualification Test Reports.....	3D-19
3D.8.3	Qualification Maintenance Requirements .....	3D-19
3D.9	References .....	3D-19
3D Attach A	Sample Equipment Qualification Data Package (EQDP) .....	3D-40
3D Attach B	Aging Evaluation Program .....	3D-83
B.1	Introduction .....	3D-83
B.2	Objectives .....	3D-83
B.3	Basic Approach .....	3D-83
B.4	Safety-Related Electrical Equipment Located in a Harsh Location .....	3D-83
B.5	Safety-Related Electrical Equipment Located in a Mild Location .....	3D-85
3D Attach C	Effects of Gamma Radiation Doses Below $10^4$ Rads on the Mechanical Properties of Materials .....	3D-87
C.1	Introduction .....	3D-87
C.2	Scope .....	3D-87
C.3	Discussion.....	3D-87
C.4	Results .....	3D-88
C.5	References .....	3D-88
3D Attach D	Accelerated Thermal Aging Parameters.....	3D-89
D.1	Introduction .....	3D-89
D.2	Arrhenius Equation.....	3D-89
D.3	Activation Energy .....	3D-89
D.4	Thermal Aging (Normal/Abnormal Operating Conditions) .....	3D-91
D.5	References .....	3D-92
3D Attach E	Seismic Qualification Techniques.....	3D-94

---

E.1	Purpose .....	3D-94
E.2	Definitions .....	3D-94
E.3	Seismic Qualification Methods .....	3D-95
E.4	Requirements .....	3D-97
E.5	Qualification by Test.....	3D-98
E.6	Qualification by Analysis .....	3D-103
E.7	Qualification by Similarity .....	3D-107
E.8	Deleted .....	3D-107
E.9	Performance Criteria .....	3D-107
E.10	References .....	3D-108
3D Attach F	Sample Seismic Qualification Data Package (SQDP) .....	3D-109
3E	Design Details and Critical Sections for Safety-Related Category I Structures .....	3E-1
3E.1	Nuclear Island Structures .....	3E-4
3E.1.1	Reactor Containment Building Liner Plate and Anchorage System.....	3E-50
3E.1.2	Reactor Containment Building Cylinder Wall and Buttress .....	3E-61
3E.1.3	Reactor Containment Building Dome and Ring Girder.....	3E-103
3E.1.5	Equipment Hatch Area.....	3E-129
3E.1.11	Safeguard Building 2/3 Hardened Shell Walls from Top of Nuclear Island Basemat to Grade .....	3E-148
3E.1.13	Safeguard Building 2/3 Floor Slab at Elevation 0 ft 0 in.....	3E-192
3E.1.14	Safeguard Building 1 Main Steam/Feedwater Valve Room Walls and Slabs .....	3E-206
3E.1.15	Safeguard Buildings 1 and 4 Exterior Walls from Top of Nuclear Island Basemat to Elevation +15 ft 5 in.....	3E-249
3E.1.16	Fuel Building Hardened Shell Walls from Top of the Nuclear Island Basemat to Grade .....	3E-263
3E.1.18	Fuel Building Spent Fuel Pool Walls and Floor Slabs .....	3E-294

3E.1.19	Reactor Shield Building Wall Areas and Connection between Shield Building and Safeguard/Fuel Building Roof Slabs .....	3E-336
3E.1.20	Reactor Shield Building Dome to Wall Transition .....	3E-359
3E.1.21	Fuel Building Hardened Shell Material Lock Area Roof Slab and Support Walls .....	3E-369
3E.1.23	Reactor Shield Building Lower Wall Areas.....	3E-394
3E.1.24	Nuclear Island Beams and Columns.....	3E-410
3E.1.26	Fuel Transfer Tube Area .....	3E-445
3E.1.27	Vent Stack.....	3E-473
3E.2	Emergency Power Generating Buildings.....	3E-487
3E.2.1	Emergency Power Generating Building Basemat .....	3E-492
3E.2.2	Emergency Power Generating Building Shear Wall on Column Line 11 .....	3E-506
3E.2.3	Emergency Power Generating Building Reinforced Concrete Slab and Composite Beams at Elevation 51 ft 6 in .....	3E-548
3E.2.4	Emergency Power Generating Building Shear Wall on Column Line C .....	3E-582
3E.2.5	Emergency Power Generating Building Shear Wall on Column Line E.....	3E-599
3E.3	Essential Service Water Buildings.....	3E-616
3E.3.2	Essential Service Water Building Shear Wall on Column Line 4 .....	3E-623
3E.3.3	Essential Service Water Building Fan Deck Slab at Elevation 63 ft .....	3E-660
3E.3.4	Essential Service Water Building Shear Wall on Column Line D .....	3E-677
3F	U.S. EPR Piping Analysis and Pipe Support Design.....	3F-1
3F.1	Introduction.....	3F-1
3F.2	Codes and Standards.....	3F-1
3F.2.1	ASME Boiler and Pressure Vessel Code .....	3F-1
3F.2.2	ASME Code Cases .....	3F-2
3F.2.3	Design Specification.....	3F-2
3F.3	Piping Stress Analysis Criteria .....	3F-2

---

3F.3.1	Piping Seismic Classifications.....	3F-2
3F.3.2	Service Levels.....	3F-3
3F.3.3	Loadings and Load Combinations.....	3F-4
3F.3.4	Fatigue Evaluation .....	3F-7
3F.3.5	Functional Capability.....	3F-8
3F.3.6	Welded Attachments .....	3F-8
3F.3.7	Thermal Stratification (Thermal Stratification, Cycling, and Striping) .....	3F-8
3F.3.8	Design and Installation of Pressure Relief Devices .....	3F-9
3F.3.9	Intersystem LOCA.....	3F-10
3F.3.10	Seismic Category I Buried Pipe .....	3F-10
3F.4	Piping Analysis Methods .....	3F-19
3F.4.1	Experimental Stress Analysis.....	3F-19
3F.4.2	Seismic Analysis Methods .....	3F-19
3F.4.3	Inelastic Analysis Methods.....	3F-33
3F.4.4	Non-Seismic/Seismic Interaction .....	3F-33
3F.4.5	Small Bore Piping.....	3F-34
3F.5	Piping Modeling Techniques .....	3F-35
3F.5.1	Computer Codes .....	3F-35
3F.5.2	Dynamic Piping Model .....	3F-36
3F.5.3	Piping Benchmark Program .....	3F-37
3F.5.4	Model Boundaries .....	3F-37
3F.5.5	Seismic/Non-Seismic Interface Boundaries .....	3F-40
3F.6	Pipe Support Design Criteria.....	3F-42
3F.6.1	Applicable Codes .....	3F-42
3F.6.2	Jurisdictional Boundaries .....	3F-43
3F.6.3	Loads and Load Combinations .....	3F-44
3F.6.4	Pipe Support Baseplate and Anchor Bolt Design .....	3F-47
3F.6.5	Analysis of Piping Systems with Non-Linear Supports .....	3F-47
3F.6.6	Use of Snubbers .....	3F-48
3F.6.7	Pipe Support Stiffnesses.....	3F-49

---

3F.6.8	Support Self-Weight Excitation .....	3F-49
3F.6.9	Design of Supplemental Steel.....	3F-50
3F.6.10	Consideration of Friction Forces .....	3F-50
3F.6.11	Pipe Support Gaps and Clearances.....	3F-51
3F.6.12	Instrumentation Line Support Criteria .....	3F-51
3F.6.13	Pipe Deflection Limits.....	3F-51
3F.7	References .....	3F-52

[Next File](#)