

NRC DISTRIBUTION FOR PART 50 DOCKET MATERIAL
(TEMPORARY FORM)

CONTROL NO: 2318

FILE: _____

FROM: Carolina Power&Light Co Raleigh, NC EE Utley		DATE OF DOC 2-24-75	DATE REC'D 2-28-75	LTR XXXX	TWX	RPT	OTHER
TO: Mr Case		ORIG one signed	CC	OTHER	SENT AEC PDR <u>XX</u> SENT LOCAL PDR <u>XX</u>		
CLASS	UNCLASS XXXXXX	PROP INFO	INPUT	NO CYS REC'D 1	DOCKET NO: 50-261		
DESCRIPTION: Ltr re their 10-7-75 submittal..... trans the following:				ENCLOSURES: Addl info concerning a systems delivery curve.....and corrections to original submittal..... DO NOT REMOVE ACKNOWLEDGED <i>check to see where</i> <i>16-7-74 jhr</i>			
PLANT NAME: HB Robinson							

FOR ACTION/INFORMATION 2-28-75 ehf

BUTLER (L) W/ Copies	SCHWENCER (L) W/ Copies	ZIEMANN (L) W/ Copies	REGAN (E) W/ Copies
CLARK (L) W/ Copies	STOLZ (L) W/ Copies	DICKER (E) W/ Copies	LEAR (L) W/4Copies
PARR (L) W/ Copies	VASSALLO (L) W/ Copies	KNIGHTON (E) W/ Copies	SPELS W/ Copies
KNIEL (L) W/ Copies	PURPLE (L) W/ Copies	YOUNGBLOOD (E) W/ Copies	

INTERNAL DISTRIBUTION

<u>REG FILE</u> NRC-PDR OGC, ROOM P-506A GOSSICK/STAFF CASE GIAMBUSSO BOYD MOORE (L) DEYOUNG (L) SKOVHOLT (L) GOLLER (L) (Ltr) P. COLLINS DENISE REG OPR FILE & REGION (2) T.R. WILSON STEELE	<u>TECH REVIEW</u> SCHROEDER MACCARY KNIGHT PAWLICKI SHAO STELLO HOUSTON NOVAK ROSS IPPOLITO TEDESCO LONG LAINAS BENAROYA VOLLMER	DENTON GRIMES GAMMILL KASTNER BALLARD SPANGLER <u>ENVIRO</u> MULLER DICKER KNIGHTON YOUNGBLOOD REGAN PROJECT LDR <i>Dittman</i> HARLESS	<u>LIC ASST</u> R. DIGGS (L) H. GEARIN (L) E. GOULBOURNE (L) P. KREUTZER (E) J. LEE (L) M. MAIGRET (L) S. REED (E) M. SERVICE (L) S. SHEPPARD (L) M. SLATER (E) H. SMITH (L) S. TEETS (L) G. WILLIAMS (E) V. WILSON (L) R. INGRAM (L)	<u>A/T IND</u> BRAITMAN SALTZMAN MELTZ <u>PLANS</u> MCDONALD CHAPMAN DUBE (Ltr) E. COUPE PETERSON HARTFIELD (2) KLECKER EISENHUT WIGGINTON
---	--	---	--	---

EXTERNAL DISTRIBUTION

- | | | |
|--|---|--|
| <ul style="list-style-type: none"> 1 - LOCAL PDR <i>Hartsville, SC</i> 1 - TIC (ABERNATHY) (1)(2)(10) 1 - NSIC (BUCHANAN) 1 - ASLB 1 - Newton Anderson 14 - ACRS HOLDING/SENT
<i>To L.A. TEETS</i> | <ul style="list-style-type: none"> 1 - NATIONAL LABS _____ 1 - W. PENNINGTON, Rm E-201 GT 1 - CONSULTANTS
NEWMARK/BLUME/AGBABIAN | <ul style="list-style-type: none"> 1 - PDR-SAN/LA/NY 1 - BROOKHAVEN NAT LAB 1 - G. ULRIKSON, ORNL 1 - AGMED (RUTH GUSSMAN)
Rm B-127 GT 1 - J. D. RUNKLES, Rm E-201
GT |
|--|---|--|



Carolina Power & Light Company

February 24, 1975


File: NG-3514 (R)

Regulatory

50-261

Serial: NG-75-212

Mr. Edson G. Case, Acting Director
Directorate of Licensing
Office of Regulation
U. S. Nuclear Regulatory Commission
Washington, D. C. 20545



Dear Mr. Case:

H. B. ROBINSON UNIT NO. 2
LICENSE DPR-23
CORRECTION OF SUBMITTED DATA IN
SECOND REFUELING OUTAGE SUMMARY REPORT

On October 7, 1974, Carolina Power & Light Company submitted a report entitled "H. B. Robinson Unit No. 2 - Second Refueling Outage - Summary of Events of Interest," which was provided at the request of the Directorate of Regulatory Operations. During subsequent inspection of figures included in the report, it was discovered that several graphs pertaining to safety injection system performance were deficient in that values of the ordinates and abscissas were missing or erroneously labeled. To correct this deficiency, we hereby submit revised Figures 1 through 4 of the subject report with the proper information.


In addition, we have added an additional system delivery curve to Figure 4, Injection to Reactor Coolant System, to show the degraded delivery for the LOCA sensitivity analysis presented in our submittals of September 7, 1973 and January 4, 1974. You should replace the original figures in your copies of the October 7, 1974 report with the figures in this submittal.

Yours very truly,


E. E. Utley
Vice-President
Bulk Power Supply

DBW:mc
Attachments

- cc: Messrs. N. B. Bessac
- P. W. Howe
- R. E. Jones
- J. B. McGirt
- D. B. Waters




2318




CP&L SAFETY INJECTION PUMP A
 Design Point = 375 GPM, 2500 ft)

Figure 1



CP&L SAFETY INJECTION PUMP B
 Design Point = (375 GPM, 2500 ft)

Figure 2




CP&L SAFETY INJECTION PUMP C
 Design Point = (375 GPM, 2500 ft)

Figure 3

Figure 4
INJECTION TO
REACTOR COOLANT SYSTEM

Reactor Backpressure, psig



Flow to RCS, lb/sec