

**From:** Ryan Schierman (USA - Christensen Ranch)  
<Ryan.Schierman@uranium1.com>  
**Sent:** Friday, August 15, 2014 9:29 PM  
**To:** Kellar, Ray; Linton, Ron; Gersey, Linda  
**Cc:** Jon Winter (USA - Casper); Rick Kukura (USA - Casper); Tim McCullough (USA - Casper); John Durand (USA - Christensen Ranch); Kevin Filbert (USA - Christensen Ranch); Larry Arbogast (USA - Christensen Ranch)  
**Subject:** Plant Header House Spill

Ray, Ron, Linda

In accordance with License SUA-1341, this email is to inform the WDEQ that there was a small release of ISR recover fluid from the header house behind the Christensen Satellite plant located in the Willow Creek Project in Johnson County. The investigation into the cause of the release is ongoing, but it appears that a pressure relief valve on the recovery trunk line failed releasing recover solution outside the containment of the header house, an estimated 492 gallons of recovery fluid outside the building. The leak was discovered at 15:00 on August 15, 2014. Upon discovery of the leak the gauge was isolated and the leak was stopped.

The release occurred within a fenced area and flowed into Mine Unit 2. No fluid was able to be recovered as the solution quickly soaked into the ground. A sample of the release was able to be collected and analyzed within our on-site laboratory. The release did not enter Willow Creek, a dry draw, a playa, or extend past the licensed area. The release did not impact any live water, wildlife, or livestock. A written report with more details will be submitted within 5 days.

If you have any questions feel free to contact me

**Ryan Schierman**  
Radiation Safety Officer-Health Physics

**Uranium One**  
907 North Poplar, Suite 260  
Casper, Wyoming 82601  
T:(307) 696-8116 C: (307) 267-8049

#### **URANIUM ONE - DISCLAIMER**

This email, including any attachments, is confidential and may be privileged. Please check any attachments for viruses before opening them. If you are not the intended recipient, then any disclosure, copying, distribution or use of this email or any attachment, other than to or by the sender, is prohibited. If you received this email in error, please notify us immediately by returning it to the sender and delete this copy from your system.

**[Uranium One Inc.](#)**