



August 11, 2014

Mr. Andrew Persinko
Division of Waste Management & Environmental Protection
Office of Federal & State Materials & Environmental Management Programs
Mail Stop T-8F5
U.S. Nuclear Regulatory Commission
11545 Rockville, Maryland 20852-2738

Ref: Docket No. 40-2259, Source Material License No. SUA-672

Dear Mr. Persinko,

Enclosed please find two copies of the semi-annual ground water monitoring report covering the first and second quarters of 2014 as required by condition 60B of the referenced license. Please let me know if there are any questions regarding the report.

Sincerely,

A handwritten signature in black ink, appearing to read 'R. Mark Owens', is written over a horizontal line.

R. Mark Owens
General Manager

Enclosure

Cc: Blair Spitzberg, USNRC Region IV
Steve Hall, Stoller
Document Control Desk
Hydro-Engineering w/o encl.

AREVA INC.

Mine Rec Business Development - DIAM
P.O. Box 51032, Casper, Wyoming 82605
Tel.: 307 265 2511 - us.aveva.com

FSME20

**SEMI-ANNUAL
GROUND-WATER MONITORING
FOR LUCKY Mc MINE**

PREPARED FOR:

**AREVA
LUCKY Mc MINE**

BY:

HYDRO-ENGINEERING, L.L.C.

AUGUST, 2014

Brandon Weaver
BRANDON WEAVER

George L. Hoffman
**GEORGE L. HOFFMAN, P.E.
HYDROLOGIST**

8/07/2014

TABLE OF CONTENTS

	<u>Page Number</u>
1.0 INTRODUCTION AND SUMMARY OF RESULTS.....	1
2.0 PIEZOMETRIC DATA	2
3.0 WATER-QUALITY DATA.....	2

FIGURES

	<u>Page Number</u>
1 LOCATIONS OF MONITORING WELLS AND PIEZOMETRIC CONTOURS AT LUCKY Mc IN MARCH 2014, FT-MSL	4
2 WATER-LEVEL ELEVATION VERSUS TIME FOR WELLS T1-6, T1-12, AL-1, AL-6 AND AL-7.....	5
3 CHLORIDE CONCENTRATIONS IN JUNE 2014 AT LUCKY Mc, IN mg/l.....	6
4 CHLORIDE CONCENTRATIONS VERSUS TIME FOR WELLS T1-6, T1-12, AL-1, AL-6 AND AL-7	7
5 TOTAL DISSOLVED SOLIDS CONCENTRATIONS IN JUNE 2014 AT LUCKY Mc, IN mg/l.....	8
6 TDS CONCENTRATIONS VERSUS TIME FOR WELLS T1-6, T1-12, AL-1, AL-6 AND AL-7	9
7 SULFATE CONCENTRATIONS IN JUNE 2014 AT LUCKY Mc, IN mg/l.....	10
8 SULFATE CONCENTRATIONS VERSUS TIME FOR WELLS T1-6, T1-12, AL-1, AL-6 AND AL-7	11
9 URANIUM CONCENTRATIONS IN JUNE 2014 AT LUCKY Mc, IN mg/l.....	12
10 URANIUM CONCENTRATIONS VERSUS TIME FOR WELLS T1-6, T1-12, AL-1, AL-6 AND AL-7	13
11 SELENIUM CONCENTRATIONS IN JUNE 2014 AT LUCKY Mc, IN mg/l.....	14

**TABLE OF CONTENTS
(continued)**

FIGURES

	<u>Page Number</u>
12 SELENIUM CONCENTRATIONS VERSUS TIME FOR WELLS T1-6, T1-12, AL-1, AL-6 AND AL-7	15
13 RADIUM-226 + RADIUM-228 ACTIVITY IN JUNE 2014 FOR LUCKY Mc, IN pCi/l	16
14 RADIUM-226 + RADIUM-228 ACTIVITY VERSUS TIME FOR WELLS T1-6, T1-12, AL-1, AL-6 AND AL-7	17

TABLES

	<u>Page Number</u>
1 WATER-LEVEL AND WATER-QUALITY DATA.....	18

1.0 Introduction and Summary of Results

This semi-annual report presents the results of ground-water monitoring for the first half of 2014 for the Lucky Mc tailings area. This report covers the requirement of NRC License SUA-672, License Condition 60B.

The following table lists the site standards that are in effect at Lucky Mc tailings POC well T1-12. The tabulation also lists the measured June 2014 concentrations for POC well T1-12. All of the present concentrations in POC well T1-12 are significantly below the site standards.

GROUND-WATER PROTECTION STANDARDS FOR POINT-OF-COMPLIANCE WELL T1-12 AND JUNE 2014 POC CONCENTRATION									
POC STANDARD & CONCENTRATION	CONSTITUENT								
	Arsenic	Beryllium	Cadmium	Chromium	Nickel	RA-226+Ra-228	Selenium	Thorium-230	Uranium
SITE STANDARD	0.05	0.07	0.02	0.05	0.85	7.5	1.1	13.2	1.7
T1-12, JUNE 2014	<0.001	<0.001	<0.001	<0.01	0.26	3.7	0.235	0.1	0.402

NOTE: All concentrations in mg/l except for radium and thorium in pCi/l.

Figure 1.3-2 in the Lucky Mc ACL report shows the base of the Lucky Mc aquifer which shows that a narrow outlet exists on the east side of the No. 1 and No. 2 Tailings connecting them to the Wind River Channel. The No. 1 and the No. 2 Tailings should not be presently contributing any seepage to the Wind River Channel and the Fraser Draw alluvium because the water levels in these tailings are below the base of the aquifer. Figures 1.3-4 (see channel close to the B side of the cross section) and 1.3-5 (see the ridge near well OBS-2) in the Lucky Mc ACL report show that the outlets to the No. 2 and No. 1 Tailings were dry or essentially dry in 2000. Therefore these tailings should not be contributing any additional source to the Lucky Mc aquifer with time. Stable concentrations in POC well T1-12 support this conclusion.

Modeling of key parameters, uranium, selenium and radium-226 + 228 are presented in the Lucky Mc ACL report. The following table presents a comparison between the model predictions and the 2014 observed concentrations for POC well T1-12 and wells AL-1 and AL-6. These comparisons show that the present concentrations agree fairly well with the model predictions for 2014. Concentrations at the POC well are not expected to ever exceed the site standards based on the present levels and the model predictions.

COMPARISON OF MODEL PREDICTION AND 2014 CONCENTRATIONS									
CONSTITUENT WELL	URANIUM			SELENIUM			RA-226 + RA-228		
	T1-12	AL-1	AL-6	T1-12	AL-1	AL-6	T1-12	AL-1	AL-6
MODEL PREDICTIONS	0.6	1.1	1.1	0.2	0.4	0.3	7	1	1
2014 CONCENTRATIONS	0.4	1.4	0.9	0.2	0.3	0.2	3.7	1	4.6

NOTE: All concentrations in mg/l except for radium in pCi/l.

2.0 Piezometric Data

The water-level data collected during the first quarter of 2014 are presented in Table 1 along with the 2011 through 2014 water-level data. Figure 1 presents the piezometric surface of the Lucky Mc aquifer from the POC well through the Fraser Draw alluvium, while Figure 2 presents plots of the water-level elevations versus time for wells AL-6, T1-6, T1-12, AL-1 and AL-7. The corresponding water-level elevation or constituent concentration is posted adjacent to the well location on the plan view figures of the area (such as Figure 1). Water-level elevations in the first quarter of 2014 were fairly steady with levels in well AL-1 and AL-7 gradually declining. Water levels were not measured in the second quarter of 2014.

3.0 Water-Quality Data

License Condition 60B requires monitoring of water from the POC and POE wells and other selected wells for the constituents presented in Table 1. An analysis of the selenium, uranium, combined radium-226 plus radium-228, sulfate, chloride and TDS concentrations is required.

Figure 3 presents the June 2014 chloride concentrations for the Lucky Mc aquifer. The chloride concentrations are highest in the Fraser Draw alluvial well AL-1 and Wind River Channel at POC well T1-12 and decrease significantly to levels similar to background levels at well AL-7. The chloride concentration in well AL-1 is higher showing the concentration gradient from the east to the west. Shift of the concentration gradient near AL-1 had caused the chloride concentration to increase in this well but a gradual decline from this increase was observed in the first half of 2014. Figure 4 presents the plots of chloride concentration versus time for the five monitored wells. Chloride concentrations in POC well T1-12 overall have been fairly steady in 2011 through 2014 while a gradual increase was observed in POE well AL-6 and well AL-7. A larger increase was observed in the last half of 2010 and 2011 in well AL-1.

Figure 5 presents the TDS concentrations for June 2014 water samples from the Lucky Mc aquifer. The TDS concentrations are greater than 5000 mg/l at POC well T1-12, slightly less in Fraser Draw alluvial well AL-1 and are less than 4000 mg/l in the western portion of the Fraser Draw alluvium at well AL-7. Figure 6 presents the plots of TDS concentrations versus time and illustrates that the 2014 TDS concentrations are similar to the average value for the previous few years for well T1-12. An increase in concentrations in the second half 2013 was observed in well AL-1 but concentrations have decline through early 2014. A gradual increase in TDS had been observed in well AL-7 and AL-6 in recent years. This change is likely due to the concentration gradient shifting.


The measured sulfate concentrations for the Lucky Mc aquifer during June of 2014 are presented in Figure 7 and show that the sulfate concentrations in the western portion of the Fraser Draw alluvium are greater than 2000 mg/l near well AL-1 while concentrations are less than 2000 mg/l in the eastern half. The sulfate concentration versus time plots in Figure 8 show that sulfate concentrations in POC well T1-12 have overall been steady for the last six years but are slightly larger than values observed prior to 2007. The increase in sulfate in the 2nd half of 2010 and 2011 in well AL-1 shows the affect of the shift in concentrations to the east. An incline in sulfate concentrations was observed in well AL-1 in the second half of 2013 while concentrations have declined in the first half of 2014.

Uranium concentrations for the Lucky Mc aquifer during June of 2014 are presented in Figure 9, and this figure shows the highest observed uranium concentrations at well AL-1. Figure 10 shows that the uranium concentration in the POE well had overall gradually increased but gradually declined in the second half of 2013, but increased slightly in the first half of 2014. A larger increase had been observed in well AL-1 with the 2013 values showing a steady decline in uranium concentrations until the fourth quarter of 2013. Values have been fairly steady since the fourth quarter of 2013. The uranium concentrations have been relatively steady in POC well T1-12 for the last few years.

Figure 11 presents the selenium concentrations for June 2014 for the Lucky Mc aquifer. Selenium concentrations are greatest at POC well T1-12 and have overall gradually declined for the last few years (see Figure 12). The selenium concentration in well AL-1 increased in May of 2010 which could be due to alluvial water shifting to the east in this area but have gradually decreased the last year until the fourth quarter of 2013 where there was an increase in concentration. Values have been fairly steady through mid-2014 in well AL-1.

Figure 13 presents the radium-226 plus radium-228 activity for June 2014 in the Lucky Mc aquifer in pCi/l. The activity at POC well T1-12 is well below the radium-226 plus radium-228 site standard of 7.5 pCi/l. Measured radium activities generally exhibit more variability than other constituents, and little significance is given to occasional outliers. Figure 14 shows plots of the radium-226 plus radium-228 activity versus time for the monitored wells. These plots show significant variability in measured activity, which is thought to be due to variability in the laboratory analysis. Previous recent values for well AL-6 have been near 6 pCi/l but 2014 values have declined closer to 4.5 pCi/l.

Concentrations of the remainder of the constituents at the site are gradually decreasing or are not significant at POC well T1-12.











FIGURE 2. WATER-LEVEL ELEVATION VERSUS TIME FOR WELLS T1-6, T1-12, AL-1, AL-6 AND AL-7.





**FIGURE 4. CHLORIDE CONCENTRATIONS VERSUS TIME FOR WELLS
T1-6, T1-12, AL-1, AL-6 AND AL-7.**








FIGURE 6. TDS CONCENTRATIONS VERSUS TIME FOR WELLS T1-6, T1-12, AL-1, AL-6 AND AL-7.








FIGURE 8. SULFATE CONCENTRATIONS VERSUS TIME FOR WELLS T1-6, T1-12, AL-1, AL-6 AND AL-7.








FIGURE 10. URANIUM CONCENTRATIONS VERSUS TIME FOR WELLS T1-6, T1-12, AL-1, AL-6 AND AL-7.








FIGURE 12. SELENIUM CONCENTRATIONS VERSUS TIME FOR WELLS T1-6, T1-12, AL-1, AL-6 AND AL-7.







FIGURE 14. RADIUM-226 + RADIUM-228 ACTIVITY VERSUS TIME FOR WELLS T1-6, T1-12, AL-1, AL-6 AND AL-7.

TABLE 1. WATER-LEVEL AND WATER-QUALITY DATA.

Lucky MC Mine - Pathfinder Mines Corp.

Sample Point Name	Date	WL (feet)	WL_ELEV (ft-msl)	pH(f) (std. units)	Cond(f) (µmhos)	TDS (mg/l)	SO4 (mg/l)	Cl (mg/l)	NO3+NO2 (mg/l)	Unat (mg/l)
AL-1	3/24/2011	27.58	6237.02	7.1	4210	5000	2820	252.0	45.0	0.939
	3/24/2011	27.58	6237.02	7.1	4210	5000	2820	252.0	45.0	0.939
	3/25/2011	28.85	6235.75	7.1	3520	5040	2710	245.0	53.0	0.924
	6/8/2011	27.22	6237.38	7.1	4030	5190	3000	245.0	58.0	1.260
	8/18/2011	27.51	6237.09	6.5	4370	6120	3550	322.0	78.0	1.760
	11/17/2011	27.57	6237.03	6.6	4610	7310	4090	399.0	89.0	2.420
	3/27/2012	26.83	6237.77	6.7	3990	6750	3540	307.0	76.0	1.880
	5/16/2012	26.51	6238.09	6.8	3040	6360	3510	291.0	62.0	1.350
	8/9/2012	27.08	6237.52	6.9	3030	6750	3380	326.0	123.0	1.780
	11/13/2012	27.05	6237.55	6.8	3020	5840	3270	295.0	78.0	1.640
	1/22/2013	26.78	6237.82	6.4	1690	5420	2900	262.0	67.0	1.380
	4/1/2013	26.54	6238.06	6.9	5870	4820	2640	238.0	61.0	1.280
	8/2/2013	27.00	6237.60	7.3	6440	6060	3060	260.0	117.0	0.873
	11/12/2013	27.58	6237.02	7.4	6880	5870	2980	293.0	117.0	1.540
	3/26/2014	26.91	6237.69	7.2	6210	5280	2760	255.0	94.0	1.320
	6/6/2014	---	---	6.9	6020	4900	2500	215.0	103.0	1.440
AL-6	3/24/2011	23.41	6213.39	7.1	3040	3620	1840	121.0	76.0	0.671
	3/24/2011	23.41	6213.39	7.1	3040	3620	1840	121.0	76.0	0.671
	6/8/2011	23.36	6213.44	7.1	2940	3500	1880	125.0	80.0	0.689
	8/18/2011	23.55	6213.25	6.5	2720	3660	1960	130.0	72.0	0.698
	11/17/2011	23.33	6213.47	6.6	2590	3630	1960	131.0	74.0	0.733
	3/27/2012	23.13	6213.67	6.6	1942	3850	1960	132.0	78.0	0.832
	5/16/2012	22.95	6213.85	6.9	1483	3980	1990	135.0	72.0	0.596
	8/9/2012	23.22	6213.58	7.0	1504	3870	2060	151.0	83.0	0.793
	11/13/2012	22.98	6213.82	6.9	1562	3990	2050	140.0	79.0	0.837
	1/22/2013	22.80	6214.00	6.5	1349	3980	2080	141.0	77.0	0.824
	4/1/2013	22.68	6214.12	7.0	4600	3940	2130	150.0	59.0	0.879
	8/2/2013	22.82	6213.98	7.4	4280	4090	2140	144.0	84.0	0.836
	11/12/2013	22.72	6214.08	7.5	4790	4150	2110	154.0	79.0	0.765
	3/26/2014	22.45	6214.35	7.3	4720	4090	2110	153.0	84.0	0.778
	6/6/2014	---	---	7.1	4880	4170	2150	155.0	81.0	0.868
AL-7	3/24/2011	27.95	6224.05	7.1	2680	2850	1670	87.0	13.0	0.350
	3/24/2011	27.95	6224.05	7.1	2680	2850	1670	87.0	13.0	0.350
	6/8/2011	27.68	6224.32	7.1	1916	2910	1700	89.0	14.0	0.357
	8/18/2011	27.82	6224.18	6.4	2510	2950	1810	100.0	17.0	0.353
	11/17/2011	27.72	6224.28	6.6	2440	2930	1730	88.0	15.0	0.395
	3/27/2012	27.26	6224.74	6.6	1818	3030	1720	89.0	16.0	0.412
	5/16/2012	27.05	6224.95	6.9	1331	3100	1750	91.0	16.0	0.332
	8/9/2012	27.24	6224.76	7.0	1424	3210	1810	101.0	21.0	0.403
	11/13/2012	27.08	6224.92	6.9	1435	3220	1790	92.0	16.0	0.401
	1/22/2013	26.83	6225.17	6.4	1256	3170	1780	93.0	19.0	0.439
	4/1/2013	26.62	6225.38	7.0	3910	3070	1830	101.0	18.0	0.474
	8/2/2013	26.76	6225.24	7.4	3680	3170	1860	96.0	18.0	0.445
	11/12/2013	26.86	6225.14	7.4	3910	3150	1790	98.0	16.0	0.393

TABLE 1. WATER-LEVEL AND WATER-QUALITY DATA. (cont'd)

Lucky MC Mine - Pathfinder Mines Corp.

Sample Point Name	Date	WL (feet)	WL_ELEV (ft-msl)	pH(f) (std. units)	Cond(f) (µmhos)	TDS (mg/l)	SO4 (mg/l)	Cl (mg/l)	NO3+NO2 (mg/l)	Unat (mg/l)
AL-7	3/26/2014	26.52	6225.48	7.5	4320	3780	2040	124.0	56.0	0.544
	6/6/2014	---	---	7.3	4170	3420	1950	107.0	28.0	0.503
T1-6	3/24/2011	29.23	6398.99	7.0	1873	2590	1560	49.0	0.8	0.054
	6/8/2011	29.45	6398.77	7.0	1647	2520	1560	48.0	0.6	0.059
	7/7/2011	29.57	6398.65	6.3	1587	2530	1490	46.0	0.7	0.204
	8/18/2011	29.65	6398.57	6.7	2610	2560	1620	50.0	0.5	0.053
	10/20/2011	29.47	6398.75	6.8	1544	2560	1620	52.0	1.3	0.089
	11/17/2011	30.08	6398.14	6.9	1697	2600	1580	49.0	1.0	0.052
	3/14/2012	29.64	6398.58	6.9	1293	2630	1530	49.0	0.7	0.054
	5/16/2012	28.98	6399.24	7.2	1090	2560	1530	45.0	0.4	0.050
	8/9/2012	29.29	6398.93	7.3	1193	2530	1570	49.0	0.9	0.044
	10/10/2012	29.04	6399.18	7.0	1173	2630	1610	53.0	1.8	0.074
	11/13/2012	28.84	6399.38	7.2	1301	2600	1580	48.0	0.9	0.058
	1/22/2013	29.36	6398.86	6.7	1058	2710	1620	49.0	1.0	0.069
	4/1/2013	28.41	6399.81	6.7	3400	2650	1570	50.0	0.6	0.070
	6/17/2013	29.53	6398.69	7.5	1886	2660	1600	50.0	< 0.1	0.089
	8/2/2013	29.67	6398.55	7.7	3280	2540	1580	43.0	0.9	0.061
	11/7/2013	29.55	6398.67	7.7	2990	2560	1560	49.0	0.8	0.059
	3/26/2014	29.18	6399.04	7.6	3460	2570	1530	47.0	0.7	0.048
	5/29/2014	28.69	6399.53	7.8	3340	2580	1570	49.0	0.7	0.067
	6/6/2014	---	---	6.6	3520	2600	1540	45.0	0.8	0.047
T1-12	3/24/2011	18.79	6322.01	6.4	4730	6310	2610	216.0	179.0	0.378
	6/8/2011	18.83	6321.97	6.4	4130	6200	2620	221.0	217.0	0.387
	8/18/2011	18.93	6321.87	5.9	4610	6130	2690	220.0	217.0	0.364
	11/17/2011	19.19	6321.61	6.0	3920	6220	2520	200.0	193.0	0.362
	3/14/2012	19.50	6321.30	6.0	3440	6460	2480	204.0	233.0	0.380
	5/16/2012	18.22	6322.58	6.2	1790	6080	2490	205.0	194.0	0.393
	8/9/2012	19.29	6321.51	6.3	1692	6680	2630	221.0	239.0	0.410
	11/13/2012	19.88	6320.92	6.3	3040	5980	2450	198.0	278.0	0.406
	1/22/2013	19.96	6320.84	5.8	1713	6370	2560	200.0	213.0	0.399
	4/1/2013	20.15	6320.65	6.3	7300	6520	2590	210.0	220.0	0.409
	8/2/2013	20.03	6320.77	7.7	3280	6350	2580	201.0	221.0	0.415
	11/12/2013	20.23	6320.57	6.8	7480	6400	2590	218.0	215.0	0.373
	3/26/2014	19.78	6321.02	6.7	7690	6550	2570	212.0	262.0	0.384
	6/6/2014	---	---	6.6	7760	6880	2610	211.0	268.0	0.402

TABLE 1. WATER-LEVEL AND WATER-QUALITY DATA. (cont'd)

Lucky MC Mine - Pathfinder Mines Corp.

Sample Point Name	Date	Th230 (pCi/l)	Th230(e) (pCi/l)	Ra226 (pCi/l)	Ra226(e) (pCi/l)	Ra228 (pCi/l)	Ra228(e) (pCi/l)	Ra226+Ra228 (pCi/l)
AL-1	3/24/2011	0.300	± 0.1	0.5	± 0.2	1.1	± 0.6	1.6
	3/24/2011	0.300	± 0.1	0.5	± 0.2	1.1	± 0.6	1.6
	3/25/2011	0.070	± 0.1	0.6	± 0.2	0.0	± 0.6	0.6
	6/8/2011	0.050	± 0.1	0.9	± 0.2	1.2	± 0.8	2.1
	8/18/2011	0.070	± 0.1	1.0	± 0.2	0.2	± 0.6	1.2
	11/17/2011	0.080	± 0.1	1.7	± 0.3	2.2	± 0.9	3.9
	3/27/2012	-0.020	± 0.1	2.2	± 0.3	0.6	± 0.6	2.8
	5/16/2012	0.100	± 0.1	0.7	± 0.2	0.2	± 0.8	0.9
	8/9/2012	0.009	± 0.1	0.6	± 0.2	0.9	± 0.8	1.5
	11/13/2012	0.040	± 0.1	0.4	± 0.2	0.0	± 0.8	0.3
	1/22/2013	0.080	± 0.1	1.2	± 0.2	1.6	± 0.7	2.8
	4/1/2013	0.090	± 0.1	1.2	± 0.2	0.3	± 0.9	1.5
	8/2/2013	0.100	± 0.1	0.7	± 0.2	0.8	± 0.8	1.5
	11/12/2013	0.100	± 0.1	0.4	± 0.2	1.7	± 0.7	2.1
	3/26/2014	0.060	± 0.1	0.7	± 0.2	0.5	± 0.8	1.2
	6/6/2014	0.200	± 0.1	0.4	± 0.1	0.6	± 0.8	1.0
AL-6	3/24/2011	0.050	± 0.1	2.9	± 0.4	0.5	± 0.6	3.4
	3/24/2011	0.050	± 0.1	2.9	± 0.4	0.5	± 0.6	3.4
	6/8/2011	0.080	± 0.1	2.8	± 0.4	2.5	± 0.8	5.3
	8/18/2011	0.020	± 0.1	4.3	± 0.5	1.8	± 0.7	6.1
	11/17/2011	0.040	± 0.1	3.9	± 0.4	2.4	± 0.9	6.3
	3/27/2012	0.080	± 0.1	4.7	± 0.4	1.6	± 0.6	6.3
	5/16/2012	0.050	± 0.1	3.9	± 0.5	2.7	± 1.4	6.6
	8/9/2012	0.100	± 0.1	4.2	± 0.5	2.0	± 0.8	6.2
	11/13/2012	-0.008	± 0.1	4.5	± 0.5	1.9	± 1.0	6.4
	1/22/2013	0.100	± 0.1	4.0	± 0.4	2.1	± 0.8	6.1
	4/1/2013	0.070	± 0.1	4.3	± 0.4	1.7	± 1.1	6.0
	8/2/2013	0.060	± 0.1	3.7	± 0.4	1.9	± 0.9	5.6
	11/12/2013	0.200	± 0.1	4.8	± 0.4	1.9	± 0.8	6.7
	3/26/2014	0.030	± 0.1	3.0	± 0.3	1.3	± 0.8	4.3
	6/6/2014	0.100	± 0.1	3.5	± 0.3	1.1	± 0.7	4.6
AL-7	3/24/2011	0.020	± 0.1	0.5	± 0.2	0.5	± 0.6	1.0
	3/24/2011	0.020	± 0.1	0.5	± 0.2	0.5	± 0.6	1.0
	6/8/2011	0.060	± 0.1	0.5	± 0.2	0.8	± 0.7	1.3
	8/18/2011	0.050	± 0.1	0.8	± 0.2	0.5	± 0.6	1.3
	11/17/2011	0.020	± 0.1	0.2	± 0.1	0.7	± 0.8	0.9
	3/27/2012	0.070	± 0.1	0.9	± 0.2	0.8	± 0.6	1.7
	5/16/2012	0.030	± 0.1	0.5	± 0.2	0.9	± 0.9	1.4
	8/9/2012	0.020	± 0.1	0.8	± 0.2	1.3	± 0.8	2.1
	11/13/2012	0.060	± 0.1	0.7	± 0.2	1.1	± 1.0	1.8
	1/22/2013	0.300	± 0.2	0.8	± 0.2	1.0	± 0.7	1.8
	4/1/2013	0.090	± 0.1	0.7	± 0.2	0.4	± 1.0	1.1
	8/2/2013	0.100	± 0.1	0.7	± 0.2	0.8	± 0.8	1.5
	11/12/2013	0.100	± 0.1	0.4	± 0.2	0.6	± 0.6	1.0

TABLE 1. WATER-LEVEL AND WATER-QUALITY DATA. (cont'd)

Lucky MC Mine - Pathfinder Mines Corp.

Sample Point Name	Date	Th230 (pCi/l)	Th230(e) (pCi/l)	Ra226 (pCi/l)	Ra226(e) (pCi/l)	Ra228 (pCi/l)	Ra228(e) (pCi/l)	Ra226+Ra228 (pCi/l)
AL-7	3/26/2014	0.040	± 0.1	0.9	± 0.2	2.3	± 1.0	3.2
	6/6/2014	0.100	± 0.1	0.9	± 0.2	0.8	± 0.7	1.7
T1-6	3/24/2011	0.030	± 0.1	1.2	± 0.3	1.5	± 0.8	2.7
	6/8/2011	0.060	± 0.1	1.8	± 0.3	1.3	± 0.8	3.1
	7/7/2011	---	---	10.0	± 0.6	---	---	---
	8/18/2011	0.030	± 0.1	1.6	± 0.3	1.2	± 0.7	2.8
	10/20/2011	---	---	3.9	± 0.4	---	---	---
	11/17/2011	0.030	± 0.1	1.6	± 0.3	0.7	± 0.7	2.3
	3/14/2012	0.400	± 0.2	2.6	± 0.3	1.3	± 0.6	3.9
	5/16/2012	0.070	± 0.1	2.0	± 0.3	1.0	± 0.8	3.0
	8/9/2012	-0.008	± 0.1	1.3	± 0.3	0.7	± 0.7	2.0
	10/10/2012	---	---	3.5	± 0.4	---	---	---
	11/13/2012	0.010	± 0.1	0.9	± 0.3	0.7	± 1.2	1.6
	1/22/2013	1.400	± 0.4	2.5	± 0.3	1.0	± 0.7	3.5
	4/1/2013	0.020	± 0.1	2.1	± 0.3	-0.2	± 1.2	1.9
	6/17/2013	---	---	5.9	± 0.5	---	---	---
	8/2/2013	0.100	± 0.1	1.3	± 0.2	0.7	± 0.8	2.0
	11/7/2013	0.300	± 0.2	1.9	± 0.3	0.9	± 1.2	2.8
	3/26/2014	-0.020	± 0.1	1.5	± 0.2	0.2	± 0.7	1.7
	5/29/2014	---	---	2.8	± 0.3	2.4	± 0.7	5.2
	6/6/2014	0.100	± 0.1	1.9	± 0.3	0.5	± 0.8	2.4
T1-12	3/24/2011	0.070	± 0.1	1.7	± 0.3	1.8	± 0.7	3.5
	6/8/2011	0.300	± 0.2	1.7	± 0.3	1.5	± 0.7	3.2
	8/18/2011	0.200	± 0.2	2.4	± 0.5	1.3	± 1.2	3.7
	11/17/2011	0.100	± 0.1	2.5	± 0.3	1.5	± 0.8	4.0
	3/14/2012	0.200	± 0.2	3.9	± 0.6	3.4	± 1.4	7.3
	5/16/2012	2.300	± 0.4	2.9	± 0.4	1.4	± 0.9	4.3
	8/9/2012	0.040	± 0.1	2.3	± 0.3	1.7	± 0.7	4.0
	11/13/2012	0.200	± 0.1	2.2	± 0.4	1.5	± 1.2	3.7
	1/22/2013	1.900	± 0.5	3.0	± 0.3	1.9	± 0.7	4.9
	4/1/2013	0.040	± 0.1	2.8	± 0.4	0.9	± 1.5	3.7
	8/2/2013	0.200	± 0.2	2.1	± 0.4	2.4	± 1.6	4.5
	11/12/2013	0.080	± 0.1	1.7	± 0.3	2.8	± 1.1	4.5
	3/26/2014	0.006	± 0.1	1.9	± 0.3	1.5	± 1.1	3.4
	6/6/2014	0.100	± 0.1	1.8	± 0.4	1.9	± 1.7	3.7

TABLE 1. WATER-LEVEL AND WATER-QUALITY DATA. (cont'd)

Lucky MC Mine - Pathfinder Mines Corp.

Sample Point Name	Date	As (mg/l)	Be (mg/l)	Cd (mg/l)	Cr (mg/l)	Ni (mg/l)	Se (mg/l)
AL-1	3/24/2011	0.002	< 0.010	< 0.010	< 0.05	< 0.05	0.117
	3/24/2011	0.002	< 0.010	< 0.010	< 0.05	< 0.05	0.117
	3/25/2011	0.002	< 0.010	< 0.010	< 0.05	< 0.05	0.109
	6/8/2011	0.003	< 0.010	< 0.010	< 0.05	< 0.05	0.162
	8/18/2011	0.003	< 0.010	< 0.010	< 0.05	< 0.05	0.184
	11/17/2011	0.006	< 0.010	< 0.005	< 0.05	< 0.05	0.222
	3/27/2012	0.004	< 0.010	< 0.005	< 0.05	< 0.05	0.201
	5/16/2012	0.002	< 0.010	< 0.005	< 0.05	< 0.05	0.181
	8/9/2012	0.005	< 0.001	< 0.001	< 0.01	0.03	0.293
	11/13/2012	0.003	< 0.001	< 0.001	< 0.01	0.03	0.255
	1/22/2013	0.004	< 0.001	< 0.001	0.01	0.03	0.256
	4/1/2013	0.004	< 0.001	< 0.001	< 0.01	0.02	0.199
	8/2/2013	0.001	< 0.001	< 0.001	< 0.01	0.02	0.159
	11/12/2013	0.005	< 0.001	< 0.001	< 0.01	0.03	0.374
	3/26/2014	0.002	< 0.001	< 0.001	< 0.01	0.04	0.262
	6/6/2014	0.003	< 0.001	< 0.001	< 0.01	0.02	0.277
AL-6	3/24/2011	0.006	< 0.010	< 0.010	< 0.05	< 0.05	0.103
	3/24/2011	0.006	< 0.010	< 0.010	< 0.05	< 0.05	0.103
	6/8/2011	0.006	< 0.010	< 0.010	< 0.05	< 0.05	0.101
	8/18/2011	0.007	< 0.010	< 0.010	< 0.05	< 0.05	0.111
	11/17/2011	0.006	< 0.010	< 0.005	< 0.05	< 0.05	0.106
	3/27/2012	0.006	< 0.010	< 0.005	< 0.05	< 0.05	0.118
	5/16/2012	0.005	< 0.010	< 0.005	< 0.05	< 0.05	0.107
	8/9/2012	0.006	< 0.001	< 0.001	< 0.01	< 0.01	0.116
	11/13/2012	0.007	< 0.001	< 0.001	< 0.01	< 0.01	0.121
	1/22/2013	0.008	< 0.001	< 0.001	< 0.01	0.01	0.133
	4/1/2013	0.007	< 0.001	< 0.001	< 0.01	< 0.01	0.128
	8/2/2013	0.008	< 0.001	< 0.001	< 0.01	0.01	0.147
	11/12/2013	0.008	< 0.001	< 0.001	< 0.01	< 0.01	0.138
	3/26/2014	0.008	0.001	< 0.001	< 0.01	0.01	0.135
	6/6/2014	0.006	< 0.001	< 0.001	< 0.01	0.01	0.153
AL-7	3/24/2011	0.002	< 0.010	< 0.010	< 0.05	< 0.05	0.025
	3/24/2011	0.002	< 0.010	< 0.010	< 0.05	< 0.05	0.025
	6/8/2011	< 0.001	< 0.010	< 0.010	< 0.05	< 0.05	0.026
	8/18/2011	0.003	< 0.010	< 0.010	< 0.05	< 0.05	0.036
	11/17/2011	0.001	< 0.010	< 0.005	< 0.05	< 0.05	0.030
	3/27/2012	< 0.001	< 0.010	< 0.005	< 0.05	< 0.05	0.031
	5/16/2012	< 0.001	< 0.010	< 0.005	< 0.05	< 0.05	0.030
	8/9/2012	0.004	< 0.001	< 0.001	< 0.01	0.01	0.037
	11/13/2012	0.002	< 0.001	< 0.001	< 0.01	0.02	0.033
	1/22/2013	0.001	< 0.001	< 0.001	< 0.01	0.02	0.044
	4/1/2013	0.001	< 0.001	< 0.001	< 0.01	0.01	0.048
	8/2/2013	0.003	< 0.001	< 0.001	< 0.01	0.01	0.043
	11/12/2013	0.002	< 0.001	< 0.001	< 0.01	0.01	0.037

TABLE 1. WATER-LEVEL AND WATER-QUALITY DATA. (cont'd)

Lucky MC Mine - Pathfinder Mines Corp.

Sample Point Name	Date	As (mg/l)	Be (mg/l)	Cd (mg/l)	Cr (mg/l)	Ni (mg/l)	Se (mg/l)
AL-7	3/26/2014	0.001	0.001	< 0.001	< 0.01	0.02	0.066
	6/6/2014	0.001	< 0.001	< 0.001	< 0.01	0.02	0.059
T1-6	3/24/2011	< 0.001	< 0.010	< 0.010	< 0.05	< 0.05	0.017
	6/8/2011	< 0.001	< 0.010	< 0.010	< 0.05	< 0.05	0.014
	7/7/2011	0.008	---	< 0.005	< 0.05	< 0.05	0.016
	8/18/2011	< 0.001	< 0.010	< 0.010	< 0.05	< 0.05	0.018
	10/20/2011	< 0.001	---	< 0.005	< 0.05	< 0.05	0.040
	11/17/2011	< 0.001	< 0.010	< 0.005	< 0.05	< 0.05	0.029
	3/14/2012	< 0.001	< 0.010	< 0.005	< 0.05	< 0.05	0.021
	5/16/2012	< 0.001	< 0.010	< 0.005	< 0.05	< 0.05	0.011
	8/9/2012	< 0.001	< 0.001	< 0.001	< 0.01	0.01	0.012
	10/10/2012	< 0.001	---	< 0.005	< 0.05	< 0.05	0.048
	11/13/2012	< 0.001	< 0.001	< 0.001	< 0.01	0.02	0.024
	1/22/2013	< 0.001	< 0.001	< 0.001	< 0.01	0.02	0.031
	4/1/2013	0.003	< 0.001	< 0.001	< 0.01	0.02	0.018
	6/17/2013	0.004	---	< 0.005	< 0.05	< 0.05	0.044
	8/2/2013	< 0.001	< 0.001	< 0.001	< 0.01	0.01	0.023
	11/7/2013	< 0.001	< 0.010	< 0.005	< 0.05	< 0.05	0.026
	3/26/2014	< 0.001	< 0.001	< 0.001	< 0.01	0.02	0.021
	5/29/2014	< 0.001	---	< 0.005	< 0.05	< 0.05	0.023
	6/6/2014	< 0.001	< 0.001	< 0.001	< 0.01	0.02	0.022
T1-12	3/24/2011	0.001	< 0.010	< 0.010	< 0.05	0.28	0.265
	6/8/2011	< 0.001	< 0.010	< 0.010	< 0.05	0.27	0.239
	8/18/2011	0.002	< 0.010	< 0.010	< 0.05	0.26	0.260
	11/17/2011	< 0.001	< 0.010	< 0.005	< 0.05	0.19	0.240
	3/14/2012	< 0.001	< 0.010	< 0.005	< 0.05	0.27	0.234
	5/16/2012	< 0.001	< 0.010	< 0.005	< 0.05	0.29	0.197
	8/9/2012	< 0.001	< 0.001	< 0.001	< 0.01	0.26	0.216
	11/13/2012	< 0.001	< 0.001	< 0.001	< 0.01	0.27	0.251
	1/22/2013	0.002	< 0.001	< 0.001	0.02	0.30	0.229
	4/1/2013	0.003	< 0.001	< 0.001	0.01	0.26	0.213
	8/2/2013	< 0.001	< 0.001	< 0.001	0.01	0.30	0.228
	11/12/2013	0.003	< 0.001	< 0.001	< 0.01	0.26	0.217
	3/26/2014	0.002	< 0.001	< 0.001	< 0.01	0.25	0.226
	6/6/2014	< 0.001	< 0.001	< 0.001	< 0.01	0.26	0.235