



February 20, 2013

David Moody
Professional Services Manager
Cameco Resources
Smith Ranch - Highland Operations
762 Ross Road
Douglas, WY 82633

Dear Dave;

Please find enclosed four copies of the *2012 Status Update, Casing Leak Investigation, C, E, and F-Wellfields, Smith Ranch – Highland Operations*. Also included is a CD with pdf files of all the included materials

Sincerely,

A handwritten signature in black ink, appearing to read "Toby Wright", is written in a cursive style.

Toby Wright
President

Cc file

**2012 Status Update
Casing Leak Investigation
C, E and F Wellfields
Smith Ranch-Highland Operations**

Prepared For
**Cameco Resources
Smith Ranch-Highland Operations
P.O. Box 1210
Glenrock, WY 82637**

Prepared By
**Wright Environmental Services Inc.
227 Jefferson Street
Fort Collins, CO 80524**

And
**Telesto Solutions, Inc.
2950 E. Harmony Road, Suite 200
Fort Collins, CO 80528**

February 20, 2013



Environmental Services, Inc.

TABLE OF CONTENTS

| | | |
|------------|---|-----------|
| 1.0 | INTRODUCTION | 1 |
| 2.0 | SUMMARY OF PREVIOUS ACTIVITIES | 2 |
| 3.0 | 2012 FIELD ACTIVITIES TECHNICAL APPROACH | 4 |
| 3.1 | Well Installation | 4 |
| 3.2 | Hydrologic Testing | 4 |
| 3.3 | Shallow Monitoring Well Sampling | 5 |
| 4.0 | HYDROGEOLOGIC CHARACTERISTICS | 6 |
| 4.1 | Geology | 6 |
| 4.2 | Hydrogeology | 6 |
| 5.0 | ASSESSMENT OF WATER QUALITY | 8 |
| 5.1 | Upgradient Water Quality | 8 |
| 5.1.1 | C-Wellfield Water Quality | 9 |
| 5.1.2 | E-Wellfield Water Quality | 10 |
| 5.1.3 | F-Wellfield Water Quality | 10 |
| 6.0 | DISCUSSION..... | 11 |
| 6.1 | C-Wellfield..... | 11 |
| 6.2 | E-Wellfield | 11 |
| 6.3 | F-Wellfield | 12 |
| 7.0 | RECOMMENDATIONS | 13 |
| 8.0 | REFERENCES | 14 |

LIST OF FIGURES

- Figure 1** – Shallow Groundwater Well Locations C-Wellfield
- Figure 2** – Shallow Groundwater Well Locations E-Wellfield
- Figure 3** – Shallow Groundwater Well Locations F-Wellfield
- Figure 4** – C-Wellfield 140 Isopach
- Figure 5** – C-Wellfield 130 Isopach
- Figure 6** – C-Wellfield 120 Isopach
- Figure 7** – C-Wellfield 110 Isopach
- Figure 8** – C-Wellfield 100 Isopach
- Figure 9** – E-Wellfield 140 Isopach
- Figure 10** – E-Wellfield 130 Isopach
- Figure 11** – E-Wellfield 120 Isopach
- Figure 12** – E-Wellfield 110 Isopach
- Figure 13** – E-Wellfield 100 Isopach
- Figure 14** – F-Wellfield 140 Isopach
- Figure 15** – F-Wellfield 130 Isopach
- Figure 16** – F-Wellfield 120 Isopach
- Figure 17** – F-Wellfield 110 Isopach
- Figure 18** – F-Wellfield 100 Isopach
- Figure 19** – C-North Wellfield 140 Sand Potentiometric Surface
- Figure 20** – C-North Wellfield 130 Sand Potentiometric Surface
- Figure 21** – E-Wellfield 140 Sand Potentiometric Surface
- Figure 22** – F-Wellfield 120 Sand Potentiometric Surface
- Figure 23** – North Morton Facilities circa 1980
- Figure 24** – C-North Wellfield 140 Sand Chloride Concentrations
- Figure 25** – C-North Wellfield 130 Sand Chloride Concentrations
- Figure 26** – E-Wellfield 140 Sand Chloride Concentrations
- Figure 27** – F-Wellfield 120 Sand Chloride Concentrations

LIST OF TABLES

- Table 1** – C-Wellfield Shallow Monitoring Wells
- Table 2** – E-Wellfield Shallow Monitoring Wells
- Table 3** – F-Wellfield Shallow Monitoring Wells
- Table 4** – Specific Capacity Values
- Table 5** – C-Wellfield pre-2011 Well Water Quality Data
- Table 6** – C-Wellfield New Well Water Quality Data
- Table 7** – E-Wellfield pre-2011 Well Water Quality Data
- Table 8** – E-Wellfield New Well Water Quality Data
- Table 9** – F-Wellfield pre-2011 Well Water Quality Data
- Table 10** – F-Wellfield New Well Water Quality Data
- Table 11** – MX-2686A Water Quality
- Table 12** – Proposed Wells to Discontinue Monitoring

LIST OF PLATES

- Plate 1** – Wellfield Location Map
- Plate 2** – C-Wellfield Cross Section A-A'
- Plate 3** – C-Wellfield Cross Section B-B'
- Plate 4** – C-Wellfield Cross Section C-C'
- Plate 5** – E-Wellfield Cross Section A-A'
- Plate 6** – E-Wellfield Cross Section B-B'
- Plate 7** – E-Wellfield Cross Section C-C'
- Plate 8** – F-Wellfield Cross Section A-A'
- Plate 9** – F-Wellfield Cross Section B-B'
- Plate 10** – F-Wellfield Cross Section C-C'

LIST OF APPENDICES

APPENDIX A – Monitoring Well Methodology and Completion

APPENDIX B – Short-term Aquifer Testing

APPENDIX C – Shallow Monitor Well Sampling Summary

APPENDIX D – Water Quality Geochemical Analyses

APPENDIX E – Water Quality Graphs

ACRONYMS AND ABBREVIATIONS

| | |
|--------|---|
| AOC | Administrative Order on Consent |
| Cameco | Cameco Resources |
| CLI | casing leak investigation |
| HSU | hydrostratigraphic units |
| LQD | Land Quality Division |
| mg/L | milligrams per liter |
| MIT | mechanical integrity testing |
| PRI | Power Resources, Inc. |
| SRH | Smith Ranch Highland |
| WDEQ | Wyoming Department of Environmental Quality |
| WES | Wright Environmental Services |

1.0 INTRODUCTION

On August 11, 2000, Power Resources, Inc. (PRI) received an Administrative Order on Consent (AOC) from the Wyoming Department of Environmental Quality (WDEQ), Land Quality Division (LQD) in response to a PRI Environmental Audit Report of Highland Uranium Project Wellfields dated November 21, 1999. The AOC required a compliance schedule and permit revision to be submitted within 60 days and submittal of quarterly progress reports until approval to cease was received. Additionally, the AOC required that PRI maintain the mechanical integrity of all operating injection wells. PRI responded to the AOC within the required 60 days on October 19, 2000, by submitting the requested Compliance Schedule and the Minor Permit Revision materials.

PRI, now doing business as Cameco Resources (Cameco), wishes to identify and mitigate potential impacts from the casing leaks and is implementing a sequential approach to accomplish this objective. The initial component of this casing leak investigation (CLI) involved an extensive records review and analysis to identify the hydrostratigraphic units (HSUs) potentially affected by casing failures in the C-, E-, and F-Wellfields (Plate 1) and the areas within these wellfields where these impacts may have occurred. The next component of the CLI involves field studies to determine the extent of the potential impacts in each identified HSU. The final component of this sequential approach will involve mitigation planning and implementation activities for the identified impacts. This report presents a summary of activities conducted between November 2011 and December 2012 to accomplish the following objectives:

- Determine general lithology and saturated thickness, if any, for potentially affected HSUs in each wellfield.
- Determine water quantity and quality in existing shallow monitoring wells.
- Determine upgradient water quality in each potentially affected HSU as a substitute for baseline or background water quality.
- Type water sources (upgradient, historic, current HSU water quality) to characterize differences in water quality and to aid in bounding the impacts to the HSUs. Use characteristics of water quality in each water source to determine impacts to HSUs.
- Utilize data gathered during targeted drilling activities to refine calculations and prepare a systematic plan for determining bounds of impacted HSUs.

2.0 SUMMARY OF PREVIOUS ACTIVITIES

In the proposed Compliance Schedule, PRI outlined investigative and mitigative activities for the C-, E-, and F-Wellfields. These activities included delineating the extent of affected areas, determining background water quality for affected HSUs, and commencing fluid recovery from affected sands. Fluid recovery did occur for the 140 and 130 Sands in areas of the E- and F-Wellfields, respectively. Numerous shallow monitoring wells were installed in the C-, E-, and F-Wellfields in the upper HSUs, predominantly the 140 Sand. PRI and Cameco have sampled these shallow monitoring wells since installation. The number of wells sampled was reduced as the wells became dry or the water quality in the well indicated that water impacted by mining activities was no longer present.

In an effort to ensure that a comprehensive cataloging of wells that failed mechanical integrity testing (MIT) existed for the C-, E-, and F-Wellfields, a review of MIT records at Smith Ranch Highland (SRH) was conducted (Wright Environmental Services [WES], 2011). For the majority of wells, the cause of the MIT failure could be correlated to either a failure of the casing or a failure of the MIT procedure. However, for a percentage of wells the cause of the MIT failure could not be determined. The percentage of wells for which the cause of the MIT failure could not be determined was less than 15 percent in the C- and E-Wellfields and approximately 30 percent in the F-Wellfield.

In addition, the 2011 investigation resulted in the correlation of the interval of compromised casing with a geologic unit, where possible. This correlation allows a more complete understanding of potential impacts to HSUs and in what areas of the wellfields these impacts may have occurred.

The synthesis of MIT and CLI information provided a clearer picture of the HSUs and the potential extent of impacts from injection wells with compromised casing. This allowed the formulation of a conceptual approach to systematically guide the casing leak investigation efforts.

As little information was available on the geology and hydrogeology of the shallow HSUs, simplifying assumptions were made to initially focus the investigation. In an effort to identify a spatial extent of affected area, an analytical approach was developed to calculate radial flow from a well into an unsaturated aquifer. The objective of these calculations was to develop a range of potential distances that fluids may have traveled from a well with compromised casing in a sandstone unit. Simplifying assumptions used for these calculations were as follows.

- Sandstone unit was initially unsaturated
- Sharp wetting front

- Wetting front pressure head is atmospheric pressure
- Well pressure is constant
- Infinite, flat aquifer
- Casing leak height was the width of the aquifer and the leak occurred for seven years

The median calculated flow distance based on the above simplifying assumptions and the assumed permeability and porosity was identified. Half the calculated median radial flow distance fluids may have traveled from a failed well was used as the target for investigating potentially affected HSUs in localized areas in each wellfield (WES, 2011).

3.0 2012 FIELD ACTIVITIES TECHNICAL APPROACH

The recommended approach to additional investigations was to drill a set of targeted boreholes in each wellfield located in an area within the bounds defined by the analytical calculations discussed above. One borehole was drilled to determine the lithology of all potentially affected HSUs in that area. If groundwater was encountered, a well was installed. Other boreholes were drilled into the shallow HSUs identified during the drilling of the first borehole. Wells were installed in each borehole where groundwater was identified. These targeted wells were used to assess the hydrogeology and groundwater quality of the HSUs and refine the analytical calculations. Additional groupings of wells were installed in the southern portion of the F-Wellfield to assess the utility of the analytical approach for targeting CLI well locations. The findings of this delineation investigation would allow a refinement of assumptions to be applied to the delineation of impacted HSUs in all three wellfields.

3.1 Well Installation

During the 2011- 2012 field program, a total of 23 monitoring wells were installed in the C-, E- and F-Wellfields and in two upgradient locations to collect water samples from the HSUs above the production zone (Figures 1-3). At each location, a group of wells, referred to herein as a cluster, were installed to monitor individual sand units. One well cluster was completed in the C-Wellfield with wells completed in the 100, 110, and 120 Sands (Table 1 and Figure 1). One cluster of wells was completed in the E-Wellfield with wells completed in the 110, 120, and 140 Sands (Table 2 and Figure 2). Four well clusters and two individual wells were completed in the F-Wellfield with wells completed in the 110, 120 and 150 Sands (Table 3 and Figure 3). Additionally, clusters were installed outside of the E- and F-Wellfields to obtain upgradient water quality information. Four wells were completed in the 100, 110, 130 and 140 Sands north of the E-Wellfield and two wells were completed in the 110 and 120 Sands north of the F-Wellfield (Figures 2 and 3).

Delineation holes were drilled at each well cluster location to obtain geophysical information, which was used to determine a target depth for monitoring well installations. Monitoring wells were installed to these targeted depths using a dual-rotary rig capable of casing advance. Eventually, a mud-air rotary combination drilling method was employed to more efficiently complete monitoring wells. A complete summary of drilling activities and methodology is presented in Appendix A.

3.2 Hydrologic Testing

Short-term aquifer tests were executed on all newly installed wells. Specific capacity and transient analyses were used to estimate transmissivity and hydraulic conductivity values for all wells sampled during a site-wide sampling program conducted in the

third and fourth quarters of 2012. A detailed summary of aquifer testing procedures is discussed in Appendix B.

3.3 Shallow Monitoring Well Sampling

Approximately 104 wells were installed at SRH prior to 2011. Some of the previously installed wells were no longer sampled after they were either determined to be dry or the water quality was considered to no longer be indicative of the presence of casing leak related impacts. Cameco has conducted quarterly sampling on ten of the existing shallow monitoring wells installed as part of the CLI for several years. Cameco reestablished monitoring of all existing shallow monitoring wells in the third quarter of 2012, including wells installed during 2011 and 2012 to ensure that the current water quality and quantity in areas previously investigated was quantified. A tabulation of wells installed as part of the CLI and the status of each are provided in Tables 1, 2, and 3.

Fifty-one wells were monitored in the C-Wellfield in 2012 (Table 1). A detailed summary of shallow monitor well sampling is discussed in Appendix C. These wells are completed in the 60, 80, 100, 110, 120, 130, 140, and 150 Sands. Six wells were determined to be dry. Two wells exhibited very slow recharge and only one bore volume could be removed before the sample was collected. One other well was determined to be unsampleable because the well recovers less than one foot in 24 hours.

Forty-six wells were monitored in the E-Wellfield in 2012 (Table 2). These wells are completed in the 80, 140, and 150 Sands. Seven wells were determined to be dry. One well exhibited very slow recharge and only one bore volume could be removed before the sample was collected. One other well contained less than 1.5 feet of water and could not be sampled.

Thirty wells were monitored in the F-Wellfield in 2012 (Table 3). These wells are completed in the 100, 110, 120, 130, 140, 150, and 160 Sands. Two wells were determined to be dry and were not sampled. One well was not sampled because it had less than one foot of water in the casing. Additionally, two wells could not be sampled because of well problems that prohibited the pump from working properly.

Several wells have extremely low discharge and require a day to several days to recharge before sampling can be conducted.

4.0 HYDROGEOLOGIC CHARACTERISTICS

An understanding of the geologic framework within the C-, E-, and F-Wellfields was needed to allow a more complete investigation of the potential impacts to the HSUs. Therefore, cross sections and isopach maps were generated for the C-, E-, and F-Wellfields. Three cross sections were developed for each wellfield (Plate 1). Existing injection and production well geophysical logs were interpreted and stratigraphic relationships developed within each wellfield. Every attempt was made to use the existing naming convention previously developed for sand units at the site.

4.1 Geology

A continuous coal seam was identified at depth within most of the geophysical logs and was used as a marker bed for stratigraphic interpretation. In addition, a population of monitoring wells had been installed during the previous CLI work and the sand unit interpretations of this earlier work were incorporated into the current analysis. As a final check, the well defined production zone geophysical signature and sand picks were used to verify the stratigraphic interpretations.

Cross sections are presented in Plates 2 through 10. As shown on the sections, the thicknesses of individual sand units are variable, often laterally discontinuous (pinch-out) and interbedded. The drilling program confirmed this interpretation. Sand units are partially- to fully-indurated, coarse- to fine-grained, with fractional amounts of gravel and fine-grained materials. Fine-grained units are comprised of silt- and clay-sized fractions and often contain bentonite.

Sand unit isopach maps are presented in Figures 4 through 18. Isopachs were created for the 140 to the 100 sand units within C-, E-, and F-Wellfields. The maps illustrate spatial variability within sand units as linear and meandering features that vary in thickness. These features are consistent with a fluvial depositional environment.

4.2 Hydrogeology

Short-term aquifer tests were performed to determine an optimal rate for sampling and estimate aquifer hydraulic properties using the data collected during sampling. Appendix B describes short-term aquifer testing procedures, discusses the analytical methods used to evaluate the data, and presents the results from these analyses. Potentiometric surface maps for the 130 and 140 Sands in the C-Wellfield, the 140 Sand in the E-Wellfield, and the 120 Sand in the F-Wellfield are shown on Figures 19 through 22, respectively.

In general, the uppermost sand units (160 and 150) are unsaturated, highly discontinuous or thinly saturated. During the 2011-2012 CLI drilling, the first partially saturated to saturated HSU was identified in the F-Wellfield as the 120 Sand, in the E-Wellfield as the 140 Sand, and in the C-Wellfield as the 120 Sand. The 140 and 130 sand units, in the vicinity of the newly installed well cluster are unsaturated (C-South area); elsewhere in the C-Wellfield, particularly C-North, the 140 and 130 Sands are partially saturated to saturated.

Constant rate, single well pumping tests were performed on all of the wells installed as part of the 2011-2012 field program. Drawdown data were collected and reduced; and aquifer properties (transmissivity and hydraulic conductivity) were estimated using the Cooper-Jacob method (pumping), Theis Recovery method (recovery), and from specific capacity calculations. The results of hydraulic testing are consistent with literature values for the geologic materials present in the subsurface and are presented in Table 4.

5.0 ASSESSMENT OF WATER QUALITY

The 2012 water quality data is provided in Tables 5 through 10. A more detailed discussion of the shallow sand unit water quality in the SRH C-, E- and F-Wellfields is provided in Appendix D. The water quality analysis identified that water in the C-North Wellfield is different in composition from water in the the C-South, E-, and F-Wellfields and has different water quality signature from the water quality of purge storage reservoir 2 (PSR-2) between 1995 and the present. The water quality in several of the wells completed in the 130 and 140 Sands of the C-North Wellfield appears to have been influenced by multiple sources.

Chloride concentrations greater than 20 milligrams per liter (mg/L) have routinely been viewed by Cameco as indicative of impacts from facility operations. The upgradient water quality indicates that this cutoff is reasonable for assessing significant water quality impacts. Water quality time trend plots are provided in Appendix E.

5.1 Upgradient Water Quality

Four wells were installed upgradient of the C- and E-Wellfields and two wells were completed upgradient of the F-Wellfield to gather information on the likely water quality of the shallow HSUs (Figures 2 and 3). The reported combined radium and adjusted gross alpha concentrations in CBG-1 exceeded WDEQ Water Quality Division, Rules and Regulations, Chapter 8, Table I Livestock (Class III) Standards in the samples collected in June and August 2012 (Table 6). Adjusted gross alpha and radium concentrations exceeded livestock standards (Class III) in the June and August samples of FBG-1 (Table 10). All other parameters meet the WDEQ/WQD Class I and Class III standards. Chloride concentrations in the upgradient wells are less than 10 mg/L in all samples collected in 2012. The reported sulfate concentrations for these background wells were less than 250 mg/L.

During previous work on the CLI, PRI reviewed available baseline water quality (PRI, 2000a) and determined that the water in the shallow sand units met Class III groundwater standards. However, a historic well, MX-2686A, installed in 1972 prior to in-situ recovery under the current permit to mine, and likely completed in the 130 Sand has high sulfate concentrations (Table 11). Sulfate concentrations in this well are higher than those reported for other areas of the C-Wellfield, higher than the average PSR-2/Irrigator values from 1995 to the present (Appendix D), and higher than lixiviant values (PRI, 2000b). This well was located near former North Morton Mine radium ponds (Figure 23). The 1980 aerial photo (Figure 23) shows the location of former North Morton Mine facilities, radium ponds and a large pond in the footprint of PSR-2, to the north. For ease of viewing, the current C-Wellfield is shown on the aerial.

The range of available upgradient and baseline water quality indicates that the class of use is variable spatially, both vertically and laterally and varies between exceeding Class III and meeting Class I Standards. Water quality of the shallow HSUs can vary from Class I in areas with no radionuclide deposition, to Class III in areas near radionuclide deposition, to less than Class III in areas of uranium mineralization and where historic conventional mining activities have occurred. Establishing a single baseline class of use for all shallow HSUs at SRH is problematic due to presence of abundant and sporadic natural mineralization.

5.1.1 C-Wellfield Water Quality

Chloride concentrations greater than 20 mg/L were reported in thirty wells in the C-Wellfield. These wells are completed in the 130 and 140 Sands and chloride concentrations ranged from 21 to 349 mg/L. A map of the chloride isoconcentrations in the 130 and 140 Sands are provided as Figure 24 and 25, respectively. Chloride concentrations generally decrease from north to south across the C-North Wellfield in both the 130 and 140 Sands. The distribution of these data are consistent with the anticipated groundwater flow and constituent transport given the 140 sand isopach presented in Figure 4. Time series water quality data plots presented in Appendix E indicate that several shallow C-North Wellfield wells completed in the 130 and 140 Sands show increasing chloride trends.

As discussed in Appendix D, the stiff diagrams of the wells in C-North look different from those in C-South. In particular, calcium, chloride, magnesium and sulfate constitute higher proportions of the waters at the C-North end of the wellfield for the wells completed in the 130 and 140 sands (Figure D-4). Comparing the stiff diagrams of the 130 and 140 sands to a proxy for the PSR-2 water quality and the water quality of CBG-4, which was completed in the 140 Sand, the stiff diagrams of the water quality in the C-North Wellfield show a similarity of the shape of the PSR-2 stiff diagram. However, several of the stiff diagrams for the 140 Sand have a higher proportion of sulfate than the PSR-2 proxy, indicating pre-ISR mining impacts to local and shallow groundwater from another source(s), such as the North Morton radium ponds and the larger North Morton Mine pond footprint on which PSR-2 now resides.

Data from the C-North Wellfield were plotted based on the sand association of the 140 and 130 sands along with the upgradient (CBG) well concentrations, the average water quality data collected from the irrigator (land application of treated waters), to represent the chemistry of PSR-2 and a water sample from a well drilled prior to in-situ mining (MX-2686A). The plots show the proxy for PSR-2 is higher in concentration for selenium and uranium than the C-North wells completed in the 140 and 130 Sands (Figure D-13). Almost all of the 140 and 130 sand samples are higher in sulfate than the average proxy PSR-2 and lixiviant (Table 1, PRI, 2000b) indicating the sulfate concentrations are unlikely the result of PSR-2 or impacts from casing leaks. Sulfate concentrations for the well MX-2686A are higher than those measured

in the C-North well samples indicating impacts to groundwater from historic mining operations before in-situ recovery operations began at SRH.

Comparing sand units across wellfields indicates that samples from wells in the 130 and 140 sands from the southern portion of C-Wellfield are more similar in chemistry to E-Wellfield 140 Sand water quality than to the 130 and 140 Sand water quality in northern part of C-Wellfield (Figure D-11).

5.1.2 E-Wellfield Water Quality

Elevated chloride concentrations were reported in twelve wells in the E-Wellfield. These wells are completed in the 120, 140 and 146 Sands and chloride concentrations ranged from 22 to 104 mg/L. A map of the chloride isoconcentrations in the 140 Sand is provided as Figure 26. Elevated chloride concentrations are localized in the E-wellfield.

The three sample locations in the E-Wellfield with the highest concentrations of sulfate and chloride are E6-2, E10-5 and E14-2. The three locations are not in close proximity and other sample locations with water quality with different chemical signatures are located between these wells. The stiff diagrams show the chemistry at these locations is different from adjacent wells (Figure D-5). The stiff diagram pattern indicates these changes in well chemistry appear to be localized differences and not related to a phenomenon that is wellfield-wide in scale. These water quality evaluations provide additional data indicating that impacts from casing leaks are limited and localized in the areas of E-Wellfield investigated to date.

5.1.3 F-Wellfield Water Quality

Elevated chloride concentrations were reported in six of the thirty wells sampled in the F-Wellfield. The chloride concentrations reported in these wells ranged from 20 to 168 mg/L. These six wells are completed in the 120, 140, and 160 Sands. A map of the chloride isoconcentrations in the 120 Sand is provided as Figure 27. Chloride concentrations in the 120 Sand (Figure 27) and in the 140 Sand indicate that impacts from casing leaks are limited and localized in areas of the F-Wellfield investigated to date.

Samples collected from the F-Wellfield show a definite trend of chemistry with spatial location. The stiff diagrams show wells in the western portion of F-Wellfield that are completed in the 120 Sand have a much higher proportion of sulfate than the other sand units (Figure D-6). In general, no other water chemistry distinctions can be determined for the F-Wellfield. These water quality evaluations provide additional data indicating that impacts from casing leaks are limited and localized in the F-Wellfield.

6.0 DISCUSSION

Monitoring wells were installed in portions of the C-, E-, and F-Wellfields where previous MIT failures had occurred but no water quality data were available. The resulting characterization data indicated that not all sand units are saturated and that impacts to sand units did not occur in every location of MIT failures. Geologic interpretation and generation of isopachs and cross sections provides a framework for guiding further investigations in the C-, E-, and F-Wellfields. Review of the water quality data available for shallow C-North wells indicates the influence of sources other than casing leaks on the water quality in this area.

6.1 C-Wellfield

The 130 and 140 sands are 20 to 40 feet thick and are well defined laterally throughout the C-Wellfield (Plate 2). The 110 and the 100 sand in this well field are less defined with the 110 Sand pinching out to the north into thin, less than ten feet thick, sand lenses within shale (Plate 4). The 100 Sand is thickest on the southern and the southwestern margins of the field but this sand decreases in thickness and uniformity toward the middle of the C-Wellfield and then reestablishes in C-north.

Water quality samples from wells completed in the 130 and 140 Sands in the northern portion of C-Wellfield have higher proportions of chloride and sulfate compared to the sands in the southern portion of the C-Wellfield. Wells completed in the 130 and 140 Sands of C-North appear to have water quality indicative of more than one source. Wells near PSR-2 have higher sulfate concentrations than reported in the water quality data available for the irrigator/PSR-2 (Figure D-16) and higher than other wells in C-South and E-Wellfields that are attributed to casing leak impacts. Additionally, wells farther from PSR-2 but near the previous locations of historic mining ponds show similar high sulfate concentrations. Wells with elevated sulfate concentrations seem to indicate impacts to the shallow HSUs from historic mining activity.

The chloride and sulfate concentrations decrease from northeast to southwest in the C-North Wellfield. However, isolated areas of elevated chloride and sulfate occur near the location of historic mining ponds. Differences in water quality in the 130 and 140 Sands appear between the wells of the C-North Wellfield. Vertical extent of the impacts visible in the 130 and 140 Sands has not yet been defined below the 130 Sand.

6.2 E-Wellfield

The 100 Sand is largely continuous in the western portion of the E-Wellfield and pinches out moving to the east. This sand completely pinches out in the northeastern portion of the E-Wellfield (Plate 6). Channelization is apparent in the 120 and the 130

Sands (Figures 10 and 11). The 120 Sand in the E-wellfield shows laterally discontinuous and thin sand lenses. The 130 Sand thickens and becomes more continuous in the northern portion of the E-Wellfield. This sand forms a channel in this region down-cutting into the 120 Sand (Plate 6). Surface elevations vary across this wellfield with highest elevations in the middle of the wellfield, thus it is in this area that the 150 and 160 Sands are the most apparent.

Water chemistry in the E-Wellfield indicates that the impacts from casing leaks are localized and do not appear to be widespread. PRI pumped the 140 Sand in the E-Wellfield between 1999 and 2005. These corrective actions have decreased the chloride concentrations in the western portion of this E-Wellfield, however elevated chloride remains in a few locations. No wells in the southern portion of the E-Wellfield contain elevated chloride concentrations.

6.3 F-Wellfield

Within the F-Wellfield, sand units are identifiable and present with the 160 Sand at or near the surface and the 100 Sand approximately 350 feet below ground surface. The lateral variations of the sands within the F-Wellfield show an increase in thickness from east to west. As well as thickening to the west, the 140, 130, and the 120 Sands merge into a large approximately 125 foot thick sand unit (Plate 8). The sands below and above this large interconnected package are generally discontinuous across the wellfield.

Water chemistry in the F-Wellfield indicates that the impacts from casing leaks are localized and do not appear to be widespread. PRI pumped the 140 Sand in the F-Wellfield between 2001 and 2003. Elevated chloride has been identified in the 120 Sand in the F-Wellfield. The 130 and 140 Sands in this area are not saturated and the 120 Sand was the first available water in the western portion of this wellfield.

7.0 RECOMMENDATIONS

The generation of wellfield geologic cross-sections and isopach maps have improved understanding of the geology of the C-, E-, and F-Wellfields. These isopachs, cross-sections and available water quality data can be used to guide the continuing CLI for the remaining areas of the C-, E-, and F-Wellfields. In the E- and F-Wellfields, elevated chloride concentrations are frequently identified where the sands are thicker. Below are recommendations for consideration in 2013 for the CLI.

Additional well clusters are recommended in the C-South, E-, and F-Wellfields in areas where identified chloride concentrations have been identified and in areas where known failures have occurred but no shallow monitoring wells are currently located.

The current drilling/well completion method of mud-rotary drilling to a depth above the zone targeted for well completion, cementing of a surface casing and then air rotary drilling to final drill hold depth provides an efficient means for well completion. This method should be continued for remaining areas of the C-, E-, and F-Wellfields.

Currently, the vertical and horizontal boundary of impacts in the C-North Wellfield is not known. Additional drilling should occur on the margins of the C-North Wellfield and to depths below the 130 Sand to bound impacts in this area.

Additional aquifer testing in C-North after the installation of wells in HSUs below the 130 Sand are recommended to provide useful information on the nature of fluid movement in this area.

Water quality data indicate multiple sources for the impacts identified in the C-North Wellfield. Additional drilling, water quality sampling, and historic data review will likely aid in further understanding and distinguishing these sources and their impacts.

The lack of variability in the per well quarterly sampling results indicates that quarterly sampling of shallow monitoring wells is not required. It is recommended that shallow monitoring well sampling occur twice per year with the full suite of analytes (Guideline 8) collected in the second half of the year and the short suite of analytes collected in the first half of the year. Additionally, 37 wells are dry, have low recharge or cannot be sampled. Dropping these wells (Table 12) from the sampling program is recommended. If ongoing CLI activities indicate that additional data are needed in the areas near these wells, recommendations as to resume monitoring, redrilling or reinstallation could be made at that time.

8.0 REFERENCES

Power Resources, Inc. 2000a. Letter from Bill Kearney to John Wagner, Permit 603-A2, Administrative Order on Consent (Docket no. 3211-00) Compliance Schedule, October 19, 2000.

Power Resources, Inc. 2000b. Letter from Bill Kearney to John Wagner, Permit to Mine No. 603, Highland Uranium Project Quarterly Report, July to September 2000, November 2, 2000.

Wright Environmental Services, Inc. 2011. Status Update: Casing Leak Investigation C-, E- and F-Wellfields. Highland Uranium Project.

FIGURES

LEGEND

- SHALLOW MONITORING WELL
- CLI MONITORING WELL CLUSTER
- WELLFIELD PATTERN
- - - PERMIT BOUNDARY
- SECTION LINE
- MONITOR WELL RING

N 887500.00
E 388500.00

N 887500.00
E 392500.00

SECTION 11, T 36N, R 73W
SECTION 14, T 36N, R 73W

SECTION 14, T 36N, R 73W
SECTION 13, T 36N, R 73W

N 884500.00
E 392500.00

N 883000.00
E 386000.00

PERMIT BOUNDARY

14

1

C WELLFIELD (NORTH)

C WELLFIELD (SOUTH)

● C22-2
● C22-3
● C22-4



COORDINATES
STATE PLANE, WYOMING
EAST, FEET


1/3/2013 R:\Highland_Smith_Ranch\MTI_Investigation\Calculations\AutoCad\2010-CL-YEARLY-REPORT\WELLS_MONITORING.dwg

| | |
|---------------------------|--------------------|
| PROJECT: 386200 | TASK: 07 |
| PREPARED BY: | |

**FIGURE 1
SHALLOW GROUNDWATER WELL LOCATIONS
C-WELLFIELD**

PREPARED FOR:

Cameco Resources




1/31/2013 R:\Highland_Smith_Ranch\MTI_Investigation\Calculations\AutoCad\2010-CLL-YEARLY-REPORT\WELLS_MONITORING.dwg

| | |
|---------------------------|--------------------|
| PROJECT: 386200 | TASK: 07 |
| PREPARED BY: | |

**FIGURE 2
SHALLOW GROUNDWATER WELL LOCATIONS
E-WELLFIELD**

Cameco Resources

1/31/2013 R:\Highland_Smith_Ranch\MTI_Investigation\Calculations\AutoCad\2010-CL-YEARLY-REPORT\WELLS_MONITORING.dwg




| | |
|---------------------------|--------------------|
| PROJECT: 386200 | TASK: 07 |
| PREPARED BY: | |

**FIGURE 3
SHALLOW GROUNDWATER WELL LOCATIONS
F-WELLFIELD**

Cameco Resources

Path: R:\Highland_Ranch\MTI_Investigation\Products\Reports\2012_CLI_Report\Figures\C_North_Isopach.mxd



| Legend | |
|----------|---------------------------|
| ⊕ | Existing Monitoring Wells |
| — | Wellfield Boundary |
| - - - | Production Pattern |
| 0 - 5.4 | 140 Isopach (ft) |
| 5.5 - 11 | |
| 12 - 17 | |
| 18 - 22 | |
| 23 - 28 | |





FIGURE 4
C-WELLFIELD 140 ISOPACH

| | | |
|-------------------|------------|---------------|
| PROJECT 386200 | TASK 11 | PREPARED FOR: |
| PREPARED BY: | | |



Legend

| | |
|-----------------------------|------------------|
| ⊕ Existing Monitoring Wells | 130 Isopach (ft) |
| ⊕ Wellfield Boundary | 5.3 - 8.6 |
| ⊕ Production Pattern | 8.7 - 16 |
| | 17 - 21 |
| | 22 - 27 |
| | 28 - 34 |





FIGURE 5
C-WELLFIELD 130 ISOPACH

| | |
|--|------------|
| PROJECT 386200 | TASK 11 |
| PREPARED BY Wright Environmental Services, Inc. | |

| |
|--------------------------------------|
| PREPARED FOR Cameco Resources |
|--------------------------------------|

Path: <dyn type="int" property="path">

Path: R:\Highland\Investigation\Products\Reports\2012_CLI_Report\Figures\C_North_Isopach.mxd



| Legend | |
|----------|---------------------------|
| ⊕ | Existing Monitoring Wells |
| — | Wellfield Boundary |
| — | Production Pattern |
| 3.9 - 13 | 120 Isopach (ft) |
| 14 - 22 | |
| 23 - 30 | |
| 31 - 39 | |
| 40 - 48 | |





FIGURE 6
C-WELLFIELD 120 ISOPACH

| | |
|-----------------|----------|
| PROJECT: 386200 | TASK: 11 |
| PREPARED BY: | |

| |
|-----------------------------------|
| PREPARED FOR: Cameco Resources |
|-----------------------------------|

Path: R:\Highland\Investigation\Products\Reports\2012_CLI_Report\Figures\C_North_Isopach.mxd



| Legend | |
|----------|---------------------------|
| ⊕ | Existing Monitoring Wells |
| — | Wellfield Boundary |
| — | Production Pattern |
| 0 - 6.6 | 110 Isopach (ft) |
| 6.7 - 14 | |
| 15 - 21 | |
| 22 - 33 | |
| 34 - 45 | |





FIGURE 7
C-WELLFIELD 110 ISOPACH

| | |
|-------------------|------------|
| PROJECT 386200 | TASK 11 |
| PREPARED BY | |

| |
|-------------------|
| PREPARED FOR: |
|-------------------|

Path: R:\Highland Ranch\MTI_Investigation\Products\Reports\2012_CLI_Report\Figures\C_North_Isopach.mxd



| Legend | |
|------------------|---------------------------|
| ⊕ | Existing Monitoring Wells |
| — | Wellfield Boundary |
| — | Production Pattern |
| 100 Isopach (ft) | |
| Yellow | 1.6 - 9.5 |
| Light Green | 9.6 - 14 |
| Medium Green | 15 - 19 |
| Dark Green | 20 - 25 |
| Dark Blue | 26 - 31 |





FIGURE 8
C-WELLFIELD 100 ISOPACH

| | | | |
|-------------|--------|------|----|
| PROJECT | 386200 | TASK | 11 |
| PREPARED BY | | | |

| | |
|--------------|--|
| PREPARED FOR | |
|--------------|--|



| Legend | |
|--------------|---------------------------|
| ⊕ | Monitoring Wells |
| - - - | Wellfield Boundary |
| — | Production Pattern |
| Yellow | 140 Isopach (ft) 3.4 - 19 |
| Light Green | 20 - 30 |
| Medium Green | 31 - 40 |
| Dark Green | 41 - 49 |
| Blue | 50 - 60 |


0 160320 640 Feet



FIGURE 9
E-WELLFIELD 140 ISOPACH

| | |
|--|------------|
| PROJECT 386200 | TASK 11 |
| PREPARED BY Wright Environmental Services, Inc. | |

| |
|---|
| PREPARED FOR: Cameco Cameco Resources |
|---|



| Legend | |
|--------|-----------------------------|
| | Monitoring Wells |
| | Wellfield Boundary |
| | Production Pattern |
| | 130 Isopach (ft) 0 - 9.6 |
| | 9.7 - 15 |
| | 16 - 22 |
| | 23 - 30 |
| | 31 - 40 |

0 160320 640 Feet




FIGURE 10
E-WELLFIELD 130 ISOPACH

| | |
|-------------------|------------|
| PROJECT 386200 | TASK 11 |
| PREPARED BY | |

| |
|--------------------------------------|
| PREPARED FOR Cameco Resources |
|--------------------------------------|

Path: R:\Highland_Ranch\MTI_Investigation\Products\Reports\2012_CLI_Report\Figures\E_Isopach.mxd



Path: R:\Highland_Ranch\MTI_Investigation\Products\Reports\2012_CLI_Report\Figures\E_Isopach.mxd



| Legend | |
|--------|-----------------------------|
| | Monitoring Wells |
| | Wellfield Boundary |
| | Production Pattern |
| | 120 Isopach (ft) 2.8 - 5 |
| | 5.1 - 10 |
| | 11 - 20 |
| | 21 - 30 |
| | 31 - 40 |

0 160 320 640 Feet



FIGURE 11
E-WELLFIELD 120 ISOPACH

| | | |
|-------------------|------------|--------------|
| PROJECT 386200 | TASK 11 | PREPARED FOR |
| PREPARED BY | | |



| Legend | |
|--------|--------------------|
| | Monitoring Wells |
| | Wellfield Boundary |
| | Production Pattern |
| | 110 Isopach (ft) |
| | 5.7 - 10 |
| | 11 - 20 |
| | 21 - 40 |
| | 41 - 60 |
| | 61 - 80 |





FIGURE 12
E-WELLFIELD 110 ISOPACH

| | |
|-------------------|------------|
| PROJECT 386200 | TASK 11 |
| PREPARED BY | |

| |
|------------------|
| PREPARED FOR |
|------------------|

Path: R:\Highland\Investigation\Products\Reports\2012_CLI_Report\Figures\E_Isopach.mxd



| Legend | | 100 Isopach (ft) | |
|--------|--------------------|------------------|----------|
| | Monitoring Wells | | 3.8 - 10 |
| | Wellfield Boundary | | 11 - 16 |
| | Production Pattern | | 17 - 20 |
| | | | 21 - 30 |
| | | | 31 - 40 |





FIGURE 13
E-WELLFIELD 100 ISOPACH

| | |
|-------------------|------------|
| PROJECT 386200 | TASK 11 |
| PREPARED BY | |

| |
|---------------------------------------|
| PREPARED FOR: Cameco Resources |
|---------------------------------------|

Path: R:\Highland_Ranch\MTI_Investigation\Products\Reports\2012_CLI_Report\Figures\E_isopach.mxd

Path: R:\Highland_Ranch\MTI_Investigation\Products\Reports\2012_CLI_Report\Figures\F_modified_Isopach.mxd





| | F 140 Isopach (ft) |
|--------------------|--------------------|
| Monitoring Wells | |
| Wellfield Boundary | 8.4 - 23 |
| Production Pattern | 24 - 30 |
| | 31 - 37 |
| | 38 - 48 |
| | 49 - 76 |

0 160 320 640 Feet



FIGURE 14
F-WELLFIELD 140 ISOPACH

| | | |
|-----------------|----------|---------------|
| PROJECT: 386200 | TASK: 11 | PREPARED FOR: |
| PREPARED BY: | | |



| Symbol | Monitoring Wells | F 130 Isopach (ft) |
|--------|--------------------|--------------------|
| ⊕ | Monitoring Wells | 4.9 - 22 |
| - - - | Wellfield Boundary | 23 - 30 |
| □ | Production Pattern | 31 - 37 |
| | | 38 - 45 |
| | | 46 - 64 |

0 160320 640 Feet




FIGURE 15
F-WELLFIELD 130 ISOPACH

| | | |
|-------------------|------------|--------------|
| PROJECT 386200 | TASK 11 | PREPARED FOR |
| PREPARED BY | | |

Path: R:\Highland_Ranch\MTI_Investigation\Products\Reports\2012_CLJ_Report\Figures\F_modified_Isopach.mxd

Path: R:\Highland\Investigation\Products\Reports\2012_CLI_Report\Figures\F_modified_Isopach.mxd



| Legend | |
|--------------------|--------------------|
| | Monitoring Wells |
| | Wellfield Boundary |
| | Production Pattern |
| F 120 Isopach (ft) | |
| | 5.1 - 18 |
| | 19 - 25 |
| | 26 - 32 |
| | 33 - 38 |
| | 39 - 53 |





FIGURE 16
F-WELLFIELD 120 ISOPACH

| | | |
|-------------------|------------|--------------|
| PROJECT 386200 | TASK 11 | PREPARED FOR |
| PREPARED BY | | |



| Legend | |
|--------|--------------------|
| | Monitoring Wells |
| | Wellfield Boundary |
| | Production Pattern |
| | F 110 Isopach (ft) |
| | 5.8 - 21 |
| | 22 - 34 |
| | 35 - 47 |
| | 48 - 63 |
| | 64 - 93 |





FIGURE 17
F-WELLFIELD 110 ISOPACH

| | | |
|-------------------|------------|--------------|
| PROJECT 386200 | TASK 11 | PREPARED FOR |
| PREPARED BY | | |

Path: <dyn type="ent" property="path"/>



| Legend | |
|--------|--------------------|
| | Monitoring Wells |
| | Wellfield Boundary |
| | Production Pattern |
| | F 100 Isopach (ft) |
| | 3.6 - 13 |
| | 14 - 18 |
| | 19 - 24 |
| | 25 - 31 |
| | 32 - 57 |


0 160 320 640 Feet



FIGURE 18
F-WELLFIELD 100 ISOPACH

| | | |
|-----------------|----------|---------------|
| PROJECT: 386200 | TASK: 11 | PREPARED FOR: |
| PREPARED BY: | | |

Path: <dyn type="parent" property="path"/>



Legend

Shallow Monitoring Wells

- 160 Sand
- 150 Sand
- 146 Sand
- 140 Sand
- 130 Sand
- 120 Sand
- 110 Sand
- 100 Sand
- 80 Sand
- 60 Sand
- MX-2686A

- Monitor Well Pattern
- Monitor Well Ring
- North Morton Ponds
- 140 Sand Potentiometric Surface





Figure 19
C-North Wellfield 140 Sand
Potentiometric Surface

| | | |
|-------------------|------------|----------------------|
| PROJECT 386200 | TASK 11 | PREPARED FOR |
| PREPARED BY | | Cameco Resources |



Legend

Shallow Monitoring Wells

- ◆ 160 Sand
- ◆ 150 Sand
- ◆ 146 Sand
- ◆ 140 Sand
- ◆ 130 Sand
- ◆ 120 Sand
- ◆ 110 Sand
- ◆ 100 Sand
- ◆ 80 Sand
- ◆ 60 Sand
- ◆ MX-2686A

- Monitor Well Pattern
- Monitor Well Ring
- North Morton Ponds
- 130 Sand Potentiometric Surface





Figure 20
C-North Wellfield 130 Sand
Potentiometric Surface

| | | |
|-------------------|------------|--------------|
| PROJECT 386200 | TASK 11 | PREPARED FOR |
| PREPARED BY | | |



Legend

Shallow Monitoring Wells

- ◆ 160 Sand
- 150 Sand
- ◆ 146 Sand
- ◆ 140 Sand
- ◆ 130 Sand
- ◆ 120 Sand
- ◆ 110 Sand
- ◆ 100 Sand
- ◆ 80 Sand
- ◆ 60 Sand

- Monitor Well Pattern
- Monitor Well Ring
- 140 Sand Potentiometric Surface





Figure 21
E-Wellfield 140 Sand
Potentiometric Surface

| | | |
|-------------------|------------|---------------|
| PROJECT 386200 | TASK 11 | PREPARED FOR: |
| PREPARED BY: | | |



Legend

Shallow Monitoring Wells

- 160 Sand
- 150 Sand
- 146 Sand
- 140 Sand
- 130 Sand
- 120 Sand
- 110 Sand
- 100 Sand
- 80 Sand
- 60 Sand

— Monitor Well Pattern

— Monitor Well Ring

— 120 Sand Potentiometric Surface




Figure 22
F-Wellfield 120 Sand
Potentiometric Surface

| | | |
|-------------------|------------|--------------|
| PROJECT 386200 | TASK 11 | PREPARED FOR |
| PREPARED BY | | |



Legend

- ◆ MX-2686A
- Monitor Well Pattern
- Monitor Well Ring
- North Morton Ponds

Figure 23
North Morton Facilities
circa 1980


0 550 1,100 Feet



| | |
|-------------------|------------|
| PROJECT 386200 | TASK 11 |
| PREPARED BY | |

PREPARED FOR:

Cameco
Cameco Resources



Legend

Shallow Monitoring Wells

- ◆ 160 Sand
- ◆ 150 Sand
- ◆ 146 Sand
- ◆ 140 Sand
- ◆ 130 Sand
- ◆ 120 Sand
- ◆ 110 Sand
- ◆ 100 Sand
- ◆ 80 Sand
- ◆ 60 Sand
- ◆ MX-2686A

- Monitor Well Pattern
- Monitor Well Ring
- ▭ North Morton Ponds
- 140 Sand Chloride Isoconcentrations





Figure 24
C-North Wellfield 140 Sand Chloride Concentrations

| | | |
|-------------------|------------|--------------|
| PROJECT 386200 | TASK 11 | PREPARED FOR |
| PREPARED BY | | |



Legend

Shallow Monitoring Wells

- ◆ 160 Sand
- ◆ 150 Sand
- ◆ 146 Sand
- ◆ 140 Sand
- ◆ 130 Sand
- ◆ 120 Sand
- ◆ 110 Sand
- ◆ 100 Sand
- ◆ 80 Sand
- ◆ 60 Sand
- ◆ MX-2686A

- 130 Sand Chloride Isoconcentrations
- Monitor Well Pattern
- Monitor Well Ring
- North Morton Ponds





Figure 25
C-North Wellfield 130 Sand Chloride Concentrations

| | | |
|-------------------|------------|---------------|
| PROJECT 386200 | TASK 11 | PREPARED FOR: |
| PREPARED BY: | | |



Legend

Shallow Monitoring Wells

- ◆ 160 Sand
- ◆ 150 Sand
- ◆ 146 Sand
- ◆ 140 Sand
- ◆ 130 Sand
- ◆ 120 Sand
- ◆ 110 Sand
- ◆ 100 Sand
- ◆ 80 Sand
- ◆ 60 Sand


- Monitor Well Pattern
- Monitor Well Ring
- 140 Sand Chloride Isoconcentrations

Figure 26
E-Wellfield 140 Sand
Chloride Concentrations

| | | |
|-------------------|------------|---------------|
| PROJECT 386200 | TASK 11 | PREPARED FOR: |
| PREPARED BY: | | |

0 500 1,000 Feet





Legend

Shallow Monitoring Wells

- ◆ 160 Sand
- ◆ 150 Sand
- ◆ 146 Sand
- ◆ 140 Sand
- ◆ 130 Sand
- ◆ 120 Sand
- ◆ 110 Sand
- ◆ 100 Sand
- ◆ 80 Sand
- ◆ 60 Sand

— Monitor Well Pattern

□ Monitor Well Ring




Figure 27
F-Wellfield 120 Sand
Chloride Concentrations

| | | |
|-------------------|------------|---------------|
| PROJECT 386200 | TASK 11 | PREPARED FOR: |
| PREPARED BY: | | |

TABLES

Table 1 C-Wellfield Shallow Monitoring Wells

| Well | Drilled TD (ft) | Measured TD From TOC (ft) | DTW from TOC (ft) | Pump Type | Comments |
|-------|-----------------|---------------------------|-------------------|------------|---|
| C1-1 | 80.0 | 79.8 | 48.8 | Redi Flow2 | |
| C1-2 | 85.0 | 84.6 | 51.72 | Redi Flow2 | |
| C1-3 | 110.0 | 111.5 | 79.45 | Redi Flow2 | |
| C1-4 | 75.0 | 79.25 | 46.72 | Redi Flow2 | |
| C1-5 | 79.5 | 79.47 | 47.47 | Redi Flow2 | |
| C1-6 | 85.0 | 85.75 | 52.44 | Redi Flow2 | |
| C2-1 | 70.0 | 72.88 | 60.36 | Redi Flow2 | |
| C2-2A | 112.0 | 108.5 | 57.98 | Redi Flow2 | |
| C3-1 | 70.0 | 71.93 | 58.5 | Redi Flow2 | |
| C3-2A | 120.0 | 112.57 | 57.21 | Redi Flow2 | |
| C3-3 | 70.0 | 71.9 | 63.15 | Redi Flow2 | |
| C3-4 | 125.0 | 128.2 | 82.09 | Redi Flow2 | |
| C3-5 | 60.0 | 62.72 | 57.41 | Bailed | |
| C4-1 | 70.0 | 71.7 | 70.02 | -- | Unsampleable (recharge 0.06ft in 24hrs) |
| C4-2A | 120.0 | 113.5 | 59.54 | Redi Flow2 | |
| C4-3 | 65.0 | 66.8 | 57.39 | Redi Flow2 | |
| C4-5 | 120.0 | 121.94 | 90.85 | Redi Flow2 | Sample after 1 porevolume |
| C5-1 | 70.0 | 71.8 | 64.1 | Redi Flow2 | |
| C5-2 | 75.0 | 76.9 | 73.15 | Bailed | |
| C5-3 | 130.0 | 131.75 | 91.96 | Redi Flow2 | |
| C5-4 | 25.0 | 20.25 | Dry | -- | Dry |
| C5-5 | 130.0 | 128.5 | 77.4 | Redi Flow2 | |
| C5-6 | 265.0 | 257.68 | 106.44 | Redi Flow2 | |
| C6-1 | 75.0 | 76.81 | 72.22 | Bailed | |
| C6-2 | 125.0 | 126.75 | 99.62 | Redi Flow2 | |
| C6-3 | 350.0 | 335.5 | 133.81 | Redi Flow2 | |
| C6-4 | 130.0 | 133.15 | 94.41 | Redi Flow2 | |
| C8-1 | 60.0 | 61.4 | 60.99 | -- | Dry |
| C8-2 | 25.0 | 15.7 | dry | -- | Dry |
| C8-3 | 160.0 | 160.4 | 107.11 | Redi Flow2 | |
| C9-1 | 25.0 | 19.98 | Dry | -- | Dry |
| C9-2 | 145.0 | 146.2 | 104.61 | Redi Flow2 | |
| C11-1 | 140.0 | 135.6 | 95.91 | Redi Flow2 | |
| C11-2 | 145.0 | 146.5 | 107.27 | Redi Flow2 | |
| C11-4 | 140.0 | 141.05 | 104.48 | Redi Flow2 | |

Table 1 C-Wellfield Shallow Monitoring Wells

| Well | Drilled TD (ft) | Measured TD From TOC (ft) | DTW from TOC (ft) | Pump Type | Comments |
|--------|-----------------|---------------------------|-------------------|---------------|---------------------------|
| C11-5 | 145.0 | 146.02 | 65.15 | Redi Flow2 | |
| C11-6 | 80.0 | 84.02 | 72.88 | Redi Flow2 | Sample after 1 porevolume |
| C12-1 | 525.0 | 525 | 347.61 | Dedicate Pump | |
| C14-3 | 150.0 | 154.69 | 123.98 | Redi Flow2 | |
| C16-1 | 20.0 | 22.6 | Dry | -- | Dry |
| C17-1 | 108.0 | 109.75 | 97.63 | Redi Flow2 | |
| C18-1 | 60.0 | 63.81 | 62.97 | -- | Dry |
| C20-1 | 45.0 | 47.5 | 44.51 | Bailed | |
| C22-1 | 265.0 | 268.75 | 97.05 | Redi Flow2 | |
| C22-2 | 224.0 | 222.5 | 99.4 | Dedicate Pump | |
| C22-3 | 191.0 | 186.3 | 99.81 | Dedicate Pump | |
| C22-4 | 259.0 | 254.3 | 102.4 | Dedicate Pump | |
| CBG-01 | 303.0 | 299.8 | 111.75 | Dedicate Pump | |
| CBG-02 | 250.0 | 245.3 | 109.91 | Dedicate Pump | |
| CBG-03 | 164.0 | 160 | 107.55 | Dedicate Pump | |
| CBG-04 | 105.0 | 103.1 | 86.34 | Dedicate Pump | |

Notes: SWL measured during the 4th Quarter of 2012

Table 2 E-Wellfield Shallow Monitoring Wells

| Well | Drilled TD (ft) | Measured TD From TOC (ft) | DTW from TOC (ft) | Pump Type | Comments |
|------|-----------------|---------------------------|-------------------|------------|--|
| E4-1 | 90.0 | 26.51 | Dry | -- | Dry |
| E4-3 | 125.0 | 127 | 108.04 | Redi Flow2 | |
| E4-5 | 115.0 | 116.57 | 101.26 | Redi Flow2 | |
| E4-6 | 115.0 | 116.5 | 95.71 | Redi Flow2 | |
| E4-7 | 145.0 | 151.25 | 121.42 | Redi Flow2 | |
| E5-1 | 135.0 | 135.75 | 123.16 | Redi Flow2 | |
| E5-2 | 140.0 | 140 | 126.4 | Redi Flow2 | |
| E5-3 | 140.0 | 139.85 | 119.9 | Redi Flow2 | |
| E5-4 | 120.0 | 120.1 | 101.8 | Redi Flow2 | |
| E6-1 | 140.0 | 142.02 | 126.96 | Redi Flow2 | |
| E6-2 | 140.0 | 142.07 | 128.41 | Redi Flow2 | |
| E6-4 | 130.0 | 130.3 | 122.53 | Redi Flow2 | |
| E6-5 | 135.0 | 134.75 | 123.8 | Redi Flow2 | |
| E6-6 | 130.0 | 128.4 | 117.9 | Redi Flow2 | |
| E6-7 | 115.0 | 116.62 | 104.5 | Redi Flow2 | |
| E6-8 | 285.0 | 284.6 | 144.81 | Redi Flow2 | |
| E7-1 | 135.0 | 133.31 | 121.68 | Redi Flow2 | |
| E7-2 | 145.0 | 146.58 | 126.89 | Redi Flow2 | |
| E7-3 | 35.0 | 21.54 | Dry | -- | Dry |
| E7-5 | 120.0 | 121.8 | 120.55 | -- | Unsampleable (<1.5ft of water in well) |
| E7-6 | 120.0 | 122.95 | 115.2 | Redi Flow2 | Sample after 1 porevolume |
| E8-1 | 100.0 | 103.17 | 91.38 | Redi Flow2 | |
| E8-2 | 110.0 | 111.98 | 108.91 | Bailed | |

Table 2 E-Wellfield Shallow Monitoring Wells

| Well | Drilled TD (ft) | Measured TD From TOC (ft) | DTW from TOC (ft) | Pump Type | Comments |
|-------|-----------------|---------------------------|-------------------|---------------|----------|
| E9-2 | 75.0 | 77.46 | 67.83 | Redi Flow2 | |
| E9-3 | 80.0 | 81.54 | 73.12 | Redi Flow2 | |
| E9-4 | 75.0 | 76.89 | 66.61 | Redi Flow2 | |
| E9-5 | 85.0 | 87.23 | 82.7 | Bailed | |
| E9-6 | 85.0 | 87.75 | 82.25 | Bailed | |
| E9-7 | 395.0 | 398.9 | 204.84 | Dedicate Pump | |
| E9-8 | 253.0 | 248.5 | 107.96 | Dedicate Pump | |
| E9-9 | 84.1 | 84.1 | 81.66 | Bailed | |
| E10-1 | 95.0 | 96.92 | 63.73 | Redi Flow2 | |
| E10-2 | 70.0 | 71.47 | 65.02 | Redi Flow2 | |
| E10-3 | 90.0 | 91.91 | 82.38 | Redi Flow2 | |
| E10-4 | 65.0 | 66.86 | 57.51 | Redi Flow2 | |
| E10-5 | 105.0 | 107.81 | 76.97 | Redi Flow2 | |
| E10-6 | 105.0 | 106.22 | 88.92 | Redi Flow2 | |
| E10-7 | 65.0 | 66.89 | 57.22 | Redi Flow2 | |
| E14-2 | 75.0 | 76.84 | 72.15 | Bailed | |
| E14-3 | 120.0 | 122.97 | 122.87 | -- | Dry |
| E16-2 | 130.0 | 132.15 | 116.84 | Redi Flow2 | |
| E17-1 | 130.0 | 138.18 | 118.57 | Redi Flow2 | |
| E18-1 | 50.0 | 52 | Dry | -- | Dry |
| E18-2 | 50.0 | 51.8 | Dry | -- | Dry |
| E18-7 | 50.0 | 50.55 | Dry | -- | Dry |
| E18-9 | 100.0 | 103.4 | Dry | -- | Dry |

Notes: Initial SWL measured during the 4th Quarter of 2012

Table 3 F-Wellfield Shallow Monitoring Wells

| Well | Drilled TD (ft) | Measured TD From TOC (ft) | DTW from TOC (ft) | Pump Type | Comments |
|-------|-----------------|---------------------------|-------------------|---------------|--|
| F1-2 | 90.0 | 90.18 | 72.26 | Redi Flow2 | |
| F2-1 | 80.0 | 81.12 | 68.42 | Redi Flow2 | |
| F2-2 | 95.0 | 96.75 | 73.8 | Redi Flow2 | |
| F2-3 | 85.0 | 86.75 | 72.26 | Redi Flow2 | |
| F3-1 | 140.0 | 141.75 | 75.91 | Redi Flow2 | |
| F3-2 | 95.0 | 96.6 | 81.51 | Redi Flow2 | |
| F4-1 | 45.0 | 46.52 | 45.91 | -- | Dry |
| F12-2 | 142.0 | 143.48 | 141.51 | Bailed | |
| F13-1 | 180.0 | 180.44 | 164.55 | Redi Flow2 | |
| F14-1 | 165.0 | 165.8 | 148.25 | Redi Flow2 | |
| F14-2 | 208.0 | 208.25 | 152.37 | -- | Unsampleable |
| F14-3 | 285.0 | 279.38 | 124.05 | -- | Unsampleable |
| F15-1 | 130.0 | 131 | 125.85 | Bailed | |
| F16-1 | 60.0 | 61.19 | 58.41 | Bailed | |
| F23-1 | 320.0 | 301.3 | 171.84 | Dedicate Pump | |
| F23-2 | 245.0 | 248.8 | 167.85 | Dedicate Pump | |
| F23-3 | 260.0 | 249.4 | 166.05 | Dedicate Pump | |
| F23-4 | 275.0 | 236.6 | 170.33 | Dedicate Pump | |
| F25-1 | 145.0 | 142.4 | 142.3 | -- | Dry |
| F25-2 | 245.0 | 239.2 | 183.4 | Dedicate Pump | |
| F25-3 | 359.0 | 343.5 | 187.1 | Dedicate Pump | |
| F26-1 | 75.0 | 78.6 | 75.06 | -- | Unsampleable (0.54ft of water in well) |
| F28-1 | 260.0 | 258.75 | 181.14 | Redi Flow2 | |
| F28-2 | 317.0 | 319.8 | 198.67 | Dedicate Pump | |
| F28-3 | 254.0 | 256.9 | 184.59 | Dedicate Pump | |
| F29-1 | 265.0 | 256.9 | 183.35 | Redi Flow2 | |
| F31-1 | 251.0 | 248.8 | 188.35 | Dedicate Pump | |
| F31-2 | 330.0 | 328.2 | 200.67 | Dedicate Pump | |
| FBG-1 | 209.0 | 195.5 | 146.6 | Dedicate Pump | |
| FBG-2 | 320.0 | 316.9 | 153.7 | Dedicate Pump | |

Note: SWL measured during the 4th Quarter of 2012

Table 4 Specific Capacity Values

| Well | Sand Unit | Pumping Analysis | | Recovery Analysis | | Specific Capacity | | Pumping Rate |
|-------|-----------|------------------------|------------------------|------------------------|------------------------|-------------------|------------------------|--------------|
| | | Transmissivity | Hydraulic Conductivity | Transmissivity | Hydraulic Conductivity | (gpm/ft) | (ft ² /day) | (gpm) |
| | | (ft ² /day) | (cm/sec) | (ft ² /day) | (cm/sec) | | | |
| C22-2 | 110 | 3.5 | 2.44E-04 | 1.4 | 9.70E-05 | 0.02 | 3.3 | 1.3 |
| C22-3 | 120 | 74.0 | 5.22E-03 | 21.0 | 1.48E-03 | 0.22 | 42.3 | 1 |
| C22-4 | 100 | - | - | 0.37 | 6.51E-06 | - | - | 0.8 |
| CBG-1 | 100 | 61.4 | 2.17E-03 | 52.4 | 1.85E-03 | 0.19 | 36.6 | 9.7 |
| CBG-2 | 110 | 119.0 | 2.10E-03 | 115.2 | 2.03E-03 | 1.32 | 254 | 15.5 |
| CBG-3 | 120 | 14.2 | 1.00E-03 | 4.1 | 2.87E-04 | 0.03 | 5.2 | 0.78 |
| CBG-4 | 140 | 641.0 | 2.26E-02 | 780.0 | 2.75E-02 | 2.80 | 539 | 2.2 |
| E9-7 | 80 | 21.1 | 7.42E-04 | 17.6 | 6.21E-04 | 0.11 | 21.2 | 6 |
| E9-8 | 110 | 81.2 | 2.87E-03 | 111.3 | 3.93E-03 | 0.60 | 115 | 14.2 |
| F23-1 | 110 | - | - | 0.1 | 5.17E-06 | - | - | 0.8 |
| F23-2 | 120 | 58.9 | 1.04E-03 | 119.4 | 2.11E-03 | 0.18 | 34.6 | 4.4 |
| F23-4 | 120 | 77.6 | 1.37E-03 | - | - | 0.15 | 29 | 2.2 |
| F25-2 | 120 | 82.4 | 2.91E-03 | 103.5 | 3.65E-03 | 0.22 | 42.3 | 4.4 |
| F31-1 | 120 | - | - | 54.8 | 1.93E-03 | - | - | 4.3 |
| F31-2 | 110 | 60.2 | 2.12E-03 | 62.1 | 2.20E-03 | 0.07 | 13.5 | 6.2 |
| FBG-1 | 120 | - | - | 5.8 | 1.02E-04 | - | - | 1.9 |
| FBG-2 | 100 | 91.7 | 1.62E-03 | 53.6 | 9.46E-04 | 0.65 | 125 | 14.9 |

Table 5
C-Wellfield pre-2011
Well Water Quality Data

| Well ID | Sample Date/Time | WYDEQ Class III Livestock Standard | C1-1 6/21/12 C12060984-002 | C1-1 8/27/2012 C12081112-003 | C1-1 10/4/2012 C12100251-001 | C1-2 6/21/12 C12060984-003 | C1-2* 6/21/12 C12060984-004 | C1-2 8/27/2012 C12081112-005 | C1-2 10/5/2012 C12100311-003 | C1-2 10/5/2012 C12100311-004 | C1-3 6/26/12 C12061096-002 | C1-3 8/30/2012 C12081293-002 | C1-3 10/3/2012 C12100209-002 |
|---|------------------|------------------------------------|----------------------------|------------------------------|------------------------------|----------------------------|-----------------------------|------------------------------|------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|
| HSU | | | 140 | 140 | | 140 | 140 | 140 | 140 | 140 | 130 | 130 | 130 |
| Alkalinity, Total as CaCO3 | mg/L | -- | 218 | 219 | 221 | 230 | 230 | 236 | | | 107 | 108 | 117 |
| Carbonate as CO3 | mg/L | -- | <5 | <5 | <5 | <5 | <5 | <5 | | | <5 | <5 | <5 |
| Bicarbonate as HCO3 | mg/L | -- | 266 | 267 | 270 | 281 | 281 | 288 | 287 | 315 | 131 | 132 | 142 |
| Calcium | mg/L | -- | 423 | 408 | 428 | 467 | 472 | 450 | | | 192 | 187 | 190 |
| Chloride | mg/L | 2000 | 229 | 267 | 268 | 218 | 217 | 239 | 240 | 154 | 110 | 95 | 117 |
| Fluoride | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | | 0.2 | 0.2 | 0.2 |
| Magnesium | mg/L | -- | 100 | 106 | 104 | 102 | 102 | 96 | | | 34 | 33 | 34 |
| Nitrogen, Ammonia as N | mg/L | -- | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | | | <0.05 | <0.05 | <0.05 |
| Nitrogen, Nitrate+Nitrite as N | mg/L | 100 | 3.9 | 3.9 | 3.5 | 0.1 | 0.2 | <0.1 | | | <0.1 | 0.3 | <0.1 |
| Potassium | mg/L | -- | 12 | 12 | 12 | 12 | 12 | 13 | | | 8 | 9 | 7 |
| Silica | mg/L | -- | 10 | 10.1 | 10.3 | 15.2 | 15 | 15.3 | | | 7.6 | 7.7 | 7.3 |
| Sodium | mg/L | -- | 188 | 188 | 181 | 240 | 248 | 230 | | | 220 | 210 | 203 |
| Sulfate | mg/L | 3000 | 1230 | 1340 | 1320 | 1540 | 1530 | 1580 | | | 837 | 784 | 858 |
| Conductivity @ 25 C | mmhos/cm | -- | 3.1 | 3.12 | 2.98 | 3.13 | 3.42 | 3.4 | 3.38 | | 2.07 | 1.89 | 1.98 |
| pH | s.u. | 6.5-8.5 | 7.34 | 7.43 | 7.24 | 7.27 | 7.27 | 7.3 | | | 7.94 | 8.15 | 7.96 |
| Solids, Total Dissolved TDS @ 180 C | mg/L | 5000 | 2680 | 2630 | 2650 | 3620 | 2970 | 2960 | 2930 | 2020 | 1540 | 1430 | 1570 |
| Aluminum-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | | <0.1 | <0.1 | <0.1 |
| Antimony-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | | | <0.001 | <0.001 | <0.001 |
| Arsenic-D | mg/L | 0.2 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | | | <0.001 | <0.001 | <0.001 |
| Barium-D | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | | <0.1 | <0.1 | <0.1 |
| Beryllium-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | | | <0.001 | <0.001 | <0.001 |
| Boron-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | | <0.1 | <0.1 | <0.1 |
| Cadmium-D | mg/L | 0.05 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | | | <0.005 | <0.005 | <0.005 |
| Chromium-D | mg/L | 0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | | | <0.05 | <0.05 | <0.05 |
| Copper-D | mg/L | 0.5 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | | | <0.01 | <0.01 | <0.01 |
| Iron-D | mg/L | -- | 0.05 | <0.03 | <0.03 | 1.3 | 1.32 | 1.13 | | | <0.03 | <0.03 | <0.03 |
| Lead-D | mg/L | 0.1 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | | | <0.001 | <0.001 | <0.001 |
| Manganese-D | mg/L | -- | 0.04 | 0.03 | 0.03 | 0.18 | 0.18 | 0.17 | | | 0.08 | 0.04 | 0.05 |
| Mercury-D | mg/L | 0.00005 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | | | <0.001 | <0.001 | <0.001 |
| Molybdenum-D | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | | <0.1 | <0.1 | <0.1 |
| Nickel-D | mg/L | -- | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | | | <0.05 | <0.05 | <0.05 |
| Selenium-D | mg/L | 0.05 | 0.417 | 0.432 | 0.46 | <0.001 | <0.001 | <0.001 | 0.002 | 0.232 | <0.001 | 0.002 | 0.001 |
| Thallium-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | | | <0.001 | <0.001 | <0.001 |
| Uranium-D | mg/L | -- | 0.353 | 0.354 | 0.383 | 0.051 | 0.0555 | 0.058 | 0.0604 | 0.338 | 0.0037 | 0.0006 | 0.0007 |
| Vanadium-D | mg/L | 0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | | <0.1 | <0.1 | <0.1 |
| Zinc-D | mg/L | 25 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | | | <0.01 | <0.01 | <0.01 |
| Antimony-T | mg/L | -- | <0.001 | | | <0.001 | <0.001 | | | | | | |
| Beryllium-T | mg/L | -- | <0.001 | | | <0.001 | <0.001 | | | | | | |
| Iron-T | mg/L | -- | 0.07 | 0.03 | <0.03 | 1.31 | 1.32 | 1.39 | | | 0.04 | 0.05 | 0.04 |
| Manganese-T | mg/L | -- | 0.04 | 0.04 | 0.03 | 0.18 | 0.18 | 0.18 | | | 0.08 | 0.04 | 0.05 |
| Thallium-T | mg/L | -- | <0.001 | | | <0.001 | <0.001 | | | | | | |
| Gross Alpha - minus U - Calculated | pCi/L | 15 | 26.02 | 40.34 | -18.29 | 60.77 | 83.43 | 31.73 | | | -0.40 | <-5 | -0.4 |
| Gross Alpha - Unadjusted | pCi/L | -- | 265 | 280 | 241 | 95.3 | 121 | 71 | | | 2.1 | <-5 | -0.4 |
| Gross Alpha precision (±) | pCi/L | -- | 20.4 | 25.4 | 16 | 10.9 | 11.7 | 18.2 | | | 3.8 | 6 | 0.8 |
| Gross Alpha MDC | pCi/L | -- | 18.2 | 25.9 | 12.6 | 12.1 | 12 | 25.5 | | | 6.2 | 10.5 | 1.4 |
| Gross Beta | pCi/L | -- | 77.3 | 39.2 | 46.7 | 24.4 | 32.1 | 24.3 | | | 2.8 | <-6 | 0.7 |
| Gross Beta precision (±) | pCi/L | -- | 21.2 | 27 | 14.3 | 10.5 | 10.1 | 26 | | | 4.5 | 13.4 | 1.5 |
| Gross Beta MDC | pCi/L | -- | 32.6 | 43.3 | 21.9 | 16.6 | 15.7 | 42.6 | | | 7.5 | 22.7 | 2.6 |
| Radium 226 | pCi/L | -- | 5.4 | 1.1 | 1.1 | 14 | 15 | 20 | | | 1.3 | 0.64 | 0.74 |
| Radium 226 precision (±) | pCi/L | -- | 0.47 | 0.24 | 0.26 | 0.73 | 0.76 | 0.95 | | | 0.22 | 0.16 | 0.2 |
| Radium 226 MDC | pCi/L | -- | 0.17 | 0.17 | 0.2 | 0.17 | 0.17 | 0.18 | | | 0.13 | 0.14 | 0.17 |
| Radium 228 | pCi/L | -- | 2.2 | 2.2 | 2.2 | 3.3 | 4 | 2.7 | | | 0.5 | <0.9 | 1 |
| Radium 228 precision (±) | pCi/L | -- | 0.8 | 0.7 | 1.1 | 0.8 | 0.8 | 0.9 | | | 0.6 | 0.7 | 1.4 |
| Radium 228 MDC | pCi/L | -- | 1.2 | 1 | 1.7 | 1.1 | 1.1 | 1.3 | | | 0.9 | 1.1 | 2.3 |
| Combined Total Radium 226 and Radium 228 (Calculated) | pCi/L | 5 | 7.6 | 3.3 | 3.3 | 17.3 | 19 | 22.7 | | | 1.8 | 0.64 | 1.74 |

* Duplicate sample

Table 5
C-Wellfield pre-2011
Well Water Quality Data

| Well ID | WYDEQ | C1-4 | C1-4 | C1-5 | C1-5 | C1-6 | C1-6 | C2-1 | C2-1* | C2-1 | C2-2A | C2-2A | |
|---|-----------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|-------|
| Sample Date/Time | Class III | 6/29/12 | 10/2/2012 | 6/28/12 | 10/2/2012 | 6/29/12 | 10/1/2012 | 7/2/2012 | 7/2/12 | 10/2/2012 | 6/20/12 | 10/8/2012 | |
| Job Number | Livestock | C12070005-003 | C12100115-003 | C12070005-002 | C12100115-004 | C12070005-003 | C12100057-001 | C12070082-001 | C12070082-002 | C12100115-002 | C12060854-003 | C12100347-003 | |
| HSU | Standard | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 130 | 130 | |
| Alkalinity, Total as CaCO3 | mg/L | -- | 240 | 247 | 240 | 256 | 249 | 277 | 266 | 262 | 272 | 227 | |
| Carbonate as CO3 | mg/L | -- | <5 | <5 | <5 | <5 | <5 | <5 | <5 | <5 | <5 | <5 | |
| Bicarbonate as HCO3 | mg/L | -- | 293 | 301 | 293 | 312 | 303 | 338 | 325 | 319 | 332 | 277 | 279 |
| Calcium | mg/L | -- | 475 | 482 | 424 | 452 | 318 | 328 | 336 | 315 | 371 | 425 | |
| Chloride | mg/L | 2000 | 336 | 349 | 300 | 299 | 204 | 213 | 216 | 216 | 239 | 227 | 245 |
| Fluoride | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | 0.1 | <0.1 | <0.1 | |
| Magnesium | mg/L | -- | 137 | 127 | 98 | 103 | 65 | 64 | 68 | 62 | 66 | 85.7 | |
| Nitrogen, Ammonia as N | mg/L | -- | 0.06 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | |
| Nitrogen, Nitrate+Nitrite as N | mg/L | 100 | <0.1 | <0.1 | 2 | 1.8 | 1.3 | 0.8 | 1.6 | 1.5 | 1.4 | 3.1 | |
| Potassium | mg/L | -- | 13 | 12 | 11 | 12 | 10 | 10 | 11 | 10 | 11 | 12.4 | |
| Silica | mg/L | -- | 11.9 | 12.7 | 9 | 10.3 | 11.9 | 12.1 | 14.4 | 13.2 | 15.4 | 14.9 | |
| Sodium | mg/L | -- | 254 | 226 | 186 | 187 | 187 | 180 | 193 | 182 | 171 | 223 | |
| Sulfate | mg/L | 3000 | 1580 | 1560 | 1320 | 1280 | 1020 | 1000 | 897 | 902 | 914 | 1210 | |
| Conductivity @ 25 C | mmhos/cm | -- | 3.68 | 3.62 | 3.23 | 3.15 | 2.68 | 2.69 | 2.53 | 2.53 | 2.59 | 3.01 | 2.62 |
| pH | s.u. | 6.5-8.5 | 7.16 | 7.2 | 7.27 | 7.35 | 7.32 | 7.31 | 7.33 | 7.28 | 7.4 | 7.25 | |
| Solids, Total Dissolved TDS @ 180 C | mg/L | 5000 | 3190 | 3160 | 2670 | 2690 | 2180 | 2150 | 2080 | 2090 | 2030 | 2510 | 2460 |
| Aluminum-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | |
| Antimony-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | |
| Arsenic-D | mg/L | 0.2 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | 0.001 | |
| Barium-D | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | |
| Beryllium-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | |
| Boron-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | |
| Cadmium-D | mg/L | 0.05 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | |
| Chromium-D | mg/L | 0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | |
| Copper-D | mg/L | 0.5 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | |
| Iron-D | mg/L | -- | <0.03 | <0.03 | <0.03 | <0.03 | 0.96 | 0.93 | <0.03 | <0.03 | <0.03 | <0.03 | |
| Lead-D | mg/L | 0.1 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | 0.003 | |
| Manganese-D | mg/L | -- | 0.68 | 0.7 | 0.14 | 0.15 | 0.15 | 0.19 | <0.01 | <0.01 | <0.01 | <0.01 | |
| Mercury-D | mg/L | 0.00005 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | |
| Molybdenum-D | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | |
| Nickel-D | mg/L | -- | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | |
| Selenium-D | mg/L | 0.05 | 0.02 | 0.018 | 0.361 | 0.362 | 0.109 | 0.077 | 0.138 | 0.141 | 0.142 | 0.383 | 0.383 |
| Thallium-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | |
| Uranium-D | mg/L | -- | 0.167 | 0.166 | 0.374 | 0.38 | 0.167 | 0.144 | 0.166 | 0.172 | 0.189 | 0.303 | 0.288 |
| Vanadium-D | mg/L | 0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | |
| Zinc-D | mg/L | 25 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | 0.01 | |
| Antimony-T | mg/L | -- | | | | | | | | | | | |
| Beryllium-T | mg/L | -- | | | | | | | | | | | |
| Iron-T | mg/L | -- | <0.03 | <0.03 | <0.03 | <0.03 | 1.2 | 1.22 | <0.03 | <0.03 | 0.04 | 3.64 | |
| Manganese-T | mg/L | -- | 0.69 | 0.79 | 0.15 | 0.16 | 0.15 | 0.2 | <0.01 | <0.01 | <0.01 | 0.04 | |
| Thallium-T | mg/L | -- | | | | | | | | | | | |
| Gross Alpha - minus U - Calculated | pCi/L | 15 | -17.06 | -28.48 | -4.20 | -1.26 | 38.94 | 23.51 | 17.62 | -23.84 | -14.95 | 41.87 | |
| Gross Alpha - Unadjusted | pCi/L | -- | 96 | 83.9 | 249 | 256 | 152 | 121 | 130 | 92.6 | 113 | 247 | |
| Gross Alpha precision (±) | pCi/L | -- | 25.1 | 12.3 | 24.1 | 16.9 | 10 | 12.9 | 9.6 | 15.2 | 12.5 | 13.6 | |
| Gross Alpha MDC | pCi/L | -- | 35.3 | 14.4 | 23.3 | 13 | 8 | 13.3 | 8.5 | 18.7 | 13.6 | 10.1 | |
| Gross Beta | pCi/L | -- | -10 | 18.9 | 46.5 | 49.9 | 32.2 | 32.7 | 31.4 | <-10 | 30.2 | 35.9 | |
| Gross Beta precision (±) | pCi/L | -- | 38.3 | 14.6 | 34.4 | 15.3 | 8 | 14.3 | 8.4 | 24.1 | 14.2 | 8.9 | |
| Gross Beta MDC | pCi/L | -- | 64.2 | 23.7 | 55 | 23.3 | 12.1 | 22.5 | 12.8 | 40.4 | 22.6 | 13.3 | |
| Radium 226 | pCi/L | -- | 2.2 | 2.1 | 0.68 | 1 | 1.2 | 1.5 | 0.59 | 0.6 | 1.2 | 0.85 | |
| Radium 226 precision (±) | pCi/L | -- | 0.37 | 0.29 | 0.23 | 0.21 | 0.28 | 0.25 | 0.21 | 0.24 | 0.23 | 0.2 | |
| Radium 226 MDC | pCi/L | -- | 0.22 | 0.14 | 0.22 | 0.14 | 0.21 | 0.15 | 0.21 | 0.24 | 0.15 | 0.16 | |
| Radium 228 | pCi/L | -- | 1.8 | 1.7 | 2.3 | 2.2 | 2.3 | 3 | 1.8 | 1.9 | 2.3 | 2.2 | |
| Radium 228 precision (±) | pCi/L | -- | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 | 0.9 | 0.8 | 1 | 0.9 | 0.7 | |
| Radium 228 MDC | pCi/L | -- | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.6 | 1.3 | 1 | |
| Combined Total Radium 226 and Radium 228 (Calculated) | pCi/L | 5 | 4 | 3.8 | 2.98 | 3.2 | 3.5 | 4.5 | 2.39 | 2.5 | 3.5 | 3.05 | |

* Duplicate sample

Table 5
C-Wellfield pre-2011
Well Water Quality Data

| Well ID | Sample Date/Time | Job Number | WYDEQ Class III Livestock Standard | C3-1 6/20/12 C12060854-002 | C3-1 8/27/2012 C12081112-004 | C3-1 10/9/2012 C12100498-003 | C3-2A 6/20/12 C12060854-001 | C3-2A 8/28/2012 C12081183-002 | C3-2A 10/10/2012 C12100498-001 | C3-3 7/3/2012 C12070082-003 | C3-3 10/3/2012 C12100209-004 | C3-4 7/2/2012 C12070082-004 | C3-4 10/3/2012 C12100209-006 | C3-5 8/7/12 C12080263-001 |
|---|------------------|------------|------------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|-------------------------------|--------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------------|---------------------------|
| HSU | | | 140 | 140 | 140 | 130 | 130 | 130 | 140 | 140 | 130 | 130 | 140 | |
| Alkalinity, Total as CaCO3 | mg/L | -- | 390 | 403 | | 277 | 287 | | 245 | 256 | 230 | 252 | 429 | |
| Carbonate as CO3 | mg/L | -- | <5 | <5 | | <5 | <5 | | <5 | <5 | <5 | <5 | <5 | |
| Bicarbonate as HCO3 | mg/L | -- | 476 | 492 | 493 | 337 | 350 | 360 | 299 | 312 | 280 | 308 | 523 | |
| Calcium | mg/L | -- | 409 | 384 | | 413 | 386 | | 346 | 324 | 269 | 290 | 415 | |
| Chloride | mg/L | 2000 | 299 | 324 | 23 | 208 | 221 | 230 | 223 | 235 | 172 | 200 | 315 | |
| Fluoride | mg/L | -- | <0.1 | <0.1 | | <0.1 | <0.1 | | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | |
| Magnesium | mg/L | -- | 85.8 | 77 | | 81.5 | 77 | | 73 | 69 | 50 | 53 | 90 | |
| Nitrogen, Ammonia as N | mg/L | -- | <0.05 | <0.05 | | <0.05 | <0.05 | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | |
| Nitrogen, Nitrate+Nitrite as N | mg/L | 100 | 0.2 | 0.1 | | 1 | 0.3 | | 6 | 7.2 | <0.1 | <0.1 | 0.8 | |
| Potassium | mg/L | -- | 11.9 | 12 | | 11.8 | 11 | | 11 | 10 | 9 | 9 | 13 | |
| Silica | mg/L | -- | 13.1 | 12.4 | | 14.9 | 12.3 | | 13 | 12.2 | 12.7 | 13 | 12.3 | |
| Sodium | mg/L | -- | 258 | 219 | | 256 | 219 | | 258 | 227 | 221 | 216 | 197 | |
| Sulfate | mg/L | 3000 | 994 | 1040 | | 1170 | 1270 | | 1020 | 1080 | 890 | 952 | 902 | |
| Conductivity @ 25 C | mmhos/cm | -- | 3.08 | 3.09 | 2.65 | 2.98 | 3.05 | 2.65 | 2.76 | 2.67 | 2.38 | 2.4 | 2.98 | |
| pH | s.u. | 6.5-8.5 | 7.32 | 7.44 | | 7.35 | 7.44 | | 7.21 | 7.25 | 7.63 | 7.52 | 7.31 | |
| Solids, Total Dissolved TDS @ 180 C | mg/L | 5000 | 2410 | 2380 | 2410 | 2490 | 2510 | 2560 | 2280 | 2250 | 1930 | 1960 | 2260 | |
| Aluminum-D | mg/L | 5 | <0.1 | <0.1 | | <0.1 | <0.1 | | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | |
| Antimony-D | mg/L | -- | <0.001 | <0.001 | | <0.001 | <0.001 | | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | |
| Arsenic-D | mg/L | 0.2 | <0.001 | <0.001 | | <0.001 | <0.001 | | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | |
| Barium-D | mg/L | -- | <0.1 | <0.1 | | <0.1 | <0.1 | | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | |
| Beryllium-D | mg/L | -- | <0.01 | <0.001 | | <0.01 | <0.001 | | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | |
| Boron-D | mg/L | 5 | <0.1 | <0.1 | | <0.1 | <0.1 | | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | |
| Cadmium-D | mg/L | 0.05 | <0.01 | <0.005 | | <0.01 | <0.005 | | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | |
| Chromium-D | mg/L | 0.05 | <0.05 | <0.05 | | <0.05 | <0.05 | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | |
| Copper-D | mg/L | 0.5 | <0.01 | <0.01 | | <0.01 | <0.01 | | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | |
| Iron-D | mg/L | -- | <0.03 | <0.03 | | <0.03 | <0.03 | | <0.03 | <0.03 | 0.47 | 0.49 | 0.09 | |
| Lead-D | mg/L | 0.1 | <0.001 | <0.001 | | <0.001 | <0.001 | | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | |
| Manganese-D | mg/L | -- | <0.01 | <0.01 | | <0.01 | <0.01 | | <0.01 | <0.01 | 0.12 | 0.12 | 0.03 | |
| Mercury-D | mg/L | 0.00005 | <0.001 | <0.001 | | <0.001 | <0.001 | | <0.001 | <0.001 | <0.001 | <0.001 | 0.001 | |
| Molybdenum-D | mg/L | -- | <0.1 | <0.1 | | <0.1 | <0.1 | | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | |
| Nickel-D | mg/L | -- | <0.05 | <0.05 | | <0.05 | <0.05 | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | |
| Selenium-D | mg/L | 0.05 | 0.07 | 0.068 | 0.079 | 0.138 | 0.068 | 0.065 | 0.538 | 0.603 | <0.001 | <0.001 | 0.258 | |
| Thallium-D | mg/L | -- | <0.001 | <0.001 | | <0.001 | <0.001 | | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | |
| Uranium-D | mg/L | -- | 0.545 | 0.598 | 0.637 | 0.543 | 0.313 | 0.313 | 0.246 | 0.265 | 0.0137 | 0.0151 | 0.808 | |
| Vanadium-D | mg/L | 0.1 | <0.1 | <0.1 | | <0.1 | <0.1 | | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | |
| Zinc-D | mg/L | 25 | 0.01 | <0.01 | | 0.01 | <0.01 | | <0.01 | <0.01 | <0.01 | <0.01 | 0.02 | |
| Antimony-T | mg/L | -- | | | | | | | | | | | | |
| Beryllium-T | mg/L | -- | | | | | | | | | | | | |
| Iron-T | mg/L | -- | <0.03 | 0.04 | | 0.05 | 0.08 | | <0.03 | 0.45 | 0.5 | 0.53 | 8.49 | |
| Manganese-T | mg/L | -- | <0.01 | <0.01 | | <0.01 | <0.01 | | <0.01 | <0.01 | 0.13 | 0.12 | 0.1 | |
| Thallium-T | mg/L | -- | | | | | | | | | | | | |
| Gross Alpha - minus U - Calculated | pCi/L | 15 | 70.04 | -12.85 | | 176.39 | -4.90 | | 27.46 | 7.60 | 1.13 | -2.22 | 9.98 | |
| Gross Alpha - Unadjusted | pCi/L | -- | 439 | 392 | | 544 | 207 | | 194 | 187 | 10.4 | 8 | 557 | |
| Gross Alpha precision (±) | pCi/L | -- | 17.8 | 25 | | 18.9 | 20.4 | | 11.6 | 14.2 | 4.4 | 7 | 21 | |
| Gross Alpha MDC | pCi/L | -- | 9.7 | 20 | | 9.9 | 21.3 | | 9 | 12 | 6.5 | 11 | 11.7 | |
| Gross Beta | pCi/L | -- | 54.1 | 91.7 | | 62 | 40.2 | | 28.4 | 29.8 | <3 | 1.8 | 95.9 | |
| Gross Beta precision (±) | pCi/L | -- | 10.3 | 24.1 | | 9.5 | 22.9 | | 8.7 | 13.8 | 6.8 | 11.8 | 13.9 | |
| Gross Beta MDC | pCi/L | -- | 14.5 | 36.4 | | 13 | 36.6 | | 13.3 | 21.7 | 11.3 | 19.8 | 18.9 | |
| Radium 226 | pCi/L | -- | 0.49 | 0.86 | | 29 | 1.6 | | 0.59 | 0.6 | 0.38 | 0.61 | 2.7 | |
| Radium 226 precision (±) | pCi/L | -- | 0.17 | 0.22 | | 1.1 | 0.29 | | 0.22 | 0.19 | 0.19 | 0.19 | 0.37 | |
| Radium 226 MDC | pCi/L | -- | 0.16 | 0.17 | | 0.17 | 0.18 | | 0.23 | 0.18 | 0.22 | 0.18 | 0.21 | |
| Radium 228 | pCi/L | -- | 2.3 | 2.7 | | 1.8 | 2.1 | | <1 | 2.2 | 1.6 | 2.9 | 1 | |
| Radium 228 precision (±) | pCi/L | -- | 0.7 | 0.8 | | 0.7 | 0.9 | | 0.9 | 1.5 | 0.9 | 1.5 | 0.8 | |
| Radium 228 MDC | pCi/L | -- | 1 | 1 | | 1 | 1.3 | | 1.5 | 2.4 | 1.4 | 2.4 | 1.3 | |
| Combined Total Radium 226 and Radium 228 (Calculated) | pCi/L | 5 | 2.79 | 3.56 | | 30.8 | 3.7 | | 0.59 | 2.8 | 1.98 | 3.51 | 3.7 | |

* Duplicate sample

Table 5
C-Wellfield pre-2011
Well Water Quality Data

| Well ID | Sample Date/Time | WYDEQ Class III Livestock Standard | C3-5 10/3/2012 C12100209-003 | C4-2A 6/19/12 C12060817-001 | C4-2A 8/29/2012 C12081233-001 | C4-2A 10/11/2012 C12100554-001 | C4-3 7/24/2012 C12070840-001 | C4-3 10/1/2012 C12100057-002 | C4-5 7/9/2012 C12070295-001 | C4-5 10/5/2012 C12100311-007 | C5-1 8/3/12 C12080142-001 | C5-1 10/9/2012 C12100393-004 |
|---|------------------|------------------------------------|------------------------------|-----------------------------|-------------------------------|--------------------------------|------------------------------|------------------------------|-----------------------------|------------------------------|---------------------------|------------------------------|
| HSU | | | 140 | 130 | 130 | 130 | 140 | 140 | 130 | 130 | 140 | 140 |
| Alkalinity, Total as CaCO3 | mg/L | -- | | 232 | 235 | 236 | 294 | 305 | 146 | 163 | 280 | 291 |
| Carbonate as CO3 | mg/L | -- | | <5 | <5 | <5 | <5 | <5 | <5 | <5 | <5 | <5 |
| Bicarbonate as HCO3 | mg/L | -- | 538 | 282 | 287 | 288 | 359 | 372 | 178 | 199 | 342 | 355 |
| Calcium | mg/L | -- | | 275 | 309 | 310 | 374 | 356 | 136 | 135 | 324 | 304 |
| Chloride | mg/L | 2000 | 313 | 160 | 168 | 167 | 267 | 281 | 73 | 78 | 260 | 252 |
| Fluoride | mg/L | -- | | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | 0.1 | 0.1 | <0.1 | <0.1 |
| Magnesium | mg/L | -- | | 57 | 59 | 57 | 71 | 70 | 23 | 24 | 64 | 58 |
| Nitrogen, Ammonia as N | mg/L | -- | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| Nitrogen, Nitrate+Nitrite as N | mg/L | 100 | | 4.7 | 4.6 | 4.7 | 3.7 | 3.7 | <0.1 | <0.1 | 0.2 | 0.2 |
| Potassium | mg/L | -- | | 9 | 9 | 9 | 11 | 10 | 6 | 6 | 12 | 10 |
| Silica | mg/L | -- | | 12.2 | 12.7 | 11.6 | 13.8 | 12.9 | 9.8 | 11.6 | 11.2 | 12.5 |
| Sodium | mg/L | -- | | 211 | 213 | 210 | 234 | 221 | 181 | 177 | 174 | 147 |
| Sulfate | mg/L | 3000 | | 1010 | 1030 | 1030 | 1000 | 1020 | 574 | 597 | 777 | 732 |
| Conductivity @ 25 C | mmhos/cm | -- | 1.512 | 2.61 | 2.57 | 2.49 | 2.8 | 2.95 | 1.62 | 1.59 | 2.42 | 2.4 |
| pH | s.u. | 6.5-8.5 | | 7.33 | 7.35 | 7.26 | 7.25 | 7.23 | 7.8 | 7.78 | 7.35 | 7.43 |
| Solids, Total Dissolved TDS @ 180 C | mg/L | 5000 | 2310 | 2070 | 2040 | 2100 | 2310 | 2260 | 1160 | 1170 | 1820 | 1840 |
| Aluminum-D | mg/L | 5 | | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Antimony-D | mg/L | -- | | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Arsenic-D | mg/L | 0.2 | | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Barium-D | mg/L | -- | | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Beryllium-D | mg/L | -- | | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Boron-D | mg/L | 5 | | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Cadmium-D | mg/L | 0.05 | | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 |
| Chromium-D | mg/L | 0.05 | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| Copper-D | mg/L | 0.5 | | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| Iron-D | mg/L | -- | | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 |
| Lead-D | mg/L | 0.1 | | 0.002 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Manganese-D | mg/L | -- | | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | 0.06 | 0.12 | <0.01 | <0.01 |
| Mercury-D | mg/L | 0.00005 | | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Molybdenum-D | mg/L | -- | | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Nickel-D | mg/L | -- | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| Selenium-D | mg/L | 0.05 | 0.272 | 0.432 | 0.433 | 0.406 | 0.415 | 0.381 | <0.001 | <0.001 | 0.038 | 0.035 |
| Thallium-D | mg/L | -- | | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Uranium-D | mg/L | -- | 0.93 | 0.09 | 0.0956 | 0.0971 | 0.428 | 0.384 | <0.0003 | <0.0003 | 0.204 | 0.21 |
| Vanadium-D | mg/L | 0.1 | | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Zinc-D | mg/L | 25 | | 0.02 | <0.01 | <0.01 | <0.01 | <0.01 | 0.01 | <0.01 | <0.01 | <0.01 |
| Antimony-T | mg/L | -- | | | | | | | | | | |
| Beryllium-T | mg/L | -- | | | | | | | | | | |
| Iron-T | mg/L | -- | | <0.03 | 0.04 | <0.03 | 0.18 | 0.15 | 0.11 | 0.22 | 0.08 | <0.03 |
| Manganese-T | mg/L | -- | | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | 0.08 | 0.15 | <0.01 | <0.01 |
| Thallium-T | mg/L | -- | | | | | | | | | | |
| Gross Alpha - minus U - Calculated | pCi/L | 15 | | -16.93 | -10.92 | 16.36 | 15.24 | -11.97 | 2.5 | -5 | 8.89 | -23.17 |
| Gross Alpha - Unadjusted | pCi/L | -- | | 44 | 53.8 | 82.1 | 305 | 248 | 2.5 | -5 | 147 | 119 |
| Gross Alpha precision (±) | pCi/L | -- | | 14 | 13.5 | 13.4 | 13.8 | 16.4 | 2.9 | 3.6 | 9.1 | 13 |
| Gross Alpha MDC | pCi/L | -- | | 20.1 | 18.3 | 17.9 | 8.9 | 13.8 | 4.7 | 6.6 | 7 | 15.6 |
| Gross Beta | pCi/L | -- | | -4 | <2 | -8 | 43.9 | 70.5 | 3.8 | 8.6 | 21.8 | 16.2 |
| Gross Beta precision (±) | pCi/L | -- | | 22.1 | 22.2 | 15.3 | 8.8 | 14.5 | 3.3 | 7.1 | 7.4 | 13.6 |
| Gross Beta MDC | pCi/L | -- | | 37 | 37 | 25.6 | 12.7 | 21.6 | 5.5 | 11.7 | 11.4 | 22 |
| Radium 226 | pCi/L | -- | | 1.1 | 1 | 0.64 | 0.58 | 0.88 | 0.67 | 0.41 | 0.58 | 0.55 |
| Radium 226 precision (±) | pCi/L | -- | | 0.22 | 0.2 | 0.18 | 0.19 | 0.2 | 0.22 | 0.18 | 0.14 | 0.28 |
| Radium 226 MDC | pCi/L | -- | | 0.16 | 0.13 | 0.15 | 0.17 | 0.14 | 0.21 | 0.2 | 0.12 | 0.33 |
| Radium 228 | pCi/L | -- | | 1.3 | 3.4 | 3.6 | 3.6 | 3.6 | 0.5 | 0.3 | 2 | 0.2 |
| Radium 228 precision (±) | pCi/L | -- | | 0.7 | 1.5 | 0.9 | 0.9 | 0.9 | 0.9 | 1.2 | 0.7 | 1.6 |
| Radium 228 MDC | pCi/L | -- | | 1.1 | 2.3 | 1.4 | 1.2 | 1.2 | 1.4 | 2 | 1.1 | 2.7 |
| Combined Total Radium 226 and Radium 228 (Calculated) | pCi/L | 5 | | 2.4 | 4.4 | 2.24 | 4.18 | 4.48 | 1.17 | 0.71 | 2.58 | 0.75 |

* Duplicate sample

Table 5
C-Wellfield pre-2011
Well Water Quality Data

| Well ID | | WYDEQ | C5-2 | C5-2 | C5-3 | C5-3 | C5-5 | C5-5 | C5-6 | C5-6 | C6-1 | C6-1 |
|---|----------|-----------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| Sample Date/Time | | Class III | 8/9/2012 | 10/5/2012 | 7/10/2012 | 10/3/2012 | 7/10/2012 | 10/9/2012 | 7/9/2012 | 10/8/2012 | 8/9/2012 | 10/4/2012 |
| Job Number | | Livestock | C12080442-002 | C12100311-005 | C12070295-003 | C12100209-001 | C12070295-004 | C12100393-005 | C12070295-002 | C12100347-001 | C12080442-001 | C12100251-005 |
| HSU | | Standard | 140 | 140 | 130 | 130 | 130 | 130 | 100 | 100 | 140 | 140 |
| Alkalinity, Total as CaCO3 | mg/L | -- | 266 | 236 | 281 | 301 | 255 | 259 | 183 | 184 | 299 | 304 |
| Carbonate as CO3 | mg/L | -- | <5 | <5 | <5 | <5 | <5 | <5 | <5 | <5 | <5 | <5 |
| Bicarbonate as HCO3 | mg/L | -- | 324 | 288 | 342 | 311 | 368 | 315 | 224 | 224 | 365 | 371 |
| Calcium | mg/L | -- | 311 | 443 | 311 | 322 | 295 | 328 | 145 | 143 | 270 | 257 |
| Chloride | mg/L | 2000 | 156 | 233 | 186 | 203 | 184 | 188 | 60 | 54 | 36 | 35 |
| Fluoride | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | 0.2 | 0.2 | <0.1 | <0.1 |
| Magnesium | mg/L | -- | 59 | 96 | 65 | 65 | 63 | 69 | 26 | 26 | 61 | 64 |
| Nitrogen, Ammonia as N | mg/L | -- | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| Nitrogen, Nitrate+Nitrite as N | mg/L | 100 | 1.9 | <0.1 | <0.1 | 0.2 | 1.4 | 2.2 | <0.1 | <0.1 | 1.7 | 1.7 |
| Potassium | mg/L | -- | 10 | 11 | 10 | 10 | 9 | 10 | 6 | 6 | 9 | 9 |
| Silica | mg/L | -- | 11.2 | 14.8 | 12.9 | 12.4 | 10.5 | 10.2 | 12.5 | 13.3 | 8.8 | 11.4 |
| Sodium | mg/L | -- | 225 | 218 | 228 | 221 | 207 | 204 | 178 | 183 | 204 | 195 |
| Sulfate | mg/L | 3000 | 1030 | 1570 | 1000 | 1060 | 1030 | 1050 | 542 | 546 | 1010 | 981 |
| Conductivity @ 25 C | mmhos/cm | -- | 2.58 | 3.32 | 2.73 | 2.56 | 2.71 | 2.64 | 1.6 | 1.48 | 2.26 | 2.16 |
| pH | s.u | 6.5-8.5 | 7.38 | 7.27 | 7.46 | 7.37 | 7.34 | 7.32 | 7.76 | 7.71 | 7.47 | 7.39 |
| Solids, Total Dissolved TDS @ 180 C | mg/L | 5000 | 2050 | 2940 | 2150 | 2150 | 2110 | 2140 | 1150 | 1110 | 1820 | 1830 |
| Aluminum-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Antimony-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Arsenic-D | mg/L | 0.2 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Barium-D | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Beryllium-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Boron-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Cadmium-D | mg/L | 0.05 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 |
| Chromium-D | mg/L | 0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| Copper-D | mg/L | 0.5 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| Iron-D | mg/L | -- | <0.03 | 1.18 | 0.77 | 0.74 | <0.03 | <0.03 | 0.3 | 0.26 | <0.03 | <0.03 |
| Lead-D | mg/L | 0.1 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Manganese-D | mg/L | -- | 0.28 | 0.17 | 0.21 | 0.21 | 0.02 | <0.01 | 0.18 | 0.18 | <0.01 | <0.01 |
| Mercury-D | mg/L | 0.00005 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Molybdenum-D | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Nickel-D | mg/L | -- | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| Selenium-D | mg/L | 0.05 | 0.225 | <0.001 | <0.001 | <0.001 | 0.107 | 0.177 | <0.001 | <0.001 | 0.105 | 0.117 |
| Thallium-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Uranium-D | mg/L | -- | 0.264 | 0.0637 | 0.137 | 0.138 | 0.135 | 0.159 | <0.0003 | <0.0003 | 0.0412 | 0.0422 |
| Vanadium-D | mg/L | 0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Zinc-D | mg/L | 25 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | 0.01 | <0.01 | <0.01 | <0.01 |
| Antimony-T | mg/L | -- | | | | | | | | | | |
| Beryllium-T | mg/L | -- | | | | | | | | | | |
| Iron-T | mg/L | -- | 2.42 | 1.37 | 0.79 | 0.85 | 0.83 | 1.92 | 0.3 | 0.31 | 6.82 | 3.53 |
| Manganese-T | mg/L | -- | 0.51 | 0.18 | 0.21 | 0.24 | 0.03 | 0.03 | 0.18 | 0.18 | 0.06 | 0.02 |
| Thallium-T | mg/L | -- | | | | | | | | | | |
| Gross Alpha - minus U - Calculated | pCi/L | 15 | 0.27 | 23.58 | 18.25 | 2.67 | 14.61 | 3.36 | 3.5 | 4.9 | 0.01 | 3.93 |
| Gross Alpha - Unadjusted | pCi/L | -- | 179 | 66.7 | 111 | 96.1 | 106 | 111 | 3.5 | 4.9 | 27.9 | 32.5 |
| Gross Alpha precision (±) | pCi/L | -- | 16.8 | 11.3 | 8.6 | 10.9 | 8.8 | 11.9 | 4.8 | 3 | 12.5 | 6.8 |
| Gross Alpha MDC | pCi/L | -- | 16.7 | 13.8 | 7.6 | 11.8 | 8.5 | 13.4 | 7.8 | 4.6 | 19.1 | 8.9 |
| Gross Beta | pCi/L | -- | -7 | 26 | 21.2 | 12.3 | 13.5 | 30.2 | <-4 | 5.7 | 8.9 | 16.2 |
| Gross Beta precision (±) | pCi/L | -- | 28.8 | 14.7 | 7 | 12.4 | 7.2 | 12.9 | 7.1 | 3.4 | 17 | 8.6 |
| Gross Beta MDC | pCi/L | -- | 47.3 | 23.8 | 10.8 | 20 | 11.4 | 20.4 | 12 | 5.5 | 28.2 | 13.9 |
| Radium 226 | pCi/L | -- | 1.2 | 18 | 1.5 | 1.1 | 0.87 | 1.6 | 0.61 | 0.6 | 0.71 | 0.55 |
| Radium 226 precision (±) | pCi/L | -- | 0.28 | 0.9 | 0.29 | 0.24 | 0.24 | 0.35 | 0.21 | 0.18 | 0.24 | 0.2 |
| Radium 226 MDC | pCi/L | -- | 0.22 | 0.19 | 0.21 | 0.18 | 0.21 | 0.25 | 0.21 | 0.17 | 0.25 | 0.21 |
| Radium 228 | pCi/L | -- | 0.8 | 4.2 | 1.6 | 3.5 | 2.5 | 2.3 | 1.7 | 0.5 | 1.3 | 0.3 |
| Radium 228 precision (±) | pCi/L | -- | 0.8 | 1.1 | 0.9 | 1.3 | 1 | 1.1 | 0.8 | 1 | 0.9 | 1.1 |
| Radium 228 MDC | pCi/L | -- | 1.2 | 1.6 | 1.4 | 1.9 | 1.4 | 1.6 | 1.2 | 1.7 | 1.4 | 1.8 |
| Combined Total Radium 226 and Radium 228 (Calculated) | pCi/L | 5 | 2 | 22.2 | 3.1 | 4.6 | 3.37 | 3.9 | 2.31 | 1.1 | 2.01 | 0.85 |

* Duplicate sample

Table 5
C-Wellfield pre-2011
Well Water Quality Data

| Well ID | Sample Date/Time | Job Number | WYDEQ Class III Livestock Standard | C6-2 7/13/2012 C12070482-001 | C6-2 10/17/2012 C12100755-004 | C6-3 7/17/2012 C12070564-001 | C6-3 10/12/2012 C12100579-004 | C6-4 7/11/2012 C12070385-001 | C6-4 10/4/2012 C12100251-003 | C8-3 7/12/2012 C12070433-001 | C8-3 * 7/12/2012 C12070433-002 | C8-3 10/10/2012 C12100498-002 | C9-2 7/13/2012 C12070482-002 |
|---|------------------|------------|------------------------------------|------------------------------|-------------------------------|------------------------------|-------------------------------|------------------------------|------------------------------|------------------------------|--------------------------------|-------------------------------|------------------------------|
| HSU | | | 130 | 130 | 80 | 80 | 130 | 130 | 130 | 130 | 130 | 130 | 130 |
| Alkalinity, Total as CaCO3 | mg/L | -- | 131 | 140 | 144 | 161 | 253 | 260 | 346 | 348 | 359 | 238 | |
| Carbonate as CO3 | mg/L | -- | <5 | <5 | <5 | <5 | <5 | <5 | <5 | <5 | <5 | <5 | |
| Bicarbonate as HCO3 | mg/L | -- | 159 | 171 | 175 | 197 | 308 | 318 | 422 | 425 | 438 | 291 | |
| Calcium | mg/L | -- | 51 | 53 | 52 | 53 | 281 | 270 | 164 | 161 | 165 | 83 | |
| Chloride | mg/L | 2000 | 21 | 21 | 22 | 15 | 144 | 159 | 56 | 56 | 60 | 24 | |
| Fluoride | mg/L | -- | 0.2 | 0.2 | 0.2 | 0.2 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | 0.1 | |
| Magnesium | mg/L | -- | 9 | 9 | 9 | 9 | 54 | 53 | 30 | 30 | 29 | 16 | |
| Nitrogen, Ammonia as N | mg/L | -- | <0.05 | <0.05 | 0.24 | 0.17 | <0.05 | <0.05 | 0.06 | 0.06 | 0.06 | <0.05 | |
| Nitrogen, Nitrate+Nitrite as N | mg/L | 100 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | 0.1 | <0.1 | |
| Potassium | mg/L | -- | 4 | 4 | 5 | 5 | 10 | 9 | 7 | 8 | 7 | 4 | |
| Silica | mg/L | -- | 7.6 | 9.3 | 11.7 | 11.4 | 15.2 | 14.6 | 17.3 | 16.5 | 16.5 | 12.3 | |
| Sodium | mg/L | -- | 113 | 119 | 141 | 147 | 246 | 220 | 160 | 149 | 140 | 96 | |
| Sulfate | mg/L | 3000 | 264 | 255 | 318 | 282 | 907 | 940 | 398 | 398 | 418 | 225 | |
| Conductivity @ 25 C | mmhos/cm | -- | 0.891 | 0.857 | 0.981 | 0.945 | 2.46 | 2.36 | 1.54 | 1.54 | 1.48 | 0.962 | |
| pH | s.u. | 6.5-8.5 | 8.12 | 7.95 | 8.17 | 8.16 | 7.62 | 7.5 | 7.59 | 7.61 | 7.49 | 7.7 | |
| Solids, Total Dissolved TDS @ 180 C | mg/L | 5000 | 601 | 566 | 648 | 641 | 1870 | 1920 | 1060 | 1070 | 1080 | 654 | |
| Aluminum-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | |
| Antimony-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | |
| Arsenic-D | mg/L | 0.2 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | |
| Barium-D | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | |
| Beryllium-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | |
| Boron-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | |
| Cadmium-D | mg/L | 0.05 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | |
| Chromium-D | mg/L | 0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | |
| Copper-D | mg/L | 0.5 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | |
| Iron-D | mg/L | -- | <0.03 | <0.03 | <0.03 | <0.03 | 0.48 | 0.51 | 0.12 | 0.12 | 0.11 | <0.03 | |
| Lead-D | mg/L | 0.1 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | |
| Manganese-D | mg/L | -- | <0.01 | <0.01 | 0.03 | 0.04 | 0.18 | 0.18 | 0.46 | 0.45 | 0.44 | <0.01 | |
| Mercury-D | mg/L | 0.00005 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | |
| Molybdenum-D | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | |
| Nickel-D | mg/L | -- | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | |
| Selenium-D | mg/L | 0.05 | 0.002 | 0.002 | <0.001 | <0.001 | <0.001 | <0.001 | 0.003 | 0.003 | 0.003 | 0.062 | |
| Thallium-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | |
| Uranium-D | mg/L | -- | 0.0013 | 0.0011 | <0.0003 | <0.0003 | 0.0156 | 0.0175 | 0.104 | 0.102 | 0.114 | 0.0687 | |
| Vanadium-D | mg/L | 0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | |
| Zinc-D | mg/L | 25 | 0.01 | <0.01 | <0.01 | <0.01 | 0.02 | <0.01 | 0.01 | <0.01 | <0.01 | 0.02 | |
| Antimony-T | mg/L | -- | | | | | | | | | | | |
| Beryllium-T | mg/L | -- | | | | | | | | | | | |
| Iron-T | mg/L | -- | 0.03 | <0.03 | <0.03 | 0.04 | 0.51 | 0.53 | 0.13 | 0.14 | 0.14 | <0.03 | |
| Manganese-T | mg/L | -- | 0.03 | 0.02 | 0.03 | 0.03 | 0.17 | 0.18 | 0.46 | 0.45 | 0.48 | <0.01 | |
| Thallium-T | mg/L | -- | | | | | | | | | | | |
| Gross Alpha - minus U - Calculated | pCi/L | 15 | 2.12 | 0.96 | 1 | -2 | 12.44 | 9.65 | 60.59 | 17.85 | 33.82 | 22.59 | |
| Gross Alpha - Unadjusted | pCi/L | -- | 3 | 1.7 | 1 | -2 | 23 | 21.5 | 131 | 86.9 | 111 | 69.1 | |
| Gross Alpha precision (±) | pCi/L | -- | 1.5 | 1.5 | 1.5 | 1.2 | 5.3 | 6.8 | 6.8 | 8.6 | 6.3 | 3.7 | |
| Gross Alpha MDC | pCi/L | -- | 2.4 | 2.4 | 2.5 | 2.2 | 7 | 9.5 | 4.8 | 8.8 | 5.4 | 2.5 | |
| Gross Beta | pCi/L | -- | 3.7 | 2 | 3.2 | 0.6 | <0.5 | -4 | 8.7 | 0.2 | 22.1 | 21 | |
| Gross Beta precision (±) | pCi/L | -- | 1.8 | 1.7 | 2.1 | 2.6 | 6 | 10.5 | 4.1 | 9.4 | 4 | 2.5 | |
| Gross Beta MDC | pCi/L | -- | 2.9 | 2.7 | 3.3 | 4.4 | 10 | 17.7 | 6.2 | 15.4 | 5.8 | 3.4 | |
| Radium 226 | pCi/L | -- | 0.2 | 0.32 | 0.27 | 0.56 | 1.3 | 1.6 | 0.7 | 0.6 | 0.45 | 0.25 | |
| Radium 226 precision (±) | pCi/L | -- | 0.12 | 0.17 | 0.14 | 0.19 | 0.22 | 0.31 | 0.18 | 0.16 | 0.16 | 0.13 | |
| Radium 226 MDC | pCi/L | -- | 0.16 | 0.21 | 0.18 | 0.17 | 0.16 | 0.21 | 0.15 | 0.15 | 0.15 | 0.16 | |
| Radium 228 | pCi/L | -- | <0.4 | 0.2 | 0.5 | 1.6 | 1.3 | 0.8 | 0.9 | 0.7 | 0.8 | <0.3 | |
| Radium 228 precision (±) | pCi/L | -- | 1 | 0.9 | 0.7 | 1.1 | 0.7 | 1.1 | 0.7 | 0.7 | 0.9 | 1 | |
| Radium 228 MDC | pCi/L | -- | 1.6 | 1.5 | 1.1 | 1.7 | 1 | 1.8 | 1.2 | 1.1 | 1.4 | 1.6 | |
| Combined Total Radium 226 and Radium 228 (Calculated) | pCi/L | 5 | 0.2 | 0.52 | 0.77 | 2.16 | 2.6 | 2.4 | 1.6 | 1.3 | 1.25 | 0.25 | |

* Duplicate sample

Table 5
C-Wellfield pre-2011
Well Water Quality Data

| Well ID | Sample Date/Time | Job Number | WYDEQ Class III Livestock Standard | C9-2 10/11/2012 C12100554-004 | C11-1 7/18/2012 C12070620-002 | C11-1 10/2/2012 C12100115-001 | C11-2 7/19/2012 C12070681-001 | C11-2 10/4/2012 C12100251-002 | C11-4 7/19/2012 C12070681-002 | C11-4 10/3/2012 C12100209-005 | C11-5 7/20/12 C12070743-001 | C11-5 10/4/2012 C12100251-004 | C11-6 7/24/2012 C12070840-003 |
|---|------------------|------------|------------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-----------------------------|-------------------------------|-------------------------------|
| HSU | | | | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 140 |
| Alkalinity, Total as CaCO3 | mg/L | -- | 241 | 339 | 353 | 165 | 191 | 224 | 238 | 268 | 281 | 206 | |
| Carbonate as CO3 | mg/L | -- | <5 | <5 | <5 | <5 | <5 | <5 | <5 | <5 | <5 | <5 | |
| Bicarbonate as HCO3 | mg/L | -- | 294 | 413 | 431 | 202 | 233 | 274 | 282 | 328 | 343 | 252 | |
| Calcium | mg/L | -- | 78 | 164 | 148 | 63 | 63 | 76 | 78 | 132 | 138 | 127 | |
| Chloride | mg/L | 2000 | 19 | 51 | 55 | 14 | 15 | 34 | 35 | 26 | 26 | 30 | |
| Fluoride | mg/L | -- | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 | |
| Magnesium | mg/L | -- | 16 | 34 | 32 | 11 | 12 | 14 | 14 | 34 | 36 | 26 | |
| Nitrogen, Ammonia as N | mg/L | -- | <0.05 | 2.67 | 2.19 | <0.05 | <0.05 | 0.08 | <0.05 | 0.16 | 0.14 | <0.05 | |
| Nitrogen, Nitrate+Nitrite as N | mg/L | 100 | <0.1 | 0.4 | 0.1 | <0.1 | <0.1 | <0.1 | <0.1 | 0.2 | <0.1 | <0.1 | |
| Potassium | mg/L | -- | 5 | 12 | 11 | 5 | 5 | 6 | 5 | 8 | 8 | 6 | |
| Silica | mg/L | -- | 11.5 | 22.5 | 22.9 | 10.8 | 12.2 | 13.6 | 13.1 | 17 | 17.6 | 11.9 | |
| Sodium | mg/L | -- | 100 | 66 | 70 | 121 | 133 | 122 | 125 | 82 | 79 | 175 | |
| Sulfate | mg/L | 3000 | 221 | 237 | 271 | 316 | 260 | 261 | 251 | 331 | 338 | 528 | |
| Conductivity @ 25 C | mmhos/cm | -- | 0.902 | 1.21 | 1.25 | 0.958 | 0.904 | 0.989 | 0.987 | 1.12 | 1.12 | 1.5 | |
| pH | s.u. | 6.5-8.5 | 7.55 | 6.95 | 7.05 | 7.94 | 7.82 | 7.91 | 7.82 | 7.33 | 7.27 | 7.67 | |
| Solids, Total Dissolved TDS @ 180 C | mg/L | 5000 | 611 | 813 | 853 | 668 | 604 | 676 | 670 | 811 | 812 | 1090 | |
| Aluminum-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | |
| Antimony-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | |
| Arsenic-D | mg/L | 0.2 | <0.001 | 0.005 | 0.005 | <0.001 | 0.001 | <0.001 | <0.001 | 0.002 | 0.001 | <0.001 | |
| Barium-D | mg/L | -- | <0.1 | 0.2 | 0.2 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | |
| Beryllium-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | |
| Boron-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | |
| Cadmium-D | mg/L | 0.05 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | |
| Chromium-D | mg/L | 0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | |
| Copper-D | mg/L | 0.5 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | |
| Iron-D | mg/L | -- | <0.03 | 8.81 | 6 | <0.03 | 0.05 | 0.03 | <0.03 | 1.28 | 1.28 | <0.03 | |
| Lead-D | mg/L | 0.1 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | |
| Manganese-D | mg/L | -- | <0.01 | 1.27 | 1.06 | 0.06 | 0.07 | 0.17 | 0.18 | 0.3 | 0.3 | 0.11 | |
| Mercury-D | mg/L | 0.00005 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | |
| Molybdenum-D | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | |
| Nickel-D | mg/L | -- | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | |
| Selenium-D | mg/L | 0.05 | 0.034 | 0.422 | 0.305 | <0.001 | <0.001 | 0.018 | 0.024 | 0.003 | 0.005 | <0.001 | |
| Thallium-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | |
| Uranium-D | mg/L | -- | 0.0639 | 0.466 | 0.357 | 0.0081 | 0.0096 | 0.0633 | 0.0619 | 0.0152 | 0.0089 | 0.0003 | |
| Vanadium-D | mg/L | 0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | |
| Zinc-D | mg/L | 25 | <0.01 | <0.01 | <0.01 | 0.01 | <0.01 | 0.01 | <0.01 | <0.01 | <0.01 | <0.01 | |
| Antimony-T | mg/L | -- | | | | | | | | | | | |
| Beryllium-T | mg/L | -- | | | | | | | | | | | |
| Iron-T | mg/L | -- | <0.03 | 15.7 | 8.58 | <0.03 | 0.07 | 0.04 | 0.04 | 1.54 | 1.41 | 0.18 | |
| Manganese-T | mg/L | -- | <0.01 | 1.25 | 1.08 | 0.06 | 0.07 | 0.17 | 0.17 | 0.31 | 0.3 | 0.13 | |
| Thallium-T | mg/L | -- | | | | | | | | | | | |
| Gross Alpha - minus U - Calculated | pCi/L | 15 | 23.24 | 66.52 | -33.69 | 5.42 | 4.80 | 46.95 | 22.59 | 1.11 | 1.07 | <-2 | |
| Gross Alpha - Unadjusted | pCi/L | -- | 66.5 | 382 | 208 | 10.9 | 11.3 | 89.8 | 64.5 | 11.4 | 7.1 | <-2 | |
| Gross Alpha precision (±) | pCi/L | -- | 3.4 | 10.3 | 7.5 | 2.1 | 1.8 | 4.4 | 3.7 | 2.9 | 2.1 | 2.2 | |
| Gross Alpha MDC | pCi/L | -- | 2.5 | 4.2 | 3.8 | 2.8 | 2.2 | 3.4 | 3.2 | 4.1 | 3 | 3.9 | |
| Gross Beta | pCi/L | -- | 12.5 | 46.5 | 59.7 | <3.1 | 4.2 | 5.7 | 17.3 | 4.8 | 8 | <1.6 | |
| Gross Beta precision (±) | pCi/L | -- | 2.1 | 5.3 | 4 | 2.1 | 1.8 | 2.3 | 2.3 | 3.6 | 2.6 | 3.2 | |
| Gross Beta MDC | pCi/L | -- | 2.9 | 6.6 | 4.8 | 3.4 | 2.9 | 3.5 | 3.2 | 5.8 | 4.1 | 5.2 | |
| Radium 226 | pCi/L | -- | 0.3 | 2.3 | 1.7 | 0.39 | 0.16 | 0.39 | 0.35 | 0.78 | 0.96 | 0.35 | |
| Radium 226 precision (±) | pCi/L | -- | 0.12 | 0.28 | 0.27 | 0.12 | 0.15 | 0.11 | 0.18 | 0.2 | 0.28 | 0.14 | |
| Radium 226 MDC | pCi/L | -- | 0.13 | 0.13 | 0.15 | 0.1 | 0.22 | 0.1 | 0.22 | 0.16 | 0.25 | 0.14 | |
| Radium 228 | pCi/L | -- | 1.2 | 1.4 | 2 | <0.6 | 0.5 | <0.4 | <0.6 | 2.1 | 1.1 | <0.9 | |
| Radium 228 precision (±) | pCi/L | -- | 0.8 | 0.7 | 0.9 | 0.7 | 1.1 | 0.7 | 1.7 | 0.9 | 1.3 | 0.6 | |
| Radium 228 MDC | pCi/L | -- | 1.3 | 1 | 1.3 | 1.1 | 1.9 | 1.1 | 2.9 | 1.4 | 2.2 | 1 | |
| Combined Total Radium 226 and Radium 228 (Calculated) | pCi/L | 5 | 1.5 | 3.7 | 3.7 | 0.39 | 0.66 | 0.39 | 0.35 | 2.88 | 2.06 | 0.35 | |

* Duplicate sample

Table 5
C-Wellfield pre-2011
Well Water Quality Data

| Well ID | Sample Date/Time | Job Number | WYDEQ Class III Livestock Standard | C11-6 10/17/2012 C12100755-003 | C12-1 8/8/2012 C12080353-001 | C12-1 10/17/2012 C12100755-005 | C14-3 7/23/2012 C12070781-001 | C14-3 10/17/2012 C12100755-001 | C17-1 7/23/2012 C12070781-002 | C17-1 10/5/2012 C12100311-006 | C20-1 8/8/2012 C12080353-002 | C20-1 10/9/2012 C12100393-003 | C22-1 8/2/2012 C12080089-001 |
|---|------------------|------------|------------------------------------|--------------------------------|------------------------------|--------------------------------|-------------------------------|--------------------------------|-------------------------------|-------------------------------|------------------------------|-------------------------------|------------------------------|
| HSU | | | | 140 | 60 | 60 | 130 | 130 | 130 | 130 | 150 | 150 | 100 |
| Alkalinity, Total as CaCO3 | mg/L | -- | 214 | 125 | 130 | 143 | 127 | 177 | 186 | 183 | 191 | 126 | |
| Carbonate as CO3 | mg/L | -- | <5 | <5 | <5 | <5 | <5 | <5 | <5 | <5 | <5 | <5 | |
| Bicarbonate as HCO3 | mg/L | -- | 262 | 153 | 158 | 175 | 155 | 216 | 227 | 223 | 233 | 154 | |
| Calcium | mg/L | -- | 130 | 31 | 34 | 113 | 105 | 79 | 86 | 98 | 95 | 33 | |
| Chloride | mg/L | 2000 | 30 | 7 | 7 | 42 | 41 | 6 | 6 | 15 | 14 | 6 | |
| Fluoride | mg/L | -- | 0.1 | 0.3 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | |
| Magnesium | mg/L | -- | 26 | 6 | 6 | 20 | 18 | 14 | 15 | 22 | 21 | 6 | |
| Nitrogen, Ammonia as N | mg/L | -- | <0.05 | 0.35 | 0.18 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | 0.26 |
| Nitrogen, Nitrate+Nitrite as N | mg/L | 100 | <0.1 | 0.7 | <0.1 | <0.1 | <0.1 | 0.3 | 1.1 | 1 | 1.3 | <0.1 | |
| Potassium | mg/L | -- | 6 | 4 | 5 | 5 | 4 | 7 | 5 | 7 | 7 | 4 | |
| Silica | mg/L | -- | 12.4 | 12.9 | 14.4 | 8.6 | 7.4 | 11.4 | 13.7 | 29.9 | 15.6 | 10.9 | |
| Sodium | mg/L | -- | 178 | 61 | 62 | 184 | 172 | 136 | 136 | 25 | 21 | 115 | |
| Sulfate | mg/L | 3000 | 525 | 113 | 111 | 558 | 504 | 385 | 378 | 148 | 141 | 194 | |
| Conductivity @ 25 C | mmhos/cm | -- | 1.45 | 0.495 | 0.494 | 1.42 | 1.34 | 1.07 | 1.05 | 0.672 | 0.674 | 0.662 | |
| pH | s.u. | 6.5-8.5 | 7.71 | 7.9 | 7.95 | 7.94 | 7.91 | 7.91 | 7.96 | 7.61 | 7.95 | 8.12 | |
| Solids, Total Dissolved TDS @ 180 C | mg/L | 5000 | 1070 | 302 | 313 | 1020 | 963 | 737 | 745 | 437 | 454 | 449 | |
| Aluminum-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | 3.1 | <0.1 | <0.1 | |
| Antimony-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | |
| Arsenic-D | mg/L | 0.2 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | 0.004 | <0.001 | <0.001 | |
| Barium-D | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | 0.2 | <0.1 | <0.1 | |
| Beryllium-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | 0.001 | <0.001 | <0.001 | |
| Boron-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | |
| Cadmium-D | mg/L | 0.05 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | |
| Chromium-D | mg/L | 0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | |
| Copper-D | mg/L | 0.5 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | |
| Iron-D | mg/L | -- | <0.03 | 0.04 | 0.03 | 0.1 | <0.03 | 0.13 | 0.11 | 2.83 | <0.03 | 0.04 | |
| Lead-D | mg/L | 0.1 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | 0.026 | <0.001 | <0.001 | |
| Manganese-D | mg/L | -- | 0.08 | 0.02 | 0.02 | 0.17 | 0.14 | 0.08 | 0.08 | 0.24 | 0.08 | 0.03 | |
| Mercury-D | mg/L | 0.00005 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | |
| Molybdenum-D | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | |
| Nickel-D | mg/L | -- | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | |
| Selenium-D | mg/L | 0.05 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | 0.055 | 0.058 | <0.001 | |
| Thallium-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | |
| Uranium-D | mg/L | -- | 0.0005 | 0.0006 | <0.0003 | 0.0004 | 0.0004 | <0.0003 | <0.0003 | 0.0231 | 0.0135 | <0.0003 | |
| Vanadium-D | mg/L | 0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | |
| Zinc-D | mg/L | 25 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | 0.05 | <0.01 | <0.01 | |
| Antimony-T | mg/L | -- | | | | | | | | | | | |
| Beryllium-T | mg/L | -- | | | | | | | | | | | |
| Iron-T | mg/L | -- | 0.16 | 0.12 | 0.04 | 0.56 | 0.49 | 0.14 | 0.15 | 158 | 12.4 | 0.19 | |
| Manganese-T | mg/L | -- | 0.09 | 0.02 | 0.02 | 0.19 | 0.15 | 0.08 | 0.08 | 3.78 | 0.2 | 0.03 | |
| Thallium-T | mg/L | -- | | | | | | | | | | | |
| Gross Alpha - minus U - Calculated | pCi/L | 15 | -2.34 | -0.01 | 0.9 | <-0.5 | -3.27 | <0.8 | -0.5 | 16.56 | 25.86 | -0.1 | |
| Gross Alpha - Unadjusted | pCi/L | -- | -2 | 0.4 | 0.9 | <-0.5 | -3 | <0.8 | -0.5 | 32.2 | 35 | -0.07 | |
| Gross Alpha precision (±) | pCi/L | -- | 2.2 | 1 | 1 | 2 | 2 | 1.6 | 1.5 | 2.8 | 2.7 | 1.2 | |
| Gross Alpha MDC | pCi/L | -- | 3.9 | 1.6 | 1.6 | 3.4 | 3.6 | 2.7 | 2.5 | 2.7 | 2.4 | 2 | |
| Gross Beta | pCi/L | -- | 1.8 | 2.3 | 2 | <1.6 | 1.2 | 3.6 | 3.3 | 119 | 29.5 | 2.2 | |
| Gross Beta precision (±) | pCi/L | -- | 2.9 | 1.6 | 1.6 | 3.1 | 2.6 | 2.2 | 2.2 | 3.7 | 3.9 | 1.7 | |
| Gross Beta MDC | pCi/L | -- | 4.8 | 2.6 | 2.6 | 5.2 | 4.3 | 3.6 | 3.6 | 3.4 | 5.6 | 2.7 | |
| Radium 226 | pCi/L | -- | 0.35 | 0.27 | 0.31 | 0.42 | 0.1 | 0.26 | 0.15 | 0.24 | 3.3 | 0.24 | |
| Radium 226 precision (±) | pCi/L | -- | 0.17 | 0.14 | 0.17 | 0.18 | 0.13 | 0.15 | 0.13 | 0.14 | 0.36 | 0.16 | |
| Radium 226 MDC | pCi/L | -- | 0.2 | 0.16 | 0.21 | 0.19 | 0.21 | 0.19 | 0.18 | 0.18 | 0.15 | 0.21 | |
| Radium 228 | pCi/L | -- | 1.7 | 0.5 | 0.2 | <0.6 | 0.5 | <0.5 | 1.7 | 1.1 | -0.5 | 0.9 | |
| Radium 228 precision (±) | pCi/L | -- | 1 | 0.7 | 0.9 | 0.9 | 0.8 | 0.9 | 1 | 0.8 | 0.7 | 0.7 | |
| Radium 228 MDC | pCi/L | -- | 1.5 | 1.1 | 1.6 | 1.5 | 1.2 | 1.4 | 1.5 | 1.2 | 1.2 | 1.1 | |
| Combined Total Radium 226 and Radium 228 (Calculated) | pCi/L | 5 | 2.05 | 0.77 | 0.51 | 0.42 | 0.6 | 0.26 | 1.85 | 1.34 | 2.8 | 1.14 | |

* Duplicate sample

Table 5
C-Wellfield pre-2011
Well Water Quality Data

| Well ID | | WYDEQ | C22-1 | C22-1* |
|---|----------|-----------|---------------|---------------|
| Sample Date/Time | | Class III | 10/5/2012 | 10/5/2012 |
| Job Number | | Livestock | C12100311-001 | C12100311-002 |
| HSU | | Standard | 100 | 100 |
| Alkalinity, Total as CaCO3 | mg/L | -- | 128 | 129 |
| Carbonate as CO3 | mg/L | -- | <5 | <5 |
| Bicarbonate as HCO3 | mg/L | -- | 156 | 157 |
| Calcium | mg/L | -- | 29 | 29 |
| Chloride | mg/L | 2000 | 7 | 7 |
| Fluoride | mg/L | -- | 0.3 | 0.2 |
| Magnesium | mg/L | -- | 5 | 5 |
| Nitrogen, Ammonia as N | mg/L | -- | 0.18 | 0.17 |
| Nitrogen, Nitrate+Nitrite as N | mg/L | 100 | <0.1 | <0.1 |
| Potassium | mg/L | -- | 3 | 3 |
| Silica | mg/L | -- | 10.8 | 10.7 |
| Sodium | mg/L | -- | 104 | 103 |
| Sulfate | mg/L | 3000 | 195 | 192 |
| Conductivity @ 25 C | mmhos/cm | -- | 0.676 | 0.674 |
| pH | s.u. | 6.5-8.5 | 8.15 | 8.17 |
| Solids, Total Dissolved TDS @ 180 C | mg/L | 5000 | 443 | 431 |
| Aluminum-D | mg/L | 5 | <0.1 | <0.1 |
| Antimony-D | mg/L | -- | <0.001 | <0.001 |
| Arsenic-D | mg/L | 0.2 | <0.001 | <0.001 |
| Barium-D | mg/L | -- | <0.1 | <0.1 |
| Beryllium-D | mg/L | -- | <0.001 | <0.001 |
| Boron-D | mg/L | 5 | <0.1 | <0.1 |
| Cadmium-D | mg/L | 0.05 | <0.005 | <0.005 |
| Chromium-D | mg/L | 0.05 | <0.05 | <0.05 |
| Copper-D | mg/L | 0.5 | <0.01 | <0.01 |
| Iron-D | mg/L | -- | 0.03 | <0.03 |
| Lead-D | mg/L | 0.1 | <0.001 | <0.001 |
| Manganese-D | mg/L | -- | 0.03 | 0.03 |
| Mercury-D | mg/L | 0.00005 | <0.001 | <0.001 |
| Molybdenum-D | mg/L | -- | <0.1 | <0.1 |
| Nickel-D | mg/L | -- | <0.05 | <0.05 |
| Selenium-D | mg/L | 0.05 | <0.001 | <0.001 |
| Thallium-D | mg/L | -- | <0.001 | <0.001 |
| Uranium-D | mg/L | -- | <0.0003 | <0.0003 |
| Vanadium-D | mg/L | 0.1 | <0.1 | <0.1 |
| Zinc-D | mg/L | 25 | <0.01 | <0.01 |
| Antimony-T | mg/L | -- | | |
| Beryllium-T | mg/L | -- | | |
| Iron-T | mg/L | -- | 0.04 | 0.04 |
| Manganese-T | mg/L | -- | 0.03 | 0.04 |
| Thallium-T | mg/L | -- | | |
| Gross Alpha - minus U - Calculated | pCi/L | 15 | 0.07 | 0.04 |
| Gross Alpha - Unadjusted | pCi/L | -- | 0.07 | 0.04 |
| Gross Alpha precision (±) | pCi/L | -- | 1.1 | 1.1 |
| Gross Alpha MDC | pCi/L | -- | 1.8 | 1.8 |
| Gross Beta | pCi/L | -- | 2.5 | 2.2 |
| Gross Beta precision (±) | pCi/L | -- | 1.7 | 1.6 |
| Gross Beta MDC | pCi/L | -- | 2.7 | 2.6 |
| Radium 226 | pCi/L | -- | 0.15 | 0.26 |
| Radium 226 precision (±) | pCi/L | -- | 0.13 | 0.16 |
| Radium 226 MDC | pCi/L | -- | 0.19 | 0.2 |
| Radium 228 | pCi/L | -- | 1.2 | 1.1 |
| Radium 228 precision (±) | pCi/L | -- | 1 | 1 |
| Radium 228 MDC | pCi/L | -- | 1.5 | 1.6 |
| Combined Total Radium 226 and Radium 228 (Calculated) | pCi/L | 5 | 1.35 | 1.36 |

* Duplicate sample

Table 6
C-Wellfield New
Well Water Quality Data

| Well ID | Sample Date/Time | Job Number | WYDEQ Class III Livestock Standard | C22-2 6/11/12 C12060482-004 110 | C22-2 8/27/2012 C12081112-001 110 | C22-2* 8/27/12 C12081112-002 110 | C22-2 10/9/2012 C12100393-001 110 | C22-3 6/11/12 C12060482-005 120 | C22-3 8/28/2012 C12081183-003 120 | C22-3 10/9/2012 C12100393-002 120 | C22-4 6/18/12 C12060737-001 100 | C22-4 10/12/2012 C12100579-007 100 | CBG-1 6/12/12 C12060482-002 100 |
|---|------------------|------------|------------------------------------|---------------------------------|-----------------------------------|----------------------------------|-----------------------------------|---------------------------------|-----------------------------------|-----------------------------------|---------------------------------|------------------------------------|---------------------------------|
| Alkalinity, Total as CaCO3 | mg/L | -- | -- | 0 | 142 | 141 | | 0 | 143 | | 127 | | 0 |
| Carbonate as CO3 | mg/L | -- | -- | <5 | <5 | <5 | | <5 | <5 | | <5 | | <5 |
| Bicarbonate as HCO3 | mg/L | -- | -- | 169 | 173 | 173 | 173 | 165 | 166 | 171 | 151 | 153 | 190 |
| Calcium | mg/L | -- | -- | 35 | 37 | 41 | | 28 | 31 | | 32 | | 50 |
| Chloride | mg/L | 2000 | -- | 7 | 8 | 7 | 7 | 9 | 9 | 10 | 4 | 4 | 4 |
| Fluoride | mg/L | -- | -- | 0.2 | 0.2 | 0.2 | | 0.2 | 0.2 | | 0.3 | | 0.2 |
| Magnesium | mg/L | -- | -- | 6 | 6 | 7 | | 4 | 4 | | 5 | | 10 |
| Nitrogen, Ammonia as N | mg/L | -- | -- | <0.05 | <0.05 | <0.05 | | <0.05 | <0.05 | | <0.05 | | <0.05 |
| Nitrogen, Nitrate+Nitrite as N | mg/L | 100 | -- | <0.1 | <0.1 | <0.1 | | <0.1 | <0.1 | | <0.1 | | <0.1 |
| Potassium | mg/L | -- | -- | 4 | 4 | 4 | | 3 | 3 | | 3 | | 5 |
| Silica | mg/L | -- | -- | 11 | 13.7 | 13.5 | | 9.4 | 10.3 | | 12.2 | | 13.4 |
| Sodium | mg/L | -- | -- | 107 | 108 | 116 | | 108 | 109 | | 134 | | 97 |
| Sulfate | mg/L | 3000 | -- | 211 | 229 | 229 | | 174 | 177 | | 239 | | 237 |
| Conductivity @ 25 C | mmhos/cm | -- | -- | 0.759 | 0.768 | 0.769 | 0.729 | 0.676 | 0.674 | 0.634 | 0.807 | 0.685 | 0.801 |
| pH | s.u. | 6.5-8.5 | -- | 8.27 | 8.23 | 8.22 | | 8.56 | 8.51 | | 8.52 | | 8 |
| Solids, Total Dissolved TDS @ 180 C | mg/L | 5000 | -- | 501 | 494 | 501 | 502 | 442 | 433 | 438 | 577 | 464 | 539 |
| Aluminum-D | mg/L | 5 | -- | <0.008 | <0.1 | <0.1 | | 0.018 | <0.1 | | <0.1 | | <0.1 |
| Antimony-D | mg/L | -- | -- | <0.001 | <0.001 | <0.001 | | <0.001 | <0.001 | | <0.001 | | <0.001 |
| Arsenic-D | mg/L | 0.2 | -- | <0.001 | <0.001 | <0.001 | | <0.001 | <0.001 | | <0.001 | | <0.001 |
| Barium-D | mg/L | -- | -- | <0.1 | <0.1 | <0.1 | | <0.1 | <0.1 | | <0.1 | | <0.1 |
| Beryllium-D | mg/L | -- | -- | <0.01 | <0.001 | <0.001 | | <0.01 | <0.001 | | <0.01 | | <0.001 |
| Boron-D | mg/L | 5 | -- | <0.1 | <0.1 | <0.1 | | <0.1 | <0.1 | | <0.1 | | <0.1 |
| Cadmium-D | mg/L | 0.05 | -- | <0.005 | <0.005 | <0.005 | | <0.005 | <0.005 | | <0.005 | | <0.005 |
| Chromium-D | mg/L | 0.05 | -- | <0.05 | <0.05 | <0.05 | | <0.05 | <0.05 | | <0.05 | | <0.05 |
| Copper-D | mg/L | 0.5 | -- | <0.01 | <0.01 | <0.01 | | <0.01 | <0.01 | | <0.01 | | <0.01 |
| Iron-D | mg/L | -- | -- | <0.03 | <0.03 | <0.03 | | <0.03 | <0.03 | | 0.03 | | 0.04 |
| Lead-D | mg/L | 0.1 | -- | <0.001 | <0.001 | <0.001 | | <0.001 | <0.001 | | <0.001 | | <0.001 |
| Manganese-D | mg/L | -- | -- | 0.03 | 0.05 | 0.04 | | <0.01 | 0.02 | | 0.02 | | 0.02 |
| Mercury-D | mg/L | 0.00005 | -- | <0.001 | <0.001 | <0.001 | | <0.001 | <0.001 | | <0.001 | | <0.001 |
| Molybdenum-D | mg/L | -- | -- | <0.1 | <0.1 | <0.1 | | <0.1 | <0.1 | | <0.1 | | <0.1 |
| Nickel-D | mg/L | -- | -- | <0.05 | <0.05 | <0.05 | | <0.05 | <0.05 | | <0.05 | | <0.05 |
| Selenium-D | mg/L | 0.05 | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | 0.006 | <0.001 | <0.001 |
| Thallium-D | mg/L | -- | -- | <0.001 | <0.001 | <0.001 | | <0.001 | <0.001 | | <0.1 | | <0.001 |
| Uranium-D | mg/L | -- | -- | <0.0003 | <0.0003 | <0.0003 | <0.0003 | <0.0003 | 0.0003 | <0.0003 | 0.0005 | <0.0003 | 0.0112 |
| Vanadium-D | mg/L | 0.1 | -- | <0.1 | <0.1 | <0.1 | | <0.1 | <0.1 | | <0.1 | | <0.1 |
| Zinc-D | mg/L | 25 | -- | <0.01 | <0.01 | <0.01 | | <0.01 | <0.01 | | 0.01 | | <0.01 |
| Antimony-T | mg/L | -- | -- | 0 | | | | 0 | | | 0 | | 0 |
| Beryllium-T | mg/L | -- | -- | 0 | | | | 0 | | | 0 | | 0 |
| Iron-T | mg/L | -- | -- | 0.15 | 0.31 | 0.31 | | 1.11 | 1.06 | | 6.33 | | 0.05 |
| Manganese-T | mg/L | -- | -- | 0.04 | 0.05 | 0.05 | | 0.02 | 0.03 | | 0.1 | | 0.03 |
| Thallium-T | mg/L | -- | -- | | | | | | | | | | |
| Gross Alpha - minus U - Calculated | mg/L | 15 | -- | 1.3 | -1.0 | 0.1 | | 0.5 | <-0.3 | | -1.14 | | 73.02 |
| Gross Alpha - Unadjusted | pCi/L | -- | -- | 1.3 | -1 | 0.1 | | 0.5 | <-0.3 | | -0.8 | | 80.6 |
| Gross Alpha precision (±) | pCi/L | -- | -- | 1.1 | 1.2 | 1.3 | | 1.2 | 1.1 | | 1.4 | | 3.4 |
| Gross Alpha MDC | pCi/L | -- | -- | 1.8 | 2.1 | 2.1 | | 2 | 1.8 | | 2.4 | | 2.3 |
| Gross Beta | pCi/L | -- | -- | 3.2 | 2.4 | 1.8 | | 2.3 | <1.2 | | 1.4 | | 16.9 |
| Gross Beta precision (±) | pCi/L | -- | -- | 1.6 | 1.6 | 1.6 | | 1.6 | 1.6 | | 1.9 | | 2 |
| Gross Beta MDC | pCi/L | -- | -- | 2.5 | 2.7 | 2.6 | | 2.6 | 2.7 | | 3.1 | | 2.7 |
| Radium 226 | pCi/L | -- | -- | 0.37 | 0.04 | 0.06 | | 0.39 | 0.2 | | -0.1 | | 21 |
| Radium 226 precision (±) | pCi/L | -- | -- | 0.12 | 0.1 | 0.11 | | 0.14 | 0.13 | | 0.1 | | 0.85 |
| Radium 226 MDC | pCi/L | -- | -- | 0.11 | 0.17 | 0.18 | | 0.13 | 0.17 | | 0.22 | | 0.13 |
| Radium 228 | pCi/L | -- | -- | -0.04 | 0.2 | 0.7 | | 0.6 | <0.5 | | 4.9 | | 0.9 |
| Radium 228 precision (±) | pCi/L | -- | -- | 0.5 | 0.6 | 0.7 | | 0.7 | 0.8 | | 1.1 | | 0.7 |
| Radium 228 MDC | pCi/L | -- | -- | 0.9 | 1 | 1.1 | | 1.1 | 1.3 | | 1.5 | | 1 |
| Combined Total Radium 226 and Radium 228 (Calculated) | pCi/L | 5 | -- | 0.41 | 0.24 | 0.76 | | 0.99 | 0.2 | | 5 | | 21.9 |

* Duplicate sample

Table 6
C-Wellfield New
Well Water Quality Data

| CBG-1-2* 6/12/12 C12060482-003 100 | CBG-1 8/28/2012 C12081183-004 100 | CBG-1 10/10/2012 C12100498-005 100 | CBG-2 6/12/12 C12060482-001 -110 | CBG-2 8/29/2012 C12081233-002 110 | CBG-2 10/10/2012 C12100498-006 110 | CBG-2* 10/10/2012 C12100498-007 110 | CBG-3 6/13/12 C12060643-001 120 | CBG-3 8/29/2012 C12081233-003 120 | CBG-3 10/9/2012 C12100498-004 130 | CBG-4 6/13/12 C12060643-002 140 | CBG-4 8/29/2012 C12081233-004 140 |
|---|--|---|---|--|---|--|--|--|--|--|--|
| 0 | 164 | | 0 | 137 | | | 115 | 155 | | 234 | 239 |
| <5 | <5 | | <5 | <5 | | | <5 | <5 | | <5 | <5 |
| 191 | 198 | 198 | 162 | 167 | 168 | 166 | 140 | 182 | 210 | 285 | 291 |
| 51 | 60 | | 34 | 36 | | | 36 | 42 | | 63 | 59 |
| 4 | 5 | 4 | 4 | 4 | 4 | 6 | 5 | 5 | 4 | 4 | 4 |
| 0.2 | 0.2 | | 0.3 | 0.3 | | | 0.3 | 0.3 | | 0.3 | 0.3 |
| 10 | 10 | | 6 | 6 | | | 5 | 6 | | 12 | 11 |
| <0.05 | <0.05 | | <0.05 | <0.05 | | | <0.05 | <0.05 | | <0.05 | <0.05 |
| <0.1 | <0.1 | | <0.1 | <0.1 | | | <0.1 | <0.1 | | 1.7 | 1.8 |
| 5 | 6 | | 4 | 4 | | | 5 | 5 | | 6 | 6 |
| 13.4 | 14.8 | | 11.6 | 11.4 | | | 10.7 | 9.2 | | 18.3 | 16.5 |
| 98 | 106 | | 82 | 86 | | | 74 | 94 | | 56 | 55 |
| 234 | 244 | | 167 | 169 | | | 142 | 181 | | 82 | 81 |
| 0.802 | 0.818 | 0.776 | 0.632 | 0.622 | 0.585 | | 0.543 | 0.683 | 0.61 | 0.603 | 0.595 |
| 7.99 | 8.07 | | 8.1 | 8.09 | | | 8.44 | 8.37 | | 7.73 | 7.75 |
| 542 | 557 | 546 | 410 | 406 | 415 | 401 | 358 | 455 | 413 | 375 | 385 |
| <0.008 | <0.1 | | <0.1 | <0.1 | | | <0.1 | <0.1 | | <0.1 | <0.1 |
| <0.001 | <0.001 | | <0.001 | <0.001 | | | <0.001 | <0.001 | | <0.001 | <0.001 |
| <0.001 | 0.001 | | <0.001 | <0.001 | | | <0.001 | <0.001 | | <0.001 | <0.001 |
| <0.1 | <0.1 | | <0.1 | <0.1 | | | <0.1 | <0.1 | | <0.1 | <0.1 |
| <0.01 | <0.001 | | <0.001 | <0.001 | | | <0.01 | <0.001 | | <0.001 | <0.001 |
| <0.1 | <0.1 | | <0.1 | <0.1 | | | <0.1 | <0.1 | | <0.1 | <0.1 |
| <0.005 | <0.005 | | <0.005 | <0.005 | | | <0.005 | <0.005 | | <0.005 | <0.005 |
| <0.05 | <0.05 | | <0.05 | <0.05 | | | <0.05 | <0.05 | | <0.05 | <0.05 |
| <0.01 | <0.01 | | <0.01 | <0.01 | | | <0.01 | <0.01 | | <0.01 | <0.01 |
| 0.04 | 0.03 | | <0.03 | <0.03 | | | <0.03 | <0.03 | | <0.03 | <0.03 |
| <0.001 | <0.001 | | <0.001 | <0.001 | | | <0.001 | <0.001 | | <0.001 | <0.001 |
| 0.02 | 0.02 | | 0.04 | 0.04 | | | 0.01 | 0.01 | | 0.02 | <0.01 |
| <0.001 | <0.001 | | <0.001 | <0.001 | | | <0.001 | <0.001 | | <0.001 | <0.001 |
| <0.1 | <0.1 | | <0.1 | <0.1 | | | <0.1 | <0.1 | | <0.1 | <0.1 |
| <0.05 | <0.05 | | <0.05 | <0.05 | | | <0.05 | <0.05 | | <0.05 | <0.05 |
| <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | 0.025 | 0.024 |
| <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 0.0111 | 0.0143 | 0.0124 | 0.0003 | 0.0004 | 0.0003 | 0.0003 | <0.0003 | 0.0003 | 0.0008 | 0.0347 | 0.0357 |
| <0.1 | <0.1 | | <0.1 | <0.1 | | | <0.1 | <0.1 | | <0.1 | <0.1 |
| <0.01 | <0.01 | | <0.01 | <0.01 | | | 0.01 | <0.01 | | <0.01 | <0.01 |
| 0 | | | 0 | | | | 0 | | | 0 | |
| 0 | | | 0 | | | | 0 | | | 0 | |
| 0.05 | 0.48 | | 0.03 | <0.03 | | | <0.03 | 0.06 | | <0.03 | <0.03 |
| 0.02 | 0.03 | | 0.04 | 0.04 | | | 0.01 | 0.02 | | 0.02 | <0.01 |
| 64.89 | 109.32 | | 2.10 | <0.5 | | | 1.00 | <0.9 | | -0.69 | 3.23 |
| 72.4 | 119 | | 2.3 | <0.5 | | | 1 | <0.9 | | 22.8 | 27.4 |
| 3.2 | 4.1 | | 1.6 | 1 | | | 1 | 1.1 | | 2 | 2.1 |
| 2.1 | 2 | | 2.5 | 1.7 | | | 1.7 | 1.8 | | 1.9 | 1.8 |
| 17.4 | 40.6 | | 4.6 | <0.4 | | | 2.8 | 3.6 | | 9.5 | 8.8 |
| 1.9 | 2.3 | | 1.7 | 1.7 | | | 1.6 | 1.6 | | 1.8 | 1.8 |
| 2.5 | 2.6 | | 2.8 | 2.9 | | | 2.7 | 2.7 | | 2.7 | 2.7 |
| 19 | 20 | | 0.45 | 0.68 | | | 0.06 | 0.28 | | 0.13 | 0.48 |
| 0.81 | 0.94 | | 0.13 | 0.18 | | | 0.09 | 0.12 | | 0.1 | 0.17 |
| 0.12 | 0.17 | | 0.11 | 0.16 | | | 0.13 | 0.13 | | 0.13 | 0.18 |
| 0.9 | <0.6 | | -0.05 | <2.4 | | | 0.2 | <0.08 | | 0.8 | <0.9 |
| 0.6 | 0.8 | | 0.5 | 1.8 | | | 0.6 | 1.4 | | 0.6 | 1.9 |
| 1 | 1.2 | | 0.9 | 2.7 | | | 1.1 | 2.3 | | 1 | 3.1 |
| 19.9 | 20 | | 0.5 | 0.68 | | | 0.26 | 0.28 | | 0.93 | 0.48 |

Table 7
E-Wellfield pre-2011
Well Water Quality Data

| Well ID | WYDEQ | E4-3 | E4-3 | E4-5 | E4-5 | E4-6 | E4-6 | E4-7 | E4-7 | E4-7 |
|---|-----------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| Sample Date/Time | Class III | 7/27/2012 | 10/22/2012 | 7/27/2012 | 10/22/2012 | 7/24/2012 | 10/22/2012 | 6/22/12 11:20 | 8/30/2012 | 10/12/2012 |
| Job Number | Livestock | C12070995-006 | C12100906-001 | C12070995-005 | C12100906-002 | C12070840-004 | C12100906-003 | C12060984-005 | C12081293-003 | C12100579-003 |
| HSU | Standard | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 |
| Alkalinity, Total as CaCO3 | mg/L | -- | 255 | 270 | 243 | 249 | 233 | 239 | 246 | 250 |
| Carbonate as CO3 | mg/L | -- | <5 | <5 | <5 | <5 | <5 | <5 | <5 | <5 |
| Bicarbonate as HCO3 | mg/L | -- | 311 | 329 | 296 | 304 | 284 | 292 | 300 | 308 |
| Calcium | mg/L | -- | 78 | 74 | 78 | 79 | 64 | 68 | 73 | 75 |
| Chloride | mg/L | 2000 | 9 | 9 | 25 | 25 | 8 | 8 | 9 | 9 |
| Fluoride | mg/L | -- | 0.2 | 0.3 | 0.2 | 0.3 | 0.2 | 0.3 | 0.2 | 0.2 |
| Magnesium | mg/L | -- | 16 | 16 | 16 | 15 | 13 | 14 | 15 | 15 |
| Nitrogen, Ammonia as N | mg/L | -- | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| Nitrogen, Nitrate+Nitrite as N | mg/L | 100 | 1.8 | 1.8 | 1.9 | 1.9 | 1.5 | 1.5 | 2.2 | 2.1 |
| Potassium | mg/L | -- | 6 | 6 | 6 | 6 | 5 | 6 | 6 | 7 |
| Silica | mg/L | -- | 20 | 19.6 | 19.2 | 18.4 | 16.9 | 19 | 16.9 | 19.6 |
| Sodium | mg/L | -- | 61 | 59 | 68 | 69 | 62 | 60 | 60 | 56 |
| Sulfate | mg/L | 3000 | 98 | 93 | 111 | 105 | 98 | 97 | 100 | 100 |
| Conductivity @ 25 C | mmhos/cm | -- | 0.695 | 0.68 | 0.72 | 0.742 | 0.658 | 0.656 | 0.69 | 0.676 |
| pH | s.u. | 6.5-8.5 | 7.63 | 7.56 | 7.6 | 7.64 | 7.56 | 7.67 | 7.63 | 7.69 |
| Solids, Total Dissolved TDS @ 180 C | mg/L | 5000 | 430 | 411 | 496 | 465 | 418 | 406 | 445 | 428 |
| Aluminum-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Antimony-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Arsenic-D | mg/L | 0.2 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Barium-D | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Beryllium-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Boron-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Cadmium-D | mg/L | 0.05 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 |
| Chromium-D | mg/L | 0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| Copper-D | mg/L | 0.5 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| Iron-D | mg/L | -- | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 |
| Lead-D | mg/L | 0.1 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Manganese-D | mg/L | -- | <0.01 | <0.01 | 0.04 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| Mercury-D | mg/L | 0.00005 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Molybdenum-D | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Nickel-D | mg/L | -- | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| Selenium-D | mg/L | 0.05 | 0.089 | 0.075 | 0.169 | 0.16 | 0.076 | 0.064 | 0.088 | 0.088 |
| Thallium-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Uranium-D | mg/L | -- | 0.0693 | 0.0635 | 0.122 | 0.126 | 0.0531 | 0.0504 | 0.0832 | 0.0858 |
| Vanadium-D | mg/L | 0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Zinc-D | mg/L | 25 | 0.01 | <0.01 | 0.02 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| Antimony-T | mg/L | -- | -- | -- | -- | -- | -- | <0.001 | -- | -- |
| Beryllium-T | mg/L | -- | -- | -- | -- | -- | -- | <0.001 | -- | -- |
| Iron-T | mg/L | -- | 0.03 | 0.05 | 15.1 | 1.39 | <0.03 | <0.03 | <0.03 | 0.06 |
| Manganese-T | mg/L | -- | <0.01 | <0.01 | 0.13 | 0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| Thallium-T | mg/L | -- | -- | -- | -- | -- | -- | <0.001 | -- | -- |
| Gross Alpha - minus U - Calculated | pCi/L | 15 | -0.22 | -6.99 | 22.41 | -15.20 | -7.05 | -4.82 | 7.67 | -8.19 |
| Gross Alpha - Unadjusted | pCi/L | -- | 46.7 | 36 | 105 | 70.1 | 28.9 | 29.3 | 64 | 49.9 |
| Gross Alpha precision (±) | pCi/L | -- | 3 | 2.5 | 4.6 | 3.5 | 2.1 | 2.3 | 3.3 | 2.9 |
| Gross Alpha MDC | pCi/L | -- | 1.5 | 2 | 1.9 | 2.1 | 1.7 | 2 | 2.3 | 2 |
| Gross Beta | pCi/L | -- | 17.4 | 12.6 | 30.4 | 20.2 | 7.2 | 11.6 | 14.7 | 19.7 |
| Gross Beta precision (±) | pCi/L | -- | 1.9 | 1.9 | 2.7 | 2.3 | 1.9 | 1.8 | 2 | 2.1 |
| Gross Beta MDC | pCi/L | -- | 2.6 | 2.7 | 3.5 | 3.2 | 2.8 | 2.7 | 2.8 | 2.9 |
| Radium 226 | pCi/L | -- | 0.3 | 0.39 | 0.32 | 0.2 | 0.46 | 0.5 | 0.14 | 0.41 |
| Radium 226 precision (±) | pCi/L | -- | 0.15 | 0.2 | 0.14 | 0.15 | 0.15 | 0.22 | 0.13 | 0.14 |
| Radium 226 MDC | pCi/L | -- | 0.17 | 0.24 | 0.16 | 0.2 | 0.14 | 0.25 | 0.18 | 0.14 |
| Radium 228 | pCi/L | -- | <1 | 2.9 | <1.1 | 2.3 | 1.2 | 1.6 | 1.2 | <0.6 |
| Radium 228 precision (±) | pCi/L | -- | 0.8 | 1.4 | 0.8 | 1.2 | 0.7 | 1.4 | 0.8 | 0.7 |
| Radium 228 MDC | pCi/L | -- | 1.3 | 2.1 | 1.2 | 1.8 | 1 | 2.2 | 1.2 | 1.2 |
| Combined Total Radium 226 and Radium 228 (Calculated) | pCi/L | 5 | 0.3 | 3.29 | 0.32 | 2.5 | 1.66 | 2.1 | 1.34 | 0.41 |

* Duplicate sample

Table 7
E-Wellfield pre-2011
Well Water Quality Data

| Well ID | WYDEQ | E5-1 | E5-1 | E5-2 | E5-2 | E5-3 | E5-3 | E5-3 | E5-4 | E5-4 |
|---|-----------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| Sample Date/Time | Class III | 8/1/2012 | 10/23/2012 | 8/3/2012 | 10/25/2012 | 6/22/12 14:00 | 8/30/2012 | 10/25/2012 | 7/25/2012 | 10/22/2012 |
| Job Number | Livestock | C12080049-001 | C12100957-001 | C12080142-002 | C12101066-001 | C12060984-006 | C12081293-007 | C12101066-002 | C12070893-001 | C12100906-005 |
| HSU | Standard | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 |
| Alkalinity, Total as CaCO3 | mg/L | -- | 310 | 314 | 266 | 283 | 238 | 241 | 208 | 214 |
| Carbonate as CO3 | mg/L | -- | <5 | <5 | <5 | <5 | <5 | <5 | <5 | <5 |
| Bicarbonate as HCO3 | mg/L | -- | 378 | 383 | 325 | 345 | 290 | 294 | 254 | 261 |
| Calcium | mg/L | -- | 139 | 136 | 127 | 130 | 68 | 75 | 51 | 56 |
| Chloride | mg/L | 2000 | 49 | 53 | 46 | 45 | 20 | 22 | 8 | 8 |
| Fluoride | mg/L | -- | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.3 | 0.3 | 0.3 |
| Magnesium | mg/L | -- | 27 | 25 | 23 | 24 | 13 | 14 | 9 | 10 |
| Nitrogen, Ammonia as N | mg/L | -- | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| Nitrogen, Nitrate+Nitrite as N | mg/L | 100 | 1.8 | 1.7 | 2 | 2 | 1.8 | 1.6 | 3.3 | 1.7 |
| Potassium | mg/L | -- | 8 | 8 | 8 | 8 | 6 | 6 | 5 | 6 |
| Silica | mg/L | -- | 18.5 | 17.8 | 17.3 | 16.6 | 15.8 | 18.1 | 15.2 | 18.2 |
| Sodium | mg/L | -- | 75 | 65 | 70 | 65 | 60 | 57 | 53 | 54 |
| Sulfate | mg/L | 3000 | 228 | 214 | 249 | 241 | 83 | 92 | 61 | 61 |
| Conductivity @ 25 C | mmhos/cm | -- | 1.09 | 1.12 | 1.07 | 1.06 | 0.678 | 0.68 | 0.567 | 0.546 |
| pH | s.u. | 6.5-8.5 | 7.44 | 7.37 | 7.49 | 7.43 | 7.68 | 7.8 | 7.74 | 7.76 |
| Solids, Total Dissolved TDS @ 180 C | mg/L | 5000 | 725 | 747 | 747 | 722 | 415 | 415 | 416 | 328 |
| Aluminum-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Antimony-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Arsenic-D | mg/L | 0.2 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Barium-D | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Beryllium-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Boron-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Cadmium-D | mg/L | 0.05 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 |
| Chromium-D | mg/L | 0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| Copper-D | mg/L | 0.5 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| Iron-D | mg/L | -- | 0.04 | <0.03 | <0.03 | 0.03 | <0.03 | <0.03 | <0.03 | <0.03 |
| Lead-D | mg/L | 0.1 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Manganese-D | mg/L | -- | 0.02 | 0.02 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| Mercury-D | mg/L | 0.00005 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Molybdenum-D | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Nickel-D | mg/L | -- | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| Selenium-D | mg/L | 0.05 | 1.13 | 1.15 | 0.6 | 0.665 | 0.149 | 0.148 | 0.144 | 0.047 |
| Thallium-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Uranium-D | mg/L | -- | 0.434 | 0.353 | 0.319 | 0.296 | 0.0439 | 0.0473 | 0.0475 | 0.0266 |
| Vanadium-D | mg/L | 0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Zinc-D | mg/L | 25 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| Antimony-T | mg/L | -- | | | | <0.001 | | | | |
| Beryllium-T | mg/L | -- | | | | <0.001 | | | | |
| Iron-T | mg/L | -- | 0.09 | 3.72 | <0.03 | 0.04 | <0.03 | 0.13 | <0.03 | <0.03 |
| Manganese-T | mg/L | -- | 0.02 | 0.05 | <0.01 | <0.01 | <0.01 | 0.01 | <0.01 | <0.01 |
| Thallium-T | mg/L | -- | | | | <0.001 | | | | |
| Gross Alpha - minus U - Calculated | pCi/L | 15 | -48.82 | -35.98 | 10.04 | -39.39 | 1.28 | 12.18 | 5.79 | 0.37 |
| Gross Alpha - Unadjusted | pCi/L | -- | 245 | 203 | 226 | 161 | 31 | 44.2 | 23.8 | 19.6 |
| Gross Alpha precision (±) | pCi/L | -- | 7.4 | 9.4 | 6.8 | 5.7 | 2.4 | 2.8 | 2.2 | 1.9 |
| Gross Alpha MDC | pCi/L | -- | 3.4 | 6.4 | 3.1 | 2.9 | 2.2 | 2 | 2.4 | 1.8 |
| Gross Beta | pCi/L | -- | 69 | 89.2 | 51.9 | 60.7 | 9.8 | 13 | 10.6 | 5.9 |
| Gross Beta precision (±) | pCi/L | -- | 4.2 | 7.7 | 3.8 | 3.5 | 1.8 | 2.2 | 1.8 | 1.7 |
| Gross Beta MDC | pCi/L | -- | 4.9 | 10 | 4.5 | 4 | 2.7 | 3.2 | 2.6 | 2.7 |
| Radium 226 | pCi/L | -- | 10 | 7.3 | 0.73 | 0.48 | 0.44 | 0.64 | 0.15 | 0.14 |
| Radium 226 precision (±) | pCi/L | -- | 0.63 | 0.62 | 0.25 | 0.16 | 0.17 | 0.19 | 0.11 | 0.16 |
| Radium 226 MDC | pCi/L | -- | 0.15 | 0.21 | 0.25 | 0.16 | 0.19 | 0.18 | 0.14 | 0.24 |
| Radium 228 | pCi/L | -- | 1.2 | 0.9 | 1.1 | 1.7 | 1.5 | <-0.5 | <0.7 | 1.5 |
| Radium 228 precision (±) | pCi/L | -- | 0.7 | 1.4 | 1 | 0.8 | 0.8 | 1.1 | 0.8 | 1.4 |
| Radium 228 MDC | pCi/L | -- | 1 | 2.3 | 1.6 | 1.2 | 1.3 | 1.8 | 1.2 | 2.1 |
| Combined Total Radium 226 and Radium 228 (Calculated) | pCi/L | 5 | 11.2 | 8.2 | 1.83 | 2.18 | 1.94 | 0.64 | 0.15 | 1.64 |

* Duplicate sample

Table 7
E-Wellfield pre-2011
Well Water Quality Data

| Well ID | | WYDEQ | E6-1 | E6-1 | E6-2 | E6-2 | E6-4 | E6-4 | E6-5 | E6-5 | E6-6 |
|---|----------|-----------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| Sample Date/Time | | Class III | 7/25/2012 | 10/26/2012 | 7/17/2012 | 10/11/2012 | 7/17/2012 | 10/11/2012 | 7/25/2012 | 10/23/2012 | 7/27/2012 |
| Job Number | | Livestock | C12070893-004 | C12101137-003 | C12070564-002 | C12100554-005 | C12070564-003 | C12100554-009 | C12070893-002 | C12100957-003 | C12070995-001 |
| HSU | | Standard | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 |
| Alkalinity, Total as CaCO3 | mg/L | -- | 232 | 244 | 394 | 406 | 300 | 315 | 206 | 220 | 135 |
| Carbonate as CO3 | mg/L | -- | <5 | <5 | <5 | <5 | <5 | <5 | <5 | <5 | <5 |
| Bicarbonate as HCO3 | mg/L | -- | 283 | 297 | 481 | 495 | 366 | 384 | 252 | 268 | 164 |
| Calcium | mg/L | -- | 106 | 128 | 228 | 232 | 140 | 146 | 58 | 58 | 102 |
| Chloride | mg/L | 2000 | 27 | 32 | 98 | 94 | 65 | 65 | 4 | 4 | 13 |
| Fluoride | mg/L | -- | 0.2 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.3 | 0.3 |
| Magnesium | mg/L | -- | 20 | 23 | 42 | 43 | 25 | 26 | 11 | 11 | 17 |
| Nitrogen, Ammonia as N | mg/L | -- | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| Nitrogen, Nitrate+Nitrite as N | mg/L | 100 | 1.2 | 2.3 | 2 | 1.8 | 2.4 | 2.3 | 3.2 | 1.6 | 0.6 |
| Potassium | mg/L | -- | 7 | 7 | 11 | 10 | 9 | 8 | 5 | 5 | 8 |
| Silica | mg/L | -- | 16.9 | 15.9 | 19.6 | 19 | 17.9 | 17.2 | 16.2 | 15.4 | 13.4 |
| Sodium | mg/L | -- | 62 | 66 | 65 | 67 | 64 | 70 | 55 | 52 | 86 |
| Sulfate | mg/L | 3000 | 189 | 216 | 384 | 371 | 227 | 218 | 92 | 93 | 330 |
| Conductivity @ 25 C | mmhos/cm | -- | 0.933 | 0.968 | 1.42 | 1.55 | 1.14 | 1.1 | 0.614 | 0.591 | 0.89 |
| pH | s.u. | 6.5-8.5 | 7.56 | 7.61 | 7.15 | 7.11 | 7.37 | 7.2 | 7.74 | 7.7 | 7.8 |
| Solids, Total Dissolved TDS @ 180 C | mg/L | 5000 | 592 | 656 | 1140 | 1160 | 782 | 789 | 368 | 371 | 670 |
| Aluminum-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | 0.6 |
| Antimony-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Arsenic-D | mg/L | 0.2 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Barium-D | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Beryllium-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Boron-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Cadmium-D | mg/L | 0.05 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 |
| Chromium-D | mg/L | 0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| Copper-D | mg/L | 0.5 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| Iron-D | mg/L | -- | <0.03 | <0.03 | <0.03 | 0.05 | <0.03 | <0.03 | <0.03 | <0.03 | 0.38 |
| Lead-D | mg/L | 0.1 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | 0.001 |
| Manganese-D | mg/L | -- | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | 0.01 |
| Mercury-D | mg/L | 0.00005 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Molybdenum-D | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Nickel-D | mg/L | -- | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| Selenium-D | mg/L | 0.05 | 0.276 | 0.294 | 3.24 | 3.26 | 0.624 | 0.663 | 0.03 | 0.026 | 0.022 |
| Thallium-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Uranium-D | mg/L | -- | 0.141 | 0.164 | -- | 1.15 | 0.269 | 0.272 | 0.0514 | 0.05 | 0.0157 |
| Vanadium-D | mg/L | 0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Zinc-D | mg/L | 25 | <0.01 | <0.01 | 0.01 | <0.01 | 0.06 | 0.09 | <0.01 | <0.01 | 0.01 |
| Antimony-T | mg/L | -- | | | | | | | | | |
| Beryllium-T | mg/L | -- | | | | | | | | | |
| Iron-T | mg/L | -- | <0.03 | <0.03 | 0.12 | 0.18 | <0.03 | 0.07 | 0.15 | 0.05 | 3.37 |
| Manganese-T | mg/L | -- | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | 0.03 |
| Thallium-T | mg/L | -- | | | | | | | | | |
| Gross Alpha - minus U - Calculated | pCi/L | 15 | 0.34 | -6.03 | -43.32 | 29.45 | 15.89 | -36.14 | 0.00 | -7.65 | 12.27 |
| Gross Alpha - Unadjusted | pCi/L | -- | 95.8 | 105 | 742 | 808 | 198 | 148 | 34.8 | 26.2 | 22.9 |
| Gross Alpha precision (±) | pCi/L | -- | 4.6 | 4.9 | 20.4 | 22 | 7.1 | 8.8 | 2.2 | 2.1 | 2.5 |
| Gross Alpha MDC | pCi/L | -- | 3.7 | 2 | 7.7 | 9 | 4.3 | 6.6 | 1.7 | 1.8 | 2.7 |
| Gross Beta | pCi/L | -- | 27.3 | 56.4 | 85.5 | 169 | 27.3 | 34.9 | 9.9 | 15 | 7.2 |
| Gross Beta precision (±) | pCi/L | -- | 2.8 | 2.9 | 12.7 | 13.7 | 3.7 | 8.4 | 1.9 | 1.9 | 2.1 |
| Gross Beta MDC | pCi/L | -- | 3.7 | 3.3 | 16.4 | 16 | 5 | 12.5 | 2.8 | 2.6 | 3.2 |
| Radium 226 | pCi/L | -- | 0.51 | 0.33 | 1.4 | 0.97 | 0.98 | 1.3 | 0.38 | 0.35 | 0.34 |
| Radium 226 precision (±) | pCi/L | -- | 0.16 | 0.18 | 0.26 | 0.2 | 0.23 | 0.25 | 0.14 | 0.19 | 0.15 |
| Radium 226 MDC | pCi/L | -- | 0.14 | 0.21 | 0.19 | 0.14 | 0.19 | 0.16 | 0.15 | 0.23 | 0.17 |
| Radium 228 | pCi/L | -- | <0.3 | 1.7 | 0.5 | 2.4 | 1.5 | 3.3 | <0.4 | 0.03 | 2.5 |
| Radium 228 precision (±) | pCi/L | -- | 0.7 | 1.3 | 0.7 | 0.9 | 0.8 | 1.1 | 0.8 | 1.5 | 0.9 |
| Radium 228 MDC | pCi/L | -- | 1.2 | 2.1 | 1.2 | 1.3 | 1.2 | 1.5 | 1.2 | 2.5 | 1.3 |
| Combined Total Radium 226 and Radium 228 (Calculated) | pCi/L | 5 | 0.51 | 2.03 | 1.9 | 3.37 | 2.48 | 4.6 | 0.38 | 0.38 | 2.84 |

* Duplicate sample

Table 7
E-Wellfield pre-2011
Well Water Quality Data

| Well ID | | WYDEQ | E6-6* | E6-6 | E6-7 | E6-7 | E6-7* | E6-8 | E6-8 | E6-8* | E7-1 |
|---|----------|-----------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| Sample Date/Time | | Class III | 7/27/2012 | 10/23/2012 | 7/27/2012 | 10/23/2012 | 10/23/2012 | 8/1/2012 | 10/26/2012 | 10/26/2012 | 7/17/2012 |
| Job Number | | Livestock | C12070995-003 | C12100957-002 | C12070995-002 | C12100957-004 | C12100957-005 | C12080049-002 | C12101137-001 | C12101137-002 | C12070564-004 |
| HSU | | Standard | 140 | 140 | 140 | 140 | 140 | 120 | 120 | 120 | 140 |
| Alkalinity, Total as CaCO3 | mg/L | -- | 134 | 133 | 197 | 203 | 203 | 171 | 180 | 172 | 289 |
| Carbonate as CO3 | mg/L | -- | <5 | <5 | <5 | <5 | <5 | <5 | <5 | <5 | <5 |
| Bicarbonate as HCO3 | mg/L | -- | 164 | 163 | 241 | 248 | 247 | 209 | 220 | 210 | 352 |
| Calcium | mg/L | -- | 102 | 99 | 56 | 57 | 59 | 57 | 64 | 65 | 114 |
| Chloride | mg/L | 2000 | 13 | 13 | 3 | 3 | 3 | 32 | 31 | 31 | 13 |
| Fluoride | mg/L | -- | 0.3 | 0.3 | 0.2 | 0.3 | 0.3 | 0.3 | 0.4 | 0.4 | 0.2 |
| Magnesium | mg/L | -- | 17 | 16 | 10 | 10 | 10 | 8 | 9 | 9 | 20 |
| Nitrogen, Ammonia as N | mg/L | -- | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| Nitrogen, Nitrate+Nitrite as N | mg/L | 100 | 0.6 | 0.5 | 1.7 | 1.7 | 1.7 | <0.1 | <0.1 | <0.1 | 2.3 |
| Potassium | mg/L | -- | 8 | 7 | 6 | 6 | 6 | 6 | 6 | 6 | 8 |
| Silica | mg/L | -- | 12 | 9.3 | 15.2 | 15.1 | 15.1 | 10.7 | 10.5 | 10.1 | 18.8 |
| Sodium | mg/L | -- | 86 | 80 | 36 | 36 | 37 | 91 | 96 | 95 | 61 |
| Sulfate | mg/L | 3000 | 329 | 334 | 68 | 66 | 67 | 181 | 166 | 162 | 187 |
| Conductivity @ 25 C | mmhos/cm | -- | 0.9 | 0.948 | 0.5 | 0.52 | 0.521 | 0.761 | 0.753 | 0.753 | 0.913 |
| pH | s.u. | 6.5-8.5 | 7.8 | 7.61 | 7.8 | 7.7 | 7.67 | 8.03 | 8.05 | 8.04 | 7.43 |
| Solids, Total Dissolved TDS @ 180 C | mg/L | 5000 | 685 | 673 | 316 | 318 | 313 | 494 | 483 | 481 | 617 |
| Aluminum-D | mg/L | 5 | 0.3 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Antimony-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Arsenic-D | mg/L | 0.2 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Barium-D | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Beryllium-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Boron-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Cadmium-D | mg/L | 0.05 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 |
| Chromium-D | mg/L | 0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| Copper-D | mg/L | 0.5 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| Iron-D | mg/L | -- | 0.15 | <0.03 | <0.03 | <0.03 | <0.03 | 0.16 | 0.16 | 0.15 | <0.03 |
| Lead-D | mg/L | 0.1 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Manganese-D | mg/L | -- | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | 0.05 | 0.06 | 0.06 | 0.04 |
| Mercury-D | mg/L | 0.00005 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Molybdenum-D | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Nickel-D | mg/L | -- | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| Selenium-D | mg/L | 0.05 | 0.024 | 0.027 | 0.01 | 0.01 | 0.01 | 0.001 | <0.001 | <0.001 | 0.412 |
| Thallium-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Uranium-D | mg/L | -- | 0.0155 | 0.0197 | 0.0276 | 0.0278 | 0.0283 | 0.0005 | <0.0003 | <0.0003 | 0.128 |
| Vanadium-D | mg/L | 0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Zinc-D | mg/L | 25 | 0.02 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | 0.01 |
| Antimony-T | mg/L | -- | | | | | | | | | |
| Beryllium-T | mg/L | -- | | | | | | | | | |
| Iron-T | mg/L | -- | 22.6 | 3.74 | <0.03 | <0.03 | <0.03 | 0.45 | 0.23 | 0.23 | <0.03 |
| Manganese-T | mg/L | -- | 0.27 | 0.05 | <0.01 | <0.01 | <0.01 | 0.06 | 0.06 | 0.06 | 0.04 |
| Thallium-T | mg/L | -- | | | | | | | | | |
| Gross Alpha - minus U - Calculated | pCi/L | 15 | 10.31 | 6.66 | 8.71 | -4.22 | -1.76 | -0.29 | 9.60 | 7.70 | 28.34 |
| Gross Alpha - Unadjusted | pCi/L | -- | 20.8 | 20 | 27.4 | 14.6 | 17.4 | 0.05 | 9.6 | 7.7 | 115 |
| Gross Alpha precision (±) | pCi/L | -- | 2.2 | 2.2 | 2.2 | 1.7 | 1.7 | 1.4 | 1.7 | 1.6 | 5.2 |
| Gross Alpha MDC | pCi/L | -- | 1.8 | 2.2 | 2 | 1.7 | 1.7 | 2.3 | 1.7 | 1.8 | 4.1 |
| Gross Beta | pCi/L | -- | 8.2 | 8.7 | 8.4 | 9.7 | 11.9 | 3.7 | 7.1 | 7.1 | 16.2 |
| Gross Beta precision (±) | pCi/L | -- | 1.9 | 2 | 1.8 | 1.8 | 1.8 | 1.7 | 1.6 | 1.6 | 2.9 |
| Gross Beta MDC | pCi/L | -- | 2.8 | 3.1 | 2.7 | 2.7 | 2.7 | 2.5 | 2.5 | 2.5 | 4.1 |
| Radium 226 | pCi/L | -- | <0.15 | 0.49 | 0.2 | 0.48 | 0.46 | 0.73 | 0.61 | 0.55 | 2.1 |
| Radium 226 precision (±) | pCi/L | -- | 0.12 | 0.2 | 0.13 | 0.21 | 0.24 | 0.18 | 0.22 | 0.24 | 0.29 |
| Radium 226 MDC | pCi/L | -- | 0.16 | 0.22 | 0.17 | 0.24 | 0.29 | 0.15 | 0.22 | 0.27 | 0.17 |
| Radium 228 | pCi/L | -- | <1 | 1 | 2.6 | 0.9 | 1.9 | 0.7 | 1.8 | 2.6 | 1.3 |
| Radium 228 precision (±) | pCi/L | -- | 0.8 | 1.4 | 0.9 | 1.6 | 1.9 | 0.6 | 1.4 | 1.7 | 0.7 |
| Radium 228 MDC | pCi/L | -- | 1.2 | 2.3 | 1.3 | 2.6 | 3.1 | 1 | 2.2 | 2.6 | 1.1 |
| Combined Total Radium 226 and Radium 228 (Calculated) | pCi/L | 5 | <1 | 1.49 | 2.8 | 1.38 | 2.36 | 1.43 | 2.41 | 3.15 | 3.4 |

* Duplicate sample

Table 7
E-Wellfield pre-2011
Well Water Quality Data

| Well ID | WYDEQ | E7-1 | E7-2 | E7-2 | E7-6 | E7-6 | E8-1 | E8-1 | E8-2 | E8-2 | |
|---|-----------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|--------|
| Sample Date/Time | Class III | 10/11/2012 | 7/25/2012 | 10/30/2012 | 7/30/2012 | 10/24/2012 | 7/30/2012 | 10/24/2012 | 8/10/2012 | 10/10/2012 | |
| Job Number | Livestock | C12100554-010 | C12070893-003 | C12101202-001 | C12071021-001 | C12101013-003 | C12071021-002 | C12101013-002 | C12080505-002 | C12100498-009 | |
| HSU | Standard | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | |
| Alkalinity, Total as CaCO3 | mg/L | -- | 296 | 214 | 228 | 297 | 281 | 204 | 210 | 203 | 213 |
| Carbonate as CO3 | mg/L | -- | <5 | <5 | <5 | <5 | <5 | <5 | <5 | <5 | <5 |
| Bicarbonate as HCO3 | mg/L | -- | 361 | 261 | 278 | 363 | 342 | 249 | 256 | 248 | 260 |
| Calcium | mg/L | -- | 107 | 64 | 71 | 162 | 148 | 62 | 61 | 54 | 55 |
| Chloride | mg/L | 2000 | 13 | 15 | 16 | 59 | 55 | 5 | 5 | 3 | 3 |
| Fluoride | mg/L | -- | 0.2 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| Magnesium | mg/L | -- | 19 | 12 | 12 | 26 | 23 | 11 | 10 | 10 | 11 |
| Nitrogen, Ammonia as N | mg/L | -- | <0.05 | <0.05 | <0.05 | 0.45 | 0.4 | <0.05 | <0.05 | <0.05 | <0.05 |
| Nitrogen, Nitrate+Nitrite as N | mg/L | 100 | 2.2 | 1.7 | 3.3 | 1.6 | 1.2 | 1.2 | 1.1 | 1.2 | 1.3 |
| Potassium | mg/L | -- | 7 | 6 | 6 | 9 | 8 | 8 | 7 | 6 | 6 |
| Silica | mg/L | -- | 16.7 | 16.7 | 16.3 | 14.7 | 13.8 | 16.2 | 16 | 15.1 | 15.7 |
| Sodium | mg/L | -- | 59 | 53 | 55 | 64 | 62 | 41 | 38 | 30 | 32 |
| Sulfate | mg/L | 3000 | 171 | 75 | 77 | 284 | 274 | 80 | 76 | 42 | 41 |
| Conductivity @ 25 C | mmhos/cm | -- | 0.88 | 0.644 | 0.62 | 1.23 | 1.15 | 0.563 | 0.554 | 0.481 | 0.471 |
| pH | s.u. | 6.5-8.5 | 7.4 | 7.68 | 7.7 | 7.46 | 7.57 | 7.63 | 7.67 | 7.76 | 7.86 |
| Solids, Total Dissolved TDS @ 180 C | mg/L | 5000 | 618 | 379 | 385 | 833 | 790 | 351 | 345 | 301 | 295 |
| Aluminum-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Antimony-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Arsenic-D | mg/L | 0.2 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Barium-D | mg/L | -- | <0.1 | <0.1 | <0.1 | 0.1 | 0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Beryllium-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Boron-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Cadmium-D | mg/L | 0.05 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 |
| Chromium-D | mg/L | 0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| Copper-D | mg/L | 0.5 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| Iron-D | mg/L | -- | <0.03 | <0.03 | <0.03 | 0.1 | 0.08 | <0.03 | <0.03 | <0.03 | <0.03 |
| Lead-D | mg/L | 0.1 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Manganese-D | mg/L | -- | 0.02 | <0.01 | <0.01 | 0.79 | 0.72 | <0.01 | <0.01 | 0.01 | <0.01 |
| Mercury-D | mg/L | 0.00005 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Molybdenum-D | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Nickel-D | mg/L | -- | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| Selenium-D | mg/L | 0.05 | 0.408 | 0.098 | 0.095 | 0.732 | 0.557 | 0.119 | 0.144 | 0.016 | 0.012 |
| Thallium-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Uranium-D | mg/L | -- | 0.127 | 0.0482 | 0.0489 | 0.115 | 0.0915 | 0.0686 | 0.0623 | 0.0284 | 0.0279 |
| Vanadium-D | mg/L | 0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Zinc-D | mg/L | 25 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | 0.02 | <0.01 | <0.01 | <0.01 |
| Antimony-T | mg/L | -- | | | | | | | | | |
| Beryllium-T | mg/L | -- | | | | | | | | | |
| Iron-T | mg/L | -- | <0.03 | <0.03 | <0.03 | 0.28 | 0.66 | 0.08 | 0.04 | 3.48 | 0.68 |
| Manganese-T | mg/L | -- | 0.02 | <0.01 | <0.01 | 0.87 | 0.72 | <0.01 | <0.01 | 0.08 | 0.02 |
| Thallium-T | mg/L | -- | | | | | | | | | |
| Gross Alpha - minus U - Calculated | pCi/L | 15 | -24.08 | 5.67 | 9.49 | 47.15 | 19.25 | 7.96 | -5.58 | -4.03 | 3.51 |
| Gross Alpha - Unadjusted | pCi/L | -- | 61.9 | 38.3 | 42.6 | 125 | 81.2 | 54.4 | 36.6 | 15.2 | 22.4 |
| Gross Alpha precision (±) | pCi/L | -- | 3.4 | 2.6 | 2.6 | 6.1 | 7.1 | 2.9 | 2.5 | 1.7 | 1.8 |
| Gross Alpha MDC | pCi/L | -- | 2.3 | 2.3 | 1.5 | 3.2 | 5.5 | 1.2 | 1.6 | 1.9 | 1.6 |
| Gross Beta | pCi/L | -- | 21.9 | 13.8 | 17.5 | 20.4 | 28.8 | 14.4 | 18.1 | 7.8 | 7.8 |
| Gross Beta precision (±) | pCi/L | -- | 2.8 | 1.9 | 1.8 | 3.7 | 7 | 1.8 | 1.8 | 1.7 | 2.5 |
| Gross Beta MDC | pCi/L | -- | 3.9 | 2.7 | 2.5 | 5.2 | 10.7 | 2.5 | 2.5 | 2.6 | 3.9 |
| Radium 226 | pCi/L | -- | 2 | 0.43 | 0.22 | 0.88 | 1.6 | 0.41 | 0.66 | 0.78 | 0.49 |
| Radium 226 precision (±) | pCi/L | -- | 0.29 | 0.15 | 0.12 | 0.21 | 0.28 | 0.16 | 0.21 | 0.28 | 0.15 |
| Radium 226 MDC | pCi/L | -- | 0.16 | 0.15 | 0.15 | 0.16 | 0.19 | 0.16 | 0.2 | 0.29 | 0.14 |
| Radium 228 | pCi/L | -- | 1.7 | 1.4 | 1.8 | 2 | 1.5 | 0.5 | 2.4 | 0.2 | -0.4 |
| Radium 228 precision (±) | pCi/L | -- | 1 | 0.8 | 0.7 | 0.9 | 1 | 0.8 | 1.1 | 1.2 | 0.8 |
| Radium 228 MDC | pCi/L | -- | 1.5 | 1.2 | 1 | 1.3 | 1.5 | 1.3 | 1.6 | 1.9 | 1.3 |
| Combined Total Radium 226 and Radium 228 (Calculated) | pCi/L | 5 | 3.7 | 1.83 | 2.02 | 2.88 | 3.1 | 0.91 | 3.06 | 0.98 | 0.09 |

* Duplicate sample

Table 7
E-Wellfield pre-2011
Well Water Quality Data

| Well ID | WYDEQ | E9-2 | E9-2 | E9-3 | E9-3 | E9-4 | E9-4 | E9-5 | E9-5 | E9-6 | |
|---|-----------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|--------|
| Sample Date/Time | Class III | 7/26/2012 | 10/18/2012 | 7/26/2012 | 10/30/2012 | 7/27/2012 | 10/18/2012 | 8/10/2012 | 10/11/2012 | 8/13/2012 | |
| Job Number | Livestock | C12070944-002 | C12100826-002 | C12070944-001 | C12101202-002 | C12070995-004 | C12100826-003 | C12080505-001 | C12100554-008 | C12080546-001 | |
| HSU | Standard | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | |
| Alkalinity, Total as CaCO3 | mg/L | -- | 208 | 203 | 201 | 205 | 182 | 182 | 244 | 257 | 230 |
| Carbonate as CO3 | mg/L | -- | <5 | <5 | <5 | <5 | <5 | <5 | <5 | <5 | 13 |
| Bicarbonate as HCO3 | mg/L | -- | 254 | 248 | 245 | 250 | 222 | 222 | 298 | 313 | 254 |
| Calcium | mg/L | -- | 73 | 74 | 64 | 71 | 60 | 56 | 112 | 113 | 77 |
| Chloride | mg/L | 2000 | 5 | 4 | 3 | 3 | 3 | 3 | 16 | 15 | 5 |
| Fluoride | mg/L | -- | 0.2 | 0.2 | 0.2 | 0.3 | 0.2 | 0.3 | 0.2 | 0.2 | 0.3 |
| Magnesium | mg/L | -- | 13 | 13 | 11 | 12 | 10 | 10 | 19 | 20 | 13 |
| Nitrogen, Ammonia as N | mg/L | -- | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| Nitrogen, Nitrate+Nitrite as N | mg/L | 100 | 1 | 1 | 1.4 | 1.3 | 1.4 | 1.4 | 0.9 | 1.2 | 1.8 |
| Potassium | mg/L | -- | 7 | 7 | 6 | 6 | 6 | 6 | 8 | 8 | 7 |
| Silica | mg/L | -- | 15.2 | 15.8 | 16 | 16.4 | 17.2 | 16.8 | 16.4 | 16.8 | 16.4 |
| Sodium | mg/L | -- | 33 | 29 | 27 | 27 | 31 | 31 | 31 | 34 | 31 |
| Sulfate | mg/L | 3000 | 94 | 93 | 62 | 61 | 68 | 64 | 163 | 155 | 87 |
| Conductivity @ 25 C | mmhos/cm | -- | 0.578 | 0.567 | 0.509 | 0.5 | 0.46 | 0.47 | 0.815 | 0.78 | 0.6 |
| pH | s.u. | 6.5-8.5 | 7.67 | 7.71 | 7.81 | 7.8 | 7.8 | 7.6 | 7.62 | 7.6 | 7.7 |
| Solids, Total Dissolved TDS @ 180 C | mg/L | 5000 | 361 | 358 | 311 | 319 | 291 | 285 | 557 | 523 | 405 |
| Aluminum-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Antimony-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Arsenic-D | mg/L | 0.2 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | 0.005 | 0.011 | <0.001 |
| Barium-D | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Beryllium-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Boron-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Cadmium-D | mg/L | 0.05 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 |
| Chromium-D | mg/L | 0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| Copper-D | mg/L | 0.5 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | 0.02 | <0.01 |
| Iron-D | mg/L | -- | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | 0.04 | <0.03 | <0.03 |
| Lead-D | mg/L | 0.1 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Manganese-D | mg/L | -- | 0.02 | 0.03 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | 0.03 | 0.01 |
| Mercury-D | mg/L | 0.00005 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Molybdenum-D | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Nickel-D | mg/L | -- | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| Selenium-D | mg/L | 0.05 | 0.02 | 0.014 | 0.006 | 0.006 | 0.007 | 0.007 | 0.557 | 0.367 | 0.046 |
| Thallium-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Uranium-D | mg/L | -- | 0.0412 | 0.0405 | 0.0292 | 0.0294 | 0.0165 | 0.0179 | 0.647 | 0.844 | 0.0529 |
| Vanadium-D | mg/L | 0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Zinc-D | mg/L | 25 | <0.01 | <0.01 | <0.01 | <0.01 | 0.02 | <0.01 | <0.01 | <0.01 | <0.01 |
| Antimony-T | mg/L | -- | | | | | | | | | |
| Beryllium-T | mg/L | -- | | | | | | | | | |
| Iron-T | mg/L | -- | 0.04 | <0.03 | <0.03 | <0.03 | 0.19 | 0.04 | 2.29 | 89.8 | 31.7 |
| Manganese-T | mg/L | -- | 0.02 | 0.03 | <0.01 | <0.01 | <0.01 | <0.01 | 0.02 | 0.63 | 0.23 |
| Thallium-T | mg/L | -- | | | | | | | | | |
| Gross Alpha - minus U - Calculated | pCi/L | 15 | 16.91 | -4.92 | 4.03 | 2.50 | 4.83 | -1.52 | 260.98 | 148.61 | 10.09 |
| Gross Alpha - Unadjusted | pCi/L | -- | 44.8 | 22.5 | 23.8 | 22.4 | 16 | 10.6 | 699 | 720 | 45.9 |
| Gross Alpha precision (±) | pCi/L | -- | 2.6 | 1.9 | 2.1 | 2 | 1.6 | 1.5 | 10.4 | 10.2 | 2.9 |
| Gross Alpha MDC | pCi/L | -- | 1.9 | 1.7 | 2 | 1.7 | 1.3 | 1.6 | 2.3 | 2.7 | 2.2 |
| Gross Beta | pCi/L | -- | 12.2 | 11.7 | 8.8 | 13.5 | 5.8 | 6.6 | 105 | 167 | 16.9 |
| Gross Beta precision (±) | pCi/L | -- | 1.9 | 1.8 | 1.7 | 1.7 | 1.6 | 1.7 | 4 | 4.6 | 2.3 |
| Gross Beta MDC | pCi/L | -- | 2.6 | 2.6 | 2.6 | 2.4 | 2.5 | 2.7 | 3.2 | 3.3 | 3.2 |
| Radium 226 | pCi/L | -- | 2.4 | 3.9 | 0.32 | 0.39 | <-0.005 | 0.22 | 198 | 134 | 1.1 |
| Radium 226 precision (±) | pCi/L | -- | 0.34 | 0.5 | 0.16 | 0.16 | 0.1 | 0.18 | 3 | 2.2 | 0.24 |
| Radium 226 MDC | pCi/L | -- | 0.19 | 0.25 | 0.2 | 0.16 | 0.18 | 0.24 | 0.2 | 0.14 | 0.18 |
| Radium 228 | pCi/L | -- | 1.9 | 1.3 | <1 | 1.5 | 3.2 | -1 | 0.8 | 2.3 | 0.7 |
| Radium 228 precision (±) | pCi/L | -- | 0.8 | 1.1 | 0.8 | 0.8 | 1 | 0.9 | 0.9 | 0.9 | 0.9 |
| Radium 228 MDC | pCi/L | -- | 1.2 | 1.8 | 1.2 | 1.2 | 1.3 | 1.7 | 1.4 | 1.3 | 1.4 |
| Combined Total Radium 226 and Radium 228 (Calculated) | pCi/L | 5 | 4.3 | 5.2 | 0.32 | 1.89 | 3.2 | -0.78 | 198.8 | 136.3 | 1.8 |

* Duplicate sample

Table 7
E-Wellfield pre-2011
Well Water Quality Data

| Well ID | | WYDEQ | E9-6 | E10-1 | E10-1 | E10-2 | E10-2 | E10-3 | E10-3* | E10-4 | E10-4 |
|---|----------|-----------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| Sample Date/Time | | Class III | 10/23/2012 | 7/26/2012 | 10/18/2012 | 7/18/2012 | 10/18/2012 | 7/30/2012 | 10/19/2012 | 7/19/2012 | 10/19/2012 |
| Job Number | | Livestock | C12100957-006 | C12070944-003 | C12100826-001 | C12070620-001 | C12100826-004 | C12071021-003 | C12100864-001 | C12070681-003 | C12100864-009 |
| HSU | | Standard | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 |
| Alkalinity, Total as CaCO3 | mg/L | -- | 219 | 175 | 178 | 176 | 182 | 183 | 182 | 291 | 293 |
| Carbonate as CO3 | mg/L | -- | <5 | <5 | <5 | <5 | <5 | <5 | <5 | <5 | <5 |
| Bicarbonate as HCO3 | mg/L | -- | 267 | 213 | 217 | 215 | 222 | 224 | 222 | 354 | 357 |
| Calcium | mg/L | -- | 76 | 57 | 59 | 67 | 66 | 57 | 55 | 156 | 145 |
| Chloride | mg/L | 2000 | 5 | 3 | 3 | 4 | 3 | 3 | 3 | 43 | 39 |
| Fluoride | mg/L | -- | 0.2 | 0.3 | 0.3 | 0.2 | 0.2 | 0.3 | 0.3 | 0.1 | 0.2 |
| Magnesium | mg/L | -- | 13 | 10 | 10 | 11 | 11 | 9 | 9 | 27 | 26 |
| Nitrogen, Ammonia as N | mg/L | -- | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | 0.23 | 0.1 |
| Nitrogen, Nitrate+Nitrite as N | mg/L | 100 | 1.8 | 2.4 | 4 | 2.5 | 2.4 | 2.4 | 2.5 | 1 | 1 |
| Potassium | mg/L | -- | 7 | 6 | 6 | 7 | 6 | 7 | 5 | 10 | 8 |
| Silica | mg/L | -- | 17.2 | 16.4 | 17.5 | 17.2 | 15.7 | 15.7 | 15.5 | 17.5 | 16.9 |
| Sodium | mg/L | -- | 32 | 32 | 30 | 44 | 37 | 44 | 40 | 50 | 47 |
| Sulfate | mg/L | 3000 | 82 | 70 | 66 | 99 | 98 | 81 | 81 | 288 | 268 |
| Conductivity @ 25 C | mmhos/cm | -- | 0.586 | 0.492 | 0.482 | 0.556 | 0.553 | 0.521 | 0.513 | 1.12 | 1.08 |
| pH | s.u. | 6.5-8.5 | 7.62 | 7.7 | 7.7 | 7.71 | 7.61 | 7.82 | 7.92 | 7.41 | 7.44 |
| Solids, Total Dissolved TDS @ 180 C | mg/L | 5000 | 369 | 311 | 302 | 356 | 353 | 322 | 312 | 792 | 767 |
| Aluminum-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Antimony-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Arsenic-D | mg/L | 0.2 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Barium-D | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Beryllium-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Boron-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Cadmium-D | mg/L | 0.05 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 |
| Chromium-D | mg/L | 0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| Copper-D | mg/L | 0.5 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| Iron-D | mg/L | -- | <0.03 | <0.03 | <0.03 | <0.03 | 0.1 | <0.03 | <0.03 | 0.65 | 0.39 |
| Lead-D | mg/L | 0.1 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Manganese-D | mg/L | -- | 0.01 | <0.01 | <0.01 | 0.03 | 0.02 | <0.01 | <0.01 | 0.68 | 0.37 |
| Mercury-D | mg/L | 0.00005 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Molybdenum-D | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Nickel-D | mg/L | -- | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| Selenium-D | mg/L | 0.05 | 0.043 | 0.048 | 0.034 | 0.034 | 0.035 | 0.022 | 0.024 | 0.273 | 0.29 |
| Thallium-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Uranium-D | mg/L | -- | 0.0603 | 0.0406 | 0.0363 | 0.0424 | 0.0439 | 0.0258 | 0.0263 | 0.388 | 0.43 |
| Vanadium-D | mg/L | 0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Zinc-D | mg/L | 25 | 0.02 | <0.01 | <0.01 | <0.01 | <0.01 | 0.01 | <0.01 | <0.01 | <0.01 |
| Antimony-T | mg/L | -- | | | | | | | | | |
| Beryllium-T | mg/L | -- | | | | | | | | | |
| Iron-T | mg/L | -- | 0.31 | <0.03 | <0.03 | 3.04 | 6.56 | <0.03 | 0.22 | 2.63 | 1.5 |
| Manganese-T | mg/L | -- | <0.01 | <0.01 | <0.01 | 0.03 | 0.03 | <0.01 | <0.01 | 0.74 | 0.42 |
| Thallium-T | mg/L | -- | | | | | | | | | |
| Gross Alpha - minus U - Calculated | pCi/L | 15 | -11.12 | -2.59 | -4.38 | 0.10 | -7.82 | 4.33 | -6.01 | -49.68 | -51.11 |
| Gross Alpha - Unadjusted | pCi/L | -- | 29.7 | 24.9 | 20.2 | 28.8 | 21.9 | 21.8 | 11.8 | 213 | 240 |
| Gross Alpha precision (±) | pCi/L | -- | 2.3 | 2.1 | 1.9 | 2.1 | 1.9 | 1.9 | 1.5 | 9.4 | 7.2 |
| Gross Alpha MDC | pCi/L | -- | 1.9 | 1.9 | 1.9 | 1.9 | 1.7 | 1.3 | 1.6 | 5.9 | 3.7 |
| Gross Beta | pCi/L | -- | 17.2 | 9.8 | 9.3 | 9.5 | 11.8 | 8.2 | 6.6 | 32.7 | 93.1 |
| Gross Beta precision (±) | pCi/L | -- | 1.9 | 1.8 | 1.8 | 1.8 | 2 | 1.6 | 1.8 | 10.5 | 4.1 |
| Gross Beta MDC | pCi/L | -- | 2.6 | 2.7 | 2.6 | 2.7 | 2.9 | 2.5 | 2.9 | 15.4 | 4.3 |
| Radium 226 | pCi/L | -- | 0.67 | 0.49 | 0.93 | 1.3 | 1.2 | 0.35 | 0.09 | 1.5 | 0.82 |
| Radium 226 precision (±) | pCi/L | -- | 0.18 | 0.17 | 0.27 | 0.22 | 0.3 | 0.15 | 0.1 | 0.21 | 0.12 |
| Radium 226 MDC | pCi/L | -- | 0.16 | 0.18 | 0.25 | 0.13 | 0.25 | 0.17 | 0.16 | 0.1 | 0.1 |
| Radium 228 | pCi/L | -- | 1.1 | <0.9 | 0.2 | 1.4 | 2.6 | 0.3 | 0.4 | 1.4 | 1.5 |
| Radium 228 precision (±) | pCi/L | -- | 1.1 | 0.7 | 0.9 | 0.8 | 1 | 0.9 | 1.4 | 0.7 | 0.9 |
| Radium 228 MDC | pCi/L | -- | 1.7 | 1.1 | 1.4 | 1.2 | 1.5 | 1.6 | 2.3 | 1.1 | 1.4 |
| Combined Total Radium 226 and Radium 228 (Calculated) | pCi/L | 5 | 1.77 | 0.49 | 1.13 | 2.7 | 3.8 | 0.65 | 0.49 | 2.9 | 2.32 |

* Duplicate sample

Table 7
E-Wellfield pre-2011
Well Water Quality Data

| Well ID | WYDEQ | E10-5 | E10-5 | E10-6 | E10-6* | E10-6 | E10-7 | E10-7 | E14-2 | E14-2 | |
|---|-----------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|--------|
| Sample Date/Time | Class III | 7/30/2012 | 10/19/2012 | 7/31/2012 | 10/19/2012 | 10/19/2012 | 7/31/2012 | 10/30/2012 | 8/23/2012 | 10/17/2012 | |
| Job Number | Livestock | C12071021-004 | C12100864-007 | C12080001-005 | C12100864-002 | C12100864-003 | C12080001-003 | C12101202-003 | C12081030-003 | C12100755-002 | |
| HSU | Standard | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 146 | 146 | |
| Alkalinity, Total as CaCO3 | mg/L | -- | 407 | 442 | 199 | 206 | 206 | 228 | 234 | 275 | 277 |
| Carbonate as CO3 | mg/L | -- | <5 | <5 | <5 | <5 | <5 | <5 | <5 | <5 | <5 |
| Bicarbonate as HCO3 | mg/L | -- | 497 | 540 | 243 | 251 | 252 | 278 | 285 | 336 | 337 |
| Calcium | mg/L | -- | 210 | 208 | 78 | 85 | 86 | 83 | 91 | 235 | 247 |
| Chloride | mg/L | 2000 | 107 | 104 | 5 | 5 | 5 | 4 | 4 | 85 | 91 |
| Fluoride | mg/L | -- | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 |
| Magnesium | mg/L | -- | 34 | 34 | 14 | 15 | 15 | 16 | 16 | 42 | 42 |
| Nitrogen, Ammonia as N | mg/L | -- | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | 0.11 | <0.05 |
| Nitrogen, Nitrate+Nitrite as N | mg/L | 100 | 0.8 | 1.1 | 2 | 1.9 | 1.5 | 1.3 | 1.2 | 18 | 21 |
| Potassium | mg/L | -- | 11 | 10 | 7 | 7 | 7 | 6 | 6 | 12 | 11 |
| Silica | mg/L | -- | 20.6 | 20.2 | 14.7 | 16.2 | 15.9 | 12.1 | 12.5 | 7.9 | 8.9 |
| Sodium | mg/L | -- | 76 | 68 | 44 | 41 | 41 | 31 | 32 | 170 | 152 |
| Sulfate | mg/L | 3000 | 277 | 259 | 139 | 131 | 129 | 112 | 105 | 627 | 653 |
| Conductivity @ 25 C | mmhos/cm | -- | 1.48 | 1.48 | 0.654 | 0.642 | 0.645 | 0.644 | 0.63 | 1.98 | 2.01 |
| pH | s.u. | 6.5-8.5 | 7.08 | 7.15 | 7.71 | 7.71 | 7.71 | 7.57 | 7.5 | 7.72 | 7.66 |
| Solids, Total Dissolved TDS @ 180 C | mg/L | 5000 | 994 | 1040 | 411 | 417 | 422 | 396 | 404 | 1490 | 1530 |
| Aluminum-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Antimony-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Arsenic-D | mg/L | 0.2 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | 0.002 |
| Barium-D | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Beryllium-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Boron-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Cadmium-D | mg/L | 0.05 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 |
| Chromium-D | mg/L | 0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| Copper-D | mg/L | 0.5 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | 0.02 |
| Iron-D | mg/L | -- | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 |
| Lead-D | mg/L | 0.1 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Manganese-D | mg/L | -- | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| Mercury-D | mg/L | 0.00005 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Molybdenum-D | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Nickel-D | mg/L | -- | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| Selenium-D | mg/L | 0.05 | 0.996 | 1.12 | 0.046 | 0.048 | 0.045 | 0.01 | 0.01 | 0.525 | 0.614 |
| Thallium-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Uranium-D | mg/L | -- | 0.185 | 0.207 | 0.0306 | 0.0291 | 0.0276 | 0.0426 | 0.0416 | 0.207 | 0.214 |
| Vanadium-D | mg/L | 0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Zinc-D | mg/L | 25 | 0.02 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| Antimony-T | mg/L | -- | | | | | | | | | |
| Beryllium-T | mg/L | -- | | | | | | | | | |
| Iron-T | mg/L | -- | <0.03 | <0.03 | <0.03 | <0.03 | 0.04 | <0.03 | 0.03 | 0.11 | 41.5 |
| Manganese-T | mg/L | -- | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | 0.78 |
| Thallium-T | mg/L | -- | | | | | | | | | |
| Gross Alpha - minus U - Calculated | pCi/L | 15 | 30.76 | -0.14 | 4.48 | 5.50 | -2.29 | 5.96 | -0.86 | 33.86 | 58.12 |
| Gross Alpha - Unadjusted | pCi/L | -- | 156 | 140 | 25.2 | 25.2 | 16.4 | 34.8 | 27.3 | 174 | 203 |
| Gross Alpha precision (±) | pCi/L | -- | 9.8 | 10.1 | 2.3 | 2.1 | 1.7 | 2.4 | 2.2 | 19.2 | 9.9 |
| Gross Alpha MDC | pCi/L | -- | 5.9 | 9.4 | 1.7 | 1.9 | 1.4 | 1.6 | 1.6 | 20.4 | 7 |
| Gross Beta | pCi/L | -- | 34.5 | 29.8 | 11.2 | 6.7 | 8.8 | 9.3 | 16.3 | <34.1 | 33.7 |
| Gross Beta precision (±) | pCi/L | -- | 7.2 | 9.6 | 1.7 | 1.8 | 1.9 | 1.8 | 1.7 | 24.5 | 5.9 |
| Gross Beta MDC | pCi/L | -- | 10.8 | 14.8 | 2.5 | 2.8 | 2.8 | 2.6 | 2.4 | 39.4 | 8.6 |
| Radium 226 | pCi/L | -- | 0.46 | 0.48 | 0.37 | 0.17 | 0.22 | 0.28 | 0.41 | 1.3 | 4.5 |
| Radium 226 precision (±) | pCi/L | -- | 0.16 | 0.11 | 0.17 | 0.12 | 0.13 | 0.16 | 0.14 | 0.15 | 0.41 |
| Radium 226 MDC | pCi/L | -- | 0.16 | 0.11 | 0.19 | 0.17 | 0.17 | 0.2 | 0.14 | 0.1 | 0.17 |
| Radium 228 | pCi/L | -- | 0.8 | 1.7 | 0.5 | 2.8 | 1.8 | 0.8 | 1.2 | 2.5 | 2 |
| Radium 228 precision (±) | pCi/L | -- | 1 | 1.1 | 1 | 1.6 | 1.6 | 1 | 0.6 | 1 | 0.7 |
| Radium 228 MDC | pCi/L | -- | 1.5 | 1.6 | 1.6 | 2.4 | 2.5 | 1.7 | 1 | 1.5 | 1 |
| Combined Total Radium 226 and Radium 228 (Calculated) | pCi/L | 5 | 1.26 | 2.18 | 0.87 | 2.97 | 2.02 | 1.08 | 1.61 | 3.8 | 6.5 |

* Duplicate sample

Table 7
E-Wellfield pre-2011
Well Water Quality Data

| Well ID | | WYDEQ | E16-2 | E16-2* | E16-2 | E17-1 | E17-1 |
|---|----------|-----------|---------------|---------------|---------------|---------------|---------------|
| Sample Date/Time | | Class III | 7/31/2012 | 7/31/2012 | 10/26/2012 | 7/31/2012 | 10/19/2012 |
| Job Number | | Livestock | C12080001-001 | C12080001-002 | C12101137-004 | C12080001-004 | C12100864-008 |
| HSU | | Standard | 140 | 140 | 140 | 140 | 140 |
| Alkalinity, Total as CaCO3 | mg/L | -- | 192 | 191 | 197 | 168 | 168 |
| Carbonate as CO3 | mg/L | -- | <5 | <5 | <5 | <5 | <5 |
| Bicarbonate as HCO3 | mg/L | -- | 234 | 233 | 241 | 204 | 206 |
| Calcium | mg/L | -- | 68 | 65 | 73 | 56 | 52 |
| Chloride | mg/L | 2000 | 8 | 8 | 7 | 5 | 5 |
| Fluoride | mg/L | -- | 0.2 | 0.2 | 0.2 | 0.3 | 0.3 |
| Magnesium | mg/L | -- | 14 | 14 | 15 | 10 | 10 |
| Nitrogen, Ammonia as N | mg/L | -- | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| Nitrogen, Nitrate+Nitrite as N | mg/L | 100 | 1 | 1 | 1 | 0.6 | 0.6 |
| Potassium | mg/L | -- | 5 | 5 | 6 | 6 | 5 |
| Silica | mg/L | -- | 17.1 | 16.2 | 15.5 | 14.8 | 14.2 |
| Sodium | mg/L | -- | 58 | 55 | 60 | 49 | 43 |
| Sulfate | mg/L | 3000 | 152 | 152 | 141 | 116 | 109 |
| Conductivity @ 25 C | mmhos/cm | -- | 0.681 | 0.678 | 0.675 | 0.536 | 0.539 |
| pH | s.u. | 6.5-8.5 | 7.66 | 7.64 | 7.7 | 7.78 | 7.79 |
| Solids, Total Dissolved TDS @ 180 C | mg/L | 5000 | 422 | 434 | 439 | 339 | 344 |
| Aluminum-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Antimony-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Arsenic-D | mg/L | 0.2 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Barium-D | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Beryllium-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Boron-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Cadmium-D | mg/L | 0.05 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 |
| Chromium-D | mg/L | 0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| Copper-D | mg/L | 0.5 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| Iron-D | mg/L | -- | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 |
| Lead-D | mg/L | 0.1 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Manganese-D | mg/L | -- | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| Mercury-D | mg/L | 0.00005 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Molybdenum-D | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Nickel-D | mg/L | -- | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| Selenium-D | mg/L | 0.05 | 0.052 | 0.052 | 0.055 | 0.028 | 0.031 |
| Thallium-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Uranium-D | mg/L | -- | 0.0778 | 0.0786 | 0.0757 | 0.0539 | 0.0567 |
| Vanadium-D | mg/L | 0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Zinc-D | mg/L | 25 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| Antimony-T | mg/L | -- | | | | | |
| Beryllium-T | mg/L | -- | | | | | |
| Iron-T | mg/L | -- | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 |
| Manganese-T | mg/L | -- | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| Thallium-T | mg/L | -- | | | | | |
| Gross Alpha - minus U - Calculated | pCi/L | 15 | 14.53 | 3.59 | -10.55 | 2.61 | -10.49 |
| Gross Alpha - Unadjusted | pCi/L | -- | 67.2 | 56.8 | 40.7 | 39.1 | 27.9 |
| Gross Alpha precision (±) | pCi/L | -- | 3.2 | 3 | 2.8 | 2.4 | 2 |
| Gross Alpha MDC | pCi/L | -- | 1.4 | 1.5 | 1.6 | 1.3 | 1.8 |
| Gross Beta | pCi/L | -- | 16.3 | 15 | 29.1 | 11.3 | 9 |
| Gross Beta precision (±) | pCi/L | -- | 1.7 | 1.8 | 1.9 | 1.7 | 1.7 |
| Gross Beta MDC | pCi/L | -- | 2.3 | 2.5 | 2.4 | 2.5 | 2.4 |
| Radium 226 | pCi/L | -- | 0.23 | 0.05 | 0.23 | 0.15 | 0.23 |
| Radium 226 precision (±) | pCi/L | -- | 0.15 | 0.11 | 0.17 | 0.14 | 0.09 |
| Radium 226 MDC | pCi/L | -- | 0.2 | 0.19 | 0.22 | 0.2 | 0.11 |
| Radium 228 | pCi/L | -- | 1.1 | 2.2 | 3.2 | 0.7 | 0.9 |
| Radium 228 precision (±) | pCi/L | -- | 1.1 | 1.1 | 1.5 | 1.1 | 1 |
| Radium 228 MDC | pCi/L | -- | 1.7 | 1.6 | 2.2 | 1.8 | 1.6 |
| Combined Total Radium 226 and Radium 228 (Calculated) | pCi/L | 5 | 1.33 | 2.25 | 3.43 | 0.85 | 1.13 |

* Duplicate sample

Table 8
E-Wellfield New
Well Water Quality Data

| Well ID | WYDEQ | E9-7 | E9-7-2* | E9-7 | E9-7 | E9-8 | E9-8 | E9-8 | E9-9 | E9-9 | E9-9 | |
|---|-----------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|--------|
| Sample Date/Time | Class III | 6/7/2012 | 6/7/2012 | 8/24/2012 | 10/11/2012 | 6/7/12 13:45 | 8/24/2012 | 10/11/2012 | 9/4/2012 | 10/11/2012 | 10/25/2012 | |
| Job Number | Livestock | C12060299-001 | C12060299-002 | C12081078-003 | C12100554-006 | C12060299-003 | C12081078-004 | C12100554-007 | C12090046-001 | C12100554-003 | C12101066-004 | |
| HSU | Standard | 110 | 110 | 110 | 110 | 120 | 120 | 120 | 140 | 140 | 140 | |
| Alkalinity, Total as CaCO3 | mg/L | -- | 113 | 115 | 125 | | 165 | 164 | | 206 | | 208 |
| Carbonate as CO3 | mg/L | -- | <5 | <5 | <5 | | <5 | <5 | | <5 | | <5 |
| Bicarbonate as HCO3 | mg/L | -- | 138 | 140 | 150 | 149 | 201 | 194 | 179 | 251 | 253 | 254 |
| Calcium | mg/L | -- | 26 | 26 | 26 | | 26 | 24 | | 82 | | 79 |
| Chloride | mg/L | 2000 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 |
| Fluoride | mg/L | -- | 0.3 | 0.3 | 0.3 | | 0.3 | 0.3 | | 0.3 | | 0.2 |
| Magnesium | mg/L | -- | 4 | 5 | 4 | | 4 | 4 | | 14 | | 13 |
| Nitrogen, Ammonia as N | mg/L | -- | 0.05 | 0.05 | <0.05 | | <0.05 | <0.05 | | <0.05 | | <0.05 |
| Nitrogen, Nitrate+Nitrite as N | mg/L | 100 | <0.1 | <0.1 | <0.1 | | <0.1 | <0.1 | | 1.6 | | 1.6 |
| Potassium | mg/L | -- | 4 | 4 | 4 | | 4 | 4 | | 7 | | 6 |
| Silica | mg/L | -- | 13.2 | 13.5 | 13.7 | | 13.5 | 14 | | 16.9 | | 15.2 |
| Sodium | mg/L | -- | 88 | 89 | 81 | | 91 | 82 | | 32 | | 27 |
| Sulfate | mg/L | 3000 | 141 | 137 | 135 | | 97 | 105 | | 123 | | 119 |
| Conductivity @ 25 C | mmhos/cm | -- | 0.545 | 0.546 | 0.547 | 0.507 | 0.538 | 0.526 | 0.506 | 0.633 | 0.321 | 0.634 |
| pH | s.u. | 6.5-8.5 | 8.55 | 8.55 | 8.29 | | 8.15 | 8.19 | | 7.81 | | 7.8 |
| Solids, Total Dissolved TDS @ 180 C | mg/L | 5000 | 343 | 338 | 355 | 350 | 327 | 335 | 336 | 417 | 416 | 416 |
| Aluminum-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | | <0.1 | <0.1 | | <0.1 | | <0.1 |
| Antimony-D | mg/L | -- | 0 | 0 | <0.001 | | 0 | <0.001 | | <0.001 | | <0.001 |
| Arsenic-D | mg/L | 0.2 | <0.001 | <0.001 | <0.001 | | <0.001 | <0.001 | | 0.001 | | <0.001 |
| Barium-D | mg/L | -- | <0.1 | <0.1 | <0.1 | | <0.1 | <0.1 | | <0.1 | | <0.1 |
| Beryllium-D | mg/L | -- | 0 | 0 | <0.001 | | 0 | <0.001 | | <0.001 | | <0.001 |
| Boron-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | | <0.1 | <0.1 | | <0.1 | | <0.1 |
| Cadmium-D | mg/L | 0.05 | <0.005 | <0.005 | <0.005 | | <0.005 | <0.005 | | <0.005 | | <0.005 |
| Chromium-D | mg/L | 0.05 | <0.05 | <0.05 | <0.05 | | <0.05 | <0.05 | | <0.05 | | <0.05 |
| Copper-D | mg/L | 0.5 | <0.01 | <0.01 | <0.01 | | <0.01 | <0.01 | | <0.01 | | <0.01 |
| Iron-D | mg/L | -- | <0.03 | <0.03 | <0.03 | | <0.03 | <0.03 | | <0.03 | | <0.03 |
| Lead-D | mg/L | 0.1 | <0.001 | <0.001 | <0.001 | | <0.001 | <0.001 | | <0.001 | | <0.001 |
| Manganese-D | mg/L | -- | 0.01 | 0.01 | 0.02 | | 0.02 | 0.02 | | 0.02 | | <0.01 |
| Mercury-D | mg/L | 0.00005 | <0.001 | <0.001 | <0.001 | | <0.001 | <0.001 | | <0.001 | | <0.001 |
| Molybdenum-D | mg/L | -- | <0.1 | <0.1 | <0.1 | | <0.1 | <0.1 | | <0.1 | | <0.1 |
| Nickel-D | mg/L | -- | <0.05 | <0.05 | <0.05 | | <0.05 | <0.05 | | <0.05 | | <0.05 |
| Selenium-D | mg/L | 0.05 | <0.001 | <0.001 | <0.001 | 0.003 | <0.001 | <0.001 | <0.001 | 0.013 | 0.012 | 0.011 |
| Thallium-D | mg/L | -- | 0 | 0 | <0.001 | | 0 | <0.001 | | <0.001 | | <0.001 |
| Uranium-D | mg/L | -- | 0.0029 | <0.0003 | 0.0003 | 0.0007 | <0.0003 | <0.0003 | <0.0003 | 0.0307 | 0.0325 | 0.0298 |
| Vanadium-D | mg/L | 0.1 | <0.1 | <0.1 | <0.1 | | <0.1 | <0.1 | | <0.1 | | <0.1 |
| Zinc-D | mg/L | 25 | <0.01 | <0.01 | <0.01 | | <0.01 | <0.01 | | <0.01 | | <0.01 |
| Antimony-T | mg/L | -- | | | | | | | | | | |
| Beryllium-T | mg/L | -- | | | | | | | | | | |
| Iron-T | mg/L | -- | 0.36 | 0.39 | 0.04 | | <0.03 | <0.03 | | 2.68 | | 0.1 |
| Manganese-T | mg/L | -- | 0.01 | 0.01 | 0.02 | | 0.02 | 0.03 | | 0.07 | | <0.01 |
| Thallium-T | mg/L | -- | | | | | | | | | | |
| Gross Alpha - minus U - Calculated | pCi/L | 15 | -1.06 | 0.9 | <-0.5 | | 1 | <-1 | | -2.48 | | 1.73 |
| Gross Alpha - Unadjusted | pCi/L | -- | 0.9 | 0.9 | <-0.5 | | 1 | <-1 | | 18.3 | | 21.9 |
| Gross Alpha precision (±) | pCi/L | -- | 1.7 | 1.6 | 1 | | 1.8 | 1 | | 1.8 | | 2 |
| Gross Alpha MDC | pCi/L | -- | 2 | 0.9 | 1.8 | | 0.5 | 1.8 | | 1.8 | | 1.9 |
| Gross Beta | pCi/L | -- | 1.6 | 1.5 | <1.4 | | 1.6 | <1 | | 9.4 | | 10.5 |
| Gross Beta precision (±) | pCi/L | -- | 2.6 | 2.5 | 1.5 | | 2.7 | 1.6 | | 1.9 | | 1.8 |
| Gross Beta MDC | pCi/L | -- | 0.07 | 0.09 | 2.6 | | 0.2 | 2.6 | | 2.9 | | 2.8 |
| Radium 226 | pCi/L | -- | 0.13 | 0.13 | 0.19 | | 0.15 | <0.12 | | 0.28 | | 0.16 |
| Radium 226 precision (±) | pCi/L | -- | 0.21 | 0.2 | 0.14 | | 0.21 | 0.12 | | 0.15 | | 0.15 |
| Radium 226 MDC | pCi/L | -- | 1.6 | 0.2 | 0.18 | | 1.4 | 0.17 | | 0.18 | | 0.21 |
| Radium 228 | pCi/L | -- | 1.3 | 1.2 | <0.7 | | 1.3 | <0.5 | | 0.6 | | 1.8 |
| Radium 228 precision (±) | pCi/L | -- | 2 | 2 | 0.7 | | 2 | 0.6 | | 0.7 | | 1 |
| Radium 228 MDC | pCi/L | -- | 1.67 | 0.29 | 1.1 | | 1.6 | 1 | | 1.2 | | 1.6 |
| Combined Total Radium 226 and Radium 228 (Calculated) | pCi/L | 5 | 1.43 | 1.33 | 0.19 | | 1.45 | <0.5 | | 0.88 | | 1.96 |

* Duplicate sample

Table 9
F-Wellfield pre-2011
Well Water Quality Data

| Well ID | | WYDEQ | F1-2 | F1-2 | F1-2* | F2-1 | F2-1 | F2-2 | F2-2 | F2-3 |
|---|----------|-----------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| Sample Date/Time | | Class III | 6/26/2012 | 10/31/2012 | 10/31/2012 | 6/28/2012 | 10/29/2012 | 8/29/2012 | 10/24/2012 | 6/25/2012 |
| Job Number | | Livestock | C12061096-005 | C12110001-001 | C12110001-002 | C12070005-001 | C12101163-002 | C12081233-005 | C12101013-001 | C12061096-003 |
| HSU | | Standard | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 |
| Alkalinity, Total as CaCO3 | mg/L | -- | 0 | 208 | 208 | 202 | 214 | 251 | | 204 |
| Carbonate as CO3 | mg/L | -- | <5 | <5 | <5 | <5 | <5 | <5 | | <5 |
| Bicarbonate as HCO3 | mg/L | -- | 248 | 253 | 254 | 246 | 261 | 307 | 322 | 249 |
| Calcium | mg/L | -- | 74 | 82 | 81 | 56 | 60 | 126 | | 55 |
| Chloride | mg/L | 2000 | 5 | 7 | 6 | 4 | 4 | 18 | 20 | 3 |
| Fluoride | mg/L | -- | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | | 0.2 |
| Magnesium | mg/L | -- | 13 | 14 | 14 | 9 | 10 | 21 | | 9 |
| Nitrogen, Ammonia as N | mg/L | -- | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | | <0.05 |
| Nitrogen, Nitrate+Nitrite as N | mg/L | 100 | 2.3 | 2.3 | 2.3 | 1.5 | 1.5 | 4.2 | | 1.6 |
| Potassium | mg/L | -- | 7 | 7 | 7 | 6 | 6 | 9 | | 6 |
| Silica | mg/L | -- | 13.9 | 14.6 | 15 | 15.4 | 16 | 16.9 | | 16.6 |
| Sodium | mg/L | -- | 48 | 52 | 52 | 55 | 54 | 31 | | 57 |
| Sulfate | mg/L | 3000 | 128 | 133 | 133 | 78 | 79 | 179 | | 82 |
| Conductivity @ 25 C | mmhos/cm | -- | 0.666 | 0.663 | 0.66 | 0.554 | 0.553 | 0.867 | 0.791 | 0.569 |
| pH | s.u. | 6.5-8.5 | 7.73 | 7.64 | 7.67 | 7.6 | 7.62 | 7.47 | | 7.63 |
| Solids, Total Dissolved TDS @ 180 C | mg/L | 5000 | 456 | 436 | 441 | 366 | 347 | 595 | | 372 |
| Aluminum-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | <0.1 |
| Antimony-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | | <0.001 |
| Arsenic-D | mg/L | 0.2 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | | <0.001 |
| Barium-D | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | <0.1 |
| Beryllium-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | | <0.001 |
| Boron-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | <0.1 |
| Cadmium-D | mg/L | 0.05 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | | <0.005 |
| Chromium-D | mg/L | 0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | | <0.05 |
| Copper-D | mg/L | 0.5 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | | <0.01 |
| Iron-D | mg/L | -- | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | | <0.03 |
| Lead-D | mg/L | 0.1 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | | <0.001 |
| Manganese-D | mg/L | -- | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | | <0.01 |
| Mercury-D | mg/L | 0.00005 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | | <0.001 |
| Molybdenum-D | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | <0.1 |
| Nickel-D | mg/L | -- | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | | <0.05 |
| Selenium-D | mg/L | 0.05 | 0.037 | 0.047 | 0.044 | 0.022 | 0.024 | 0.317 | 0.281 | 0.029 |
| Thallium-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | | <0.001 |
| Uranium-D | mg/L | -- | 0.027 | 0.0374 | 0.0355 | 0.0826 | 0.0863 | 0.0935 | 0.0921 | 0.0633 |
| Vanadium-D | mg/L | 0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | <0.1 |
| Zinc-D | mg/L | 25 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | | <0.01 |
| Antimony-T | mg/L | -- | | | | | | 0.17 | | |
| Beryllium-T | mg/L | -- | | | | | | | | |
| Iron-T | mg/L | -- | 0.08 | 0.56 | 0.52 | <0.03 | <0.03 | | | <0.03 |
| Manganese-T | mg/L | -- | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | | <0.01 |
| Thallium-T | mg/L | -- | | | | | | | | |
| Gross Alpha - minus U - Calculated | pCi/L | 15 | 4.82 | -1.92 | -4.93 | -3.82 | -11.73 | 10.80 | | 9.35 |
| Gross Alpha - Unadjusted | pCi/L | -- | 23.1 | 23.4 | 19.1 | 52.1 | 46.7 | 74.1 | | 52.2 |
| Gross Alpha precision (±) | pCi/L | -- | 2.2 | 2.2 | 2 | 2.7 | 2.8 | 4 | | 2.9 |
| Gross Alpha MDC | pCi/L | -- | 2.1 | 2.2 | 2.1 | 1.9 | 1.7 | 2.7 | | 2.1 |
| Gross Beta | pCi/L | -- | 10 | 11.4 | 12.4 | 11.8 | 26.2 | 25.3 | | 12.1 |
| Gross Beta precision (±) | pCi/L | -- | 1.8 | 1.8 | 1.8 | 1.9 | 1.9 | 2.7 | | 1.8 |
| Gross Beta MDC | pCi/L | -- | 2.7 | 2.7 | 2.6 | 2.6 | 2.4 | 3.7 | | 2.6 |
| Radium 226 | pCi/L | -- | 0.59 | 0.71 | 0.57 | 0.55 | 0.47 | 1 | | 0.46 |
| Radium 226 precision (±) | pCi/L | -- | 0.16 | 0.21 | 0.19 | 0.15 | 0.17 | 0.23 | | 0.15 |
| Radium 226 MDC | pCi/L | -- | 0.14 | 0.2 | 0.2 | 0.14 | 0.18 | 0.18 | | 0.14 |
| Radium 228 | pCi/L | -- | 0.6 | 1.7 | 1.6 | 0.5 | -0.1 | <2.4 | | 0.3 |
| Radium 228 precision (±) | pCi/L | -- | 0.6 | 0.7 | 0.7 | 0.6 | 1.1 | 1.9 | | 0.6 |
| Radium 228 MDC | pCi/L | -- | 1 | 1.1 | 1.1 | 0.9 | 1.9 | 3 | | 1 |
| Combined Total Radium 226 and Radium 228 (Calculated) | pCi/L | 5 | 1.19 | 2.41 | 2.17 | 1.05 | 0.37 | 1 | | 0.76 |

* Duplicate sample

Table 9
F-Wellfield pre-2011
Well Water Quality Data

| Well ID | | WYDEQ | F2-3 | F3-1 | F3-1 | F3-2 | F3-2 | F12-2 | F12-2 | F13-1 |
|---|----------|-----------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| Sample Date/Time | | Class III | 10/31/2012 | 6/27/2012 | 10/29/2012 | 8/1/2012 | 11/2/2012 | 8/23/2012 | 10/26/2012 | 8/2/2012 |
| Job Number | | Livestock | C12110001-003 | C12070005-004 | C12101163-001 | C12080049-003 | C12110118-001 | C12081030-004 | C12101137-005 | C12080089-002 |
| HSU | | Standard | 140 | 130 | 130 | 140 | 140 | 140 | 140 | 140 |
| Alkalinity, Total as CaCO3 | mg/L | -- | 211 | 227 | 230 | 227 | 229 | 525 | 571 | 214 |
| Carbonate as CO3 | mg/L | -- | <5 | <5 | <5 | <5 | <5 | <5 | <5 | <5 |
| Bicarbonate as HCO3 | mg/L | -- | 258 | 277 | 281 | 278 | 279 | 640 | 697 | 261 |
| Calcium | mg/L | -- | 59 | 82 | 95 | 67 | 66 | 238 | 286 | 100 |
| Chloride | mg/L | 2000 | 4 | 6 | 6 | 12 | 9 | 112 | 124 | 7 |
| Fluoride | mg/L | -- | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.1 | 0.1 |
| Magnesium | mg/L | -- | 10 | 13 | 14 | 11 | 11 | 39 | 45 | 16 |
| Nitrogen, Ammonia as N | mg/L | -- | <0.05 | <0.05 | <0.05 | 0.36 | <0.05 | <0.1 | <0.05 | <0.05 |
| Nitrogen, Nitrate+Nitrite as N | mg/L | 100 | 1.6 | 1.2 | 1.2 | 1.1 | 1 | <0.1 | 0.1 | 0.8 |
| Potassium | mg/L | -- | 6 | 7 | 8 | 6 | 6 | 12 | 13 | 8 |
| Silica | mg/L | -- | 16.9 | 16.7 | 17.2 | 15.5 | 18.2 | 13.4 | 13.1 | 19.1 |
| Sodium | mg/L | -- | 58 | 81 | 91 | 56 | 57 | 151 | 164 | 109 |
| Sulfate | mg/L | 3000 | 82 | 219 | 221 | 115 | 109 | 463 | 488 | 281 |
| Conductivity @ 25 C | mmhos/cm | -- | 0.558 | 0.87 | 0.876 | 0.674 | 0.638 | 2.01 | 2.14 | 0.961 |
| pH | s.u. | 6.5-8.5 | 7.68 | 7.73 | 7.58 | 7.49 | 7.58 | 7.37 | 7.47 | 7.65 |
| Solids, Total Dissolved TDS @ 180 C | mg/L | 5000 | 350 | 616 | 589 | 430 | 414 | 1460 | 1520 | 669 |
| Aluminum-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Antimony-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Arsenic-D | mg/L | 0.2 | <0.001 | <0.001 | <0.001 | 0.002 | <0.001 | <0.001 | <0.001 | <0.001 |
| Barium-D | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | 0.3 | <0.1 |
| Beryllium-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Boron-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | 0.2 | 0.1 | <0.1 |
| Cadmium-D | mg/L | 0.05 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 |
| Chromium-D | mg/L | 0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| Copper-D | mg/L | 0.5 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| Iron-D | mg/L | -- | <0.03 | <0.03 | <0.03 | 0.13 | <0.03 | <0.03 | 0.03 | <0.03 |
| Lead-D | mg/L | 0.1 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Manganese-D | mg/L | -- | <0.01 | <0.01 | <0.01 | 0.06 | 0.02 | 0.06 | 0.08 | 0.04 |
| Mercury-D | mg/L | 0.00005 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Molybdenum-D | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Nickel-D | mg/L | -- | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| Selenium-D | mg/L | 0.05 | 0.027 | 0.056 | 0.067 | 0.022 | 0.066 | 0.358 | 0.383 | 0.033 |
| Thallium-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Uranium-D | mg/L | -- | 0.0656 | 0.0375 | 0.0463 | 0.0772 | 0.0786 | 0.137 | 0.164 | 0.0504 |
| Vanadium-D | mg/L | 0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Zinc-D | mg/L | 25 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | 0.01 |
| Antimony-T | mg/L | -- | | | | 0.17 | | 0.26 | | <0.03 |
| Beryllium-T | mg/L | -- | | | | | | | | |
| Iron-T | mg/L | -- | <0.03 | <0.03 | <0.03 | | <0.03 | | 1.47 | |
| Manganese-T | mg/L | -- | <0.01 | <0.01 | <0.01 | 0.07 | 0.02 | 0.07 | 0.08 | 0.05 |
| Thallium-T | mg/L | -- | | 0 | | | | | | |
| Gross Alpha - minus U - Calculated | pCi/L | 15 | -12.71 | 13.31 | 24.65 | -0.16 | 1.19 | 51.25 | 26.97 | 26.68 |
| Gross Alpha - Unadjusted | pCi/L | -- | 31.7 | 38.7 | 56 | 52.1 | 54.4 | 144 | 138 | 60.8 |
| Gross Alpha precision (±) | pCi/L | -- | 2.2 | 2.9 | 3.4 | 3 | 2.9 | 9.3 | 9.7 | 3.6 |
| Gross Alpha MDC | pCi/L | -- | 1.8 | 2.6 | 2 | 2.7 | 2 | 8.3 | 6.7 | 2.9 |
| Gross Beta | pCi/L | -- | 17 | 10 | 17.6 | 16.3 | 18.9 | 31.1 | 57.7 | 10.9 |
| Gross Beta precision (±) | pCi/L | -- | 1.9 | 2.5 | 2 | 2 | 1.9 | 7.3 | 6.5 | 2.2 |
| Gross Beta MDC | pCi/L | -- | 2.7 | 3.9 | 2.7 | 2.8 | 2.6 | 10.9 | 9 | 3.3 |
| Radium 226 | pCi/L | -- | 0.64 | -0.05 | 0.46 | 0.15 | 0.54 | 1.7 | 0.15 | 0.44 |
| Radium 226 precision (±) | pCi/L | -- | 0.21 | 0.11 | 0.22 | 0.11 | 0.17 | 0.17 | 0.19 | 0.18 |
| Radium 226 MDC | pCi/L | -- | 0.21 | 0.22 | 0.25 | 0.15 | 0.17 | 0.1 | 0.28 | 0.2 |
| Radium 228 | pCi/L | -- | 1.9 | 1.3 | 1.3 | 1.6 | 1.1 | 2.1 | 2.3 | 1.5 |
| Radium 228 precision (±) | pCi/L | -- | 0.8 | 0.8 | 1.6 | 0.7 | 0.7 | 1 | 1.4 | 0.7 |
| Radium 228 MDC | pCi/L | -- | 1.2 | 1.2 | 2.6 | 1 | 1.1 | 1.5 | 2.1 | 1 |
| Combined Total Radium 226 and Radium 228 (Calculated) | pCi/L | 5 | 2.54 | 1.35 | 1.76 | 1.75 | 1.64 | 3.8 | 2.45 | 1.94 |

* Duplicate sample

Table 9
F-Wellfield pre-2011
Well Water Quality Data

| Well ID | | WYDEQ | F13-1 | F14-1 | F14-1* | F14-1 | F14-3 | F14-3* | F15-1 | F15-1 |
|---|----------|-----------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| Sample Date/Time | | Class III | 11/1/2012 | 8/2/2012 | 08/02/12 | 11/1/2012 | 8/13/2012 | 41134 | 8/24/2012 | 10/25/2012 |
| Job Number | | Livestock | C12110079-002 | C12080089-003 | C12080089-004 | C12110079-001 | C12080546-002 | C12080546-003 | C12081078-001 | C12101066-003 |
| HSU | | Standard | 140 | 140 | 140 | 140 | 110 | 110 | 140 | 140 |
| Alkalinity, Total as CaCO3 | mg/L | -- | 215 | 219 | 221 | 225 | 118 | 118 | 244 | 254 |
| Carbonate as CO3 | mg/L | -- | <5 | <5 | <5 | <5 | <5 | <5 | <5 | <5 |
| Bicarbonate as HCO3 | mg/L | -- | 262 | 267 | 269 | 274 | 142 | 144 | 298 | 310 |
| Calcium | mg/L | -- | 92 | 98 | 98 | 92 | 38 | 38 | 113 | 107 |
| Chloride | mg/L | 2000 | 6 | 9 | 9 | 9 | 6 | 6 | 16 | 16 |
| Fluoride | mg/L | -- | 0.2 | 0.2 | 0.2 | 0.2 | 0.4 | 0.4 | 0.2 | <0.2 |
| Magnesium | mg/L | -- | 14 | 16 | 16 | 14 | 6 | 5 | 21 | 20 |
| Nitrogen, Ammonia as N | mg/L | -- | | <0.05 | <0.05 | | 0.22 | 0.22 | 0.06 | <0.05 |
| Nitrogen, Nitrate+Nitrite as N | mg/L | 100 | 0.9 | 4.5 | 4.4 | 4.4 | <0.1 | <0.1 | 0.9 | 0.8 |
| Potassium | mg/L | -- | 8 | 8 | 8 | 7 | 5 | 5 | 6 | 6 |
| Silica | mg/L | -- | 18.7 | 17.4 | 17.5 | 16.7 | 11.1 | 11 | 13.9 | 11.4 |
| Sodium | mg/L | -- | 100 | 23 | 23 | 21 | 74 | 70 | 14 | 14 |
| Sulfate | mg/L | 3000 | 279 | 89 | 90 | 88 | 150 | 149 | 126 | 127 |
| Conductivity @ 25 C | mmhos/cm | -- | 0.948 | 0.638 | 0.637 | 0.622 | 0.57 | 0.57 | 0.742 | 0.736 |
| pH | s.u. | 6.5-8.5 | 7.79 | 7.58 | 7.58 | 7.69 | 7.9 | 7.9 | 8.06 | 7.82 |
| Solids, Total Dissolved TDS @ 180 C | mg/L | 5000 | 671 | 410 | 411 | 412 | 368 | 367 | 468 | 484 |
| Aluminum-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Antimony-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Arsenic-D | mg/L | 0.2 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Barium-D | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Beryllium-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Boron-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Cadmium-D | mg/L | 0.05 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 |
| Chromium-D | mg/L | 0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| Copper-D | mg/L | 0.5 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| Iron-D | mg/L | -- | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 |
| Lead-D | mg/L | 0.1 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Manganese-D | mg/L | -- | 0.06 | 0.01 | 0.01 | <0.01 | 0.01 | 0.01 | <0.01 | 0.04 |
| Mercury-D | mg/L | 0.00005 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Molybdenum-D | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Nickel-D | mg/L | -- | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| Selenium-D | mg/L | 0.05 | 0.034 | 0.02 | 0.02 | 0.019 | <0.001 | <0.001 | 0.034 | 0.034 |
| Thallium-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Uranium-D | mg/L | -- | 0.0465 | 0.02 | 0.0195 | 0.0184 | <0.0003 | <0.0003 | 0.0244 | 0.0243 |
| Vanadium-D | mg/L | 0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Zinc-D | mg/L | 25 | <0.01 | 0.02 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| Antimony-T | mg/L | -- | | <0.03 | <0.03 | | <0.03 | <0.03 | 0.26 | |
| Beryllium-T | mg/L | -- | | | | | | | | |
| Iron-T | mg/L | -- | 0.28 | | | <0.03 | | | | 7.14 |
| Manganese-T | mg/L | -- | 0.07 | 0.01 | 0.01 | <0.01 | 0.01 | 0.01 | <0.01 | 0.1 |
| Thallium-T | mg/L | -- | | | | | | | | |
| Gross Alpha - minus U - Calculated | pCi/L | 15 | 22.32 | 1.06 | 5.10 | 1.64 | -0.20 | -1 | 8.88 | 10.25 |
| Gross Alpha - Unadjusted | pCi/L | -- | 53.8 | 14.6 | 18.3 | 14.1 | -0.2 | -1 | 25.4 | 26.7 |
| Gross Alpha precision (±) | pCi/L | -- | 3.2 | 1.9 | 2 | 1.7 | 1 | 1.1 | 2.4 | 2.6 |
| Gross Alpha MDC | pCi/L | -- | 2.4 | 2.2 | 2.1 | 2 | 1.7 | 1.9 | 2.2 | 2.7 |
| Gross Beta | pCi/L | -- | 21.1 | 9.1 | 7.5 | 13.2 | 5 | 2.5 | 13.4 | 12.7 |
| Gross Beta precision (±) | pCi/L | -- | 2.2 | 1.9 | 2 | 1.8 | 1.7 | 1.8 | 2.2 | 2.1 |
| Gross Beta MDC | pCi/L | -- | 3 | 2.9 | 3.1 | 2.6 | 2.7 | 3 | 3.3 | 3.2 |
| Radium 226 | pCi/L | -- | 0.62 | 0.54 | 0.62 | 0.67 | 0.43 | 0.4 | 0.93 | 2.2 |
| Radium 226 precision (±) | pCi/L | -- | 0.2 | 0.2 | 0.21 | 0.19 | 0.17 | 0.16 | 0.22 | 0.55 |
| Radium 226 MDC | pCi/L | -- | 0.2 | 0.22 | 0.22 | 0.17 | 0.18 | 0.18 | 0.17 | 0.45 |
| Radium 228 | pCi/L | -- | 2.3 | 1.1 | 2 | 1.5 | 0.7 | 1.1 | 1 | 1.6 |
| Radium 228 precision (±) | pCi/L | -- | 0.8 | 0.7 | 0.8 | 0.6 | 0.9 | 0.9 | 0.7 | 1.7 |
| Radium 228 MDC | pCi/L | -- | 1.1 | 1.1 | 1.1 | 0.9 | 1.5 | 1.4 | 1 | 2.8 |
| Combined Total Radium 226 and Radium 228 (Calculated) | pCi/L | 5 | 2.92 | 1.64 | 2.62 | 2.17 | 1.13 | 1.5 | 1.93 | 3.8 |

* Duplicate sample

Table 9
F-Wellfield pre-2011
Well Water Quality Data

| Well ID | | WYDEQ | F16-1 | F16-1 | F28-1 | F28-1 |
|---|----------|-----------|---------------|---------------|---------------|---------------|
| Sample Date/Time | | Class III | 8/24/2012 | 10/19/2012 | 8/3/12 | 11/1/2012 |
| Job Number | | Livestock | C12081078-002 | C12100864-006 | C12080142-003 | C12110079-003 |
| HSU | | Standard | 160 | 160 | 130 | 130 |
| Alkalinity, Total as CaCO3 | mg/L | -- | 455 | 423 | 227 | 242 |
| Carbonate as CO3 | mg/L | -- | <5 | <5 | <5 | <5 |
| Bicarbonate as HCO3 | mg/L | -- | 555 | 516 | 276 | 295 |
| Calcium | mg/L | -- | 391 | 314 | 216 | 223 |
| Chloride | mg/L | 2000 | 182 | 168 | 14 | 13 |
| Fluoride | mg/L | -- | 0.1 | 0.2 | 0.2 | 0.2 |
| Magnesium | mg/L | -- | 84 | 85 | 38 | 37 |
| Nitrogen, Ammonia as N | mg/L | -- | 0.08 | <0.05 | <0.05 | |
| Nitrogen, Nitrate+Nitrite as N | mg/L | 100 | <0.1 | 0.1 | 0.3 | <0.5 |
| Potassium | mg/L | -- | 17 | 16 | 12 | 12 |
| Silica | mg/L | -- | 14.2 | 11.1 | 19.7 | 19.3 |
| Sodium | mg/L | -- | 45 | 44 | 83 | 79 |
| Sulfate | mg/L | 3000 | 730 | 686 | 631 | 609 |
| Conductivity @ 25 C | mmhos/cm | -- | 2.38 | 2.23 | 1.45 | 1.49 |
| pH | s.u. | 6.5-8.5 | 7.61 | 7.76 | 7.49 | 7.59 |
| Solids, Total Dissolved TDS @ 180 C | mg/L | 5000 | 1850 | 1660 | 1190 | 1190 |
| Aluminum-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | <0.1 |
| Antimony-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 |
| Arsenic-D | mg/L | 0.2 | <0.001 | <0.001 | <0.001 | 0.001 |
| Barium-D | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 |
| Beryllium-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 |
| Boron-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | <0.1 |
| Cadmium-D | mg/L | 0.05 | <0.005 | <0.005 | <0.005 | <0.005 |
| Chromium-D | mg/L | 0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| Copper-D | mg/L | 0.5 | <0.01 | <0.01 | <0.01 | <0.01 |
| Iron-D | mg/L | -- | <0.03 | <0.03 | 0.81 | 0.51 |
| Lead-D | mg/L | 0.1 | <0.001 | <0.001 | <0.001 | <0.001 |
| Manganese-D | mg/L | -- | 0.02 | <0.01 | 0.26 | 0.22 |
| Mercury-D | mg/L | 0.00005 | <0.001 | <0.001 | <0.001 | <0.001 |
| Molybdenum-D | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 |
| Nickel-D | mg/L | -- | <0.05 | <0.05 | <0.05 | <0.05 |
| Selenium-D | mg/L | 0.05 | 0.138 | 0.406 | 0.133 | 0.132 |
| Thallium-D | mg/L | -- | <0.001 | <0.001 | <0.001 | <0.001 |
| Uranium-D | mg/L | -- | 1.4 | 1.89 | 0.0651 | 0.0731 |
| Vanadium-D | mg/L | 0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Zinc-D | mg/L | 25 | <0.01 | <0.01 | 0.01 | <0.01 |
| Antimony-T | mg/L | -- | 1.23 | | 0.92 | |
| Beryllium-T | mg/L | -- | | | | |
| Iron-T | mg/L | -- | | 20.8 | | 0.62 |
| Manganese-T | mg/L | -- | <0.01 | 0.11 | 0.26 | 0.23 |
| Thallium-T | mg/L | -- | | | | |
| Gross Alpha - minus U - Calculated | pCi/L | 15 | -12.80 | 210.47 | 31.13 | 31.01 |
| Gross Alpha - Unadjusted | pCi/L | -- | 935 | 1490 | 75.2 | 80.5 |
| Gross Alpha precision (±) | pCi/L | -- | 25.9 | 26.9 | 5.3 | 5 |
| Gross Alpha MDC | pCi/L | -- | 10.2 | 10.2 | 5 | 3.8 |
| Gross Beta | pCi/L | -- | 358 | 296 | 22.8 | 31.6 |
| Gross Beta precision (±) | pCi/L | -- | 16.4 | 12.1 | 4.1 | 3.6 |
| Gross Beta MDC | pCi/L | -- | 16.5 | 11.2 | 6 | 5 |
| Radium 226 | pCi/L | -- | 64 | 59 | 1.4 | 1.6 |
| Radium 226 precision (±) | pCi/L | -- | 1.7 | 0.99 | 0.27 | 0.29 |
| Radium 226 MDC | pCi/L | -- | 0.17 | 0.11 | 0.2 | 0.2 |
| Radium 228 | pCi/L | -- | 1.6 | 0.4 | 4.1 | 4.8 |
| Radium 228 precision (±) | pCi/L | -- | 0.7 | 0.9 | 0.9 | 0.9 |
| Radium 228 MDC | pCi/L | -- | 1 | 1.5 | 1.3 | 1.1 |
| Combined Total Radium 226 and Radium 228 (Calculated) | pCi/L | 5 | 65.6 | 59.4 | 1.4 | 6.4 |

* Duplicate sample

Table 10
F-Wellfield New
Well Water Quality Data

| Well ID | WYDEQ | F23-1 | F23-1 | F23-1 | F23-2 | F23-2 | F23-2* | F23-3 | F23-3 | F23-4 | F23-4 |
|---|-----------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| Sample Date/Time | Class III | 6/18/2012 | 8/30/2012 | 10/26/2012 | 6/5/2012 | 8/23/2012 | 10/22/2012 | 9/18/2012 | 10/15/2012 | 9/18/2012 | 10/19/2012 |
| Job Number | Livestock | C12060737-002 | C12081293-001 | C12101137-006 | C12060299-006 | C12081030-005 | C12100906-004 | C12090654-002 | C12100662-003 | C12090654-001 | C12100864-004 |
| HSU | Standard | 110 | 110 | 110 | 120 | 120 | 120 | 120 | 120 | 120 | 120 |
| Alkalinity, Total as CaCO3 | mg/L | -- | 118 | 120 | 274 | 290 | 244 | 244 | 234 | 216 | 225 |
| Carbonate as CO3 | mg/L | -- | <5 | <5 | <5 | <5 | <5 | <5 | <5 | <5 | <5 |
| Bicarbonate as HCO3 | mg/L | -- | 142 | 144 | 147 | 334 | 354 | 298 | 285 | 264 | 275 |
| Calcium | mg/L | -- | 45 | 51 | 442 | 418 | 346 | 376 | 344 | 195 | 174 |
| Chloride | mg/L | 2000 | 9 | 10 | 10 | 62 | 58 | 56 | 23 | 23 | 7 |
| Fluoride | mg/L | -- | 0.5 | 0.4 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| Magnesium | mg/L | -- | 7 | 8 | 95 | 85 | 85 | 62 | 57 | 32 | 29 |
| Nitrogen, Ammonia as N | mg/L | -- | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | 0.08 | <0.05 |
| Nitrogen, Nitrate+Nitrite as N | mg/L | 100 | <0.1 | <0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.4 | 0.4 |
| Potassium | mg/L | -- | 4 | 5 | 16 | 14 | 15 | 13 | 11 | 11 | 10 |
| Silica | mg/L | -- | 12.6 | 8.9 | 18.6 | 14.5 | 20.5 | 17 | 21.6 | 17.5 | 17.5 |
| Sodium | mg/L | -- | 111 | 96 | 91 | 77 | 105 | 97 | 94 | 87 | 87 |
| Sulfate | mg/L | 3000 | 236 | 242 | 234 | 1300 | 1280 | 1150 | 1140 | 530 | 525 |
| Conductivity @ 25 C | umhos/cm | -- | 0.783 | 0.756 | 0.761 | 2.69 | 2.58 | 2.26 | 2.23 | 1.34 | 1.32 |
| pH | s.u. | 6.5-8.5 | 8.56 | 8.36 | 7.28 | 7.25 | 7.35 | 7.4 | 7.65 | 7.65 | 7.65 |
| Solids, Total Dissolved TDS @ 180 C | mg/L | 5000 | 533 | 510 | 517 | 2320 | 2380 | 2300 | 1960 | 1940 | 1030 |
| Aluminum-D | mg/L | 5 | <0.1 | <0.1 | 0.6 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Antimony-D | mg/L | -- | 0.002 | <0.001 | 0 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Arsenic-D | mg/L | 0.2 | 0.002 | <0.001 | 0.001 | <0.001 | <0.001 | <0.001 | <0.001 | 0.001 | 0.001 |
| Barium-D | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Beryllium-D | mg/L | -- | <0.01 | <0.001 | 0 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Boron-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | 0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Cadmium-D | mg/L | 0.05 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 |
| Chromium-D | mg/L | 0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| Copper-D | mg/L | 0.5 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| Iron-D | mg/L | -- | <0.03 | <0.03 | 0.26 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 |
| Lead-D | mg/L | 0.1 | <0.001 | <0.001 | 0.002 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Manganese-D | mg/L | -- | <0.01 | <0.01 | 1.23 | 1.26 | 0.47 | 0.44 | 0.16 | 0.17 | 0.17 |
| Mercury-D | mg/L | 0.00005 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Molybdenum-D | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Nickel-D | mg/L | -- | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| Selenium-D | mg/L | 0.05 | 0.004 | <0.001 | <0.001 | 0.003 | 0.003 | 0.004 | 0.003 | 0.003 | 0.012 |
| Thallium-D | mg/L | -- | <0.001 | <0.001 | 0 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Uranium-D | mg/L | -- | 0.0007 | <0.0003 | <0.0003 | 0.21 | 0.22 | 0.219 | 0.0921 | 0.097 | 0.0366 |
| Vanadium-D | mg/L | 0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Zinc-D | mg/L | 25 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| Antimony-T | mg/L | -- | | | | | | | | | |
| Beryllium-T | mg/L | -- | | | | | | | | | |
| Iron-T | mg/L | -- | 1.3 | 0.69 | 5.36 | 1.54 | 0.71 | 0.18 | 6.64 | 0.24 | 0.24 |
| Manganese-T | mg/L | -- | 0.01 | 0.01 | 1.3 | 1.49 | 0.49 | 0.54 | 0.24 | 0.19 | 0.19 |
| Thallium-T | mg/L | -- | | | | | | | | | |
| Gross Alpha - minus U - Calculated | pCi/L | 15 | -1.27 | <0.6 | 84.83 | 58.06 | 23.85 | 64.33 | 35.92 | 12.27 | 12.27 |
| Gross Alpha - Unadjusted | pCi/L | -- | -0.8 | <0.6 | 227 | 207 | 86.2 | 130 | 60.7 | 38.2 | 38.2 |
| Gross Alpha precision (±) | pCi/L | -- | 1.2 | 1.4 | 12.1 | 11.5 | 6.7 | 8.3 | 4.2 | 3.7 | 3.7 |
| Gross Alpha MDC | pCi/L | -- | 2.1 | 2.2 | 9 | 8.2 | 5.9 | 6.1 | 3.5 | 4.1 | 4.1 |
| Gross Beta | pCi/L | -- | 3.5 | 2.7 | 54.1 | 62.3 | 25 | 31.2 | 17.7 | 14.5 | 14.5 |
| Gross Beta precision (±) | pCi/L | -- | 1.6 | 1.7 | 9.3 | 8.6 | 5.6 | 5.8 | 3.1 | 3.1 | 3.1 |
| Gross Beta MDC | pCi/L | -- | 2.6 | 2.7 | 13.4 | 12.1 | 8.4 | 8.6 | 4.6 | 4.6 | 4.6 |
| Radium 226 | pCi/L | -- | -0.1 | 0.26 | 2.8 | 1.4 | 2.4 | 2.2 | 0.59 | 0.49 | 0.49 |
| Radium 226 precision (±) | pCi/L | -- | 0.08 | 0.12 | 0.39 | 0.16 | 0.33 | 0.27 | 0.21 | 0.14 | 0.14 |
| Radium 226 MDC | pCi/L | -- | 0.19 | 0.15 | 0.2 | 0.11 | 0.19 | 0.14 | 0.22 | 0.15 | 0.15 |
| Radium 228 | pCi/L | -- | 0.07 | <-0.02 | 12.3 | 6.7 | 6.9 | 6.1 | 1.9 | 3.1 | 3.1 |
| Radium 228 precision (±) | pCi/L | -- | 0.7 | 0.7 | 1.7 | 1.3 | 1.1 | 0.9 | 1 | 1.4 | 1.4 |
| Radium 228 MDC | pCi/L | -- | 1.1 | 1.2 | 1.9 | 1.6 | 1.3 | 1 | 1.6 | 2.2 | 2.2 |
| Combined Total Radium 226 and Radium 228 (Calculated) | pCi/L | 5 | 0.17 | 0.26 | 15.1 | 8.1 | 9.3 | 8.3 | 2.49 | 3.59 | 3.59 |

* Duplicate sample

Table 10
F-Wellfield New
Well Water Quality Data

| Well ID | | WYDEQ | F25-2 | F25-2 | F25-2 | F25-2* | F25-3 | F25-3 | F25-3 | F28-2 | F28-2 | F28-3 |
|---|----------|-----------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| Sample Date/Time | | Class III | 6/5/2012 | 8/21/2012 | 10/11/2012 | 10/11/2012 | 6/5/2012 | 8/21/2012 | 10/19/2012 | 9/12/2012 | 10/17/2012 | 9/13/2012 |
| Job Number | | Livestock | C12060177-004 | C12080946-001 | C12100579-001 | C12100579-002 | C12060177-003 | C12080946-002 | C12100864-005 | C12090390-001 | C12100755-007 | C12090449-001 |
| HSU | | Standard | 120 | 120 | 120 | 120 | 110 | 110 | 110 | 110 | 110 | 120 |
| Alkalinity, Total as CaCO3 | mg/L | -- | 252 | 259 | | | 124 | 120 | | 149 | 137 | 221 |
| Carbonate as CO3 | mg/L | -- | <5 | <5 | | | <5 | <5 | | <5 | <5 | <5 |
| Bicarbonate as HCO3 | mg/L | -- | 308 | 316 | 313 | 312 | 151 | 146 | 149 | 181 | 168 | 269 |
| Calcium | mg/L | -- | 299 | 302 | | | 70 | 75 | | 103 | 100 | 187 |
| Chloride | mg/L | 2000 | 7 | 7 | 7 | 7 | 4 | 4 | 5 | 7 | 7 | 8 |
| Fluoride | mg/L | -- | 0.2 | 0.1 | | | 0.3 | 0.2 | | 0.2 | 0.2 | 0.2 |
| Magnesium | mg/L | -- | 52 | 51 | | | 12 | 13 | | 17 | 16 | 31 |
| Nitrogen, Ammonia as N | mg/L | -- | <0.05 | <0.05 | | | <0.05 | <0.05 | | <0.05 | <0.05 | <0.05 |
| Nitrogen, Nitrate+Nitrite as N | mg/L | 100 | 0.1 | 0.1 | | | <0.1 | <0.1 | | <0.1 | <0.1 | 0.3 |
| Potassium | mg/L | -- | 14 | 14 | | | 7 | 7 | | 8 | 8 | 9 |
| Silica | mg/L | -- | 21.1 | 19.9 | | | 14.3 | 13.7 | | 17.9 | 16.3 | 22.3 |
| Sodium | mg/L | -- | 93 | 89 | | | 87 | 87 | | 96 | 90 | 85 |
| Sulfate | mg/L | 3000 | 886 | 864 | | | 284 | 282 | | 336 | 332 | 485 |
| Conductivity @ 25 C | umhos/cm | -- | 1.89 | 1.86 | 1.748 | 1.748 | 0.838 | 0.83 | 0.75 | 0.939 | 0.927 | 1.26 |
| pH | s.u. | 6.5-8.5 | 7.39 | 7.43 | | | 7.97 | 7.9 | | 8.17 | 8.09 | 7.66 |
| Solids, Total Dissolved TDS @ 180 C | mg/L | 5000 | 1590 | 1550 | 1570 | 1580 | 600 | 582 | 597 | 678 | 670 | 965 |
| Aluminum-D | mg/L | 5 | <0.1 | <0.1 | | | <0.1 | <0.1 | | <0.1 | <0.1 | <0.1 |
| Antimony-D | mg/L | -- | 0 | <0.001 | | | 0 | <0.001 | | <0.001 | <0.001 | <0.001 |
| Arsenic-D | mg/L | 0.2 | 0.007 | 0.004 | | | 0.002 | 0.005 | | 0.002 | 0.002 | 0.003 |
| Barium-D | mg/L | -- | <0.1 | <0.1 | | | <0.1 | <0.1 | | <0.1 | <0.1 | <0.1 |
| Beryllium-D | mg/L | -- | 0 | <0.001 | | | 0 | <0.001 | | <0.001 | <0.001 | <0.001 |
| Boron-D | mg/L | 5 | <0.1 | <0.1 | | | <0.1 | <0.1 | | <0.1 | <0.1 | <0.1 |
| Cadmium-D | mg/L | 0.05 | <0.005 | <0.005 | | | <0.005 | <0.005 | | <0.005 | <0.005 | <0.005 |
| Chromium-D | mg/L | 0.05 | <0.05 | <0.05 | | | <0.05 | <0.05 | | <0.05 | <0.05 | <0.05 |
| Copper-D | mg/L | 0.5 | <0.01 | <0.01 | | | <0.01 | <0.01 | | <0.01 | <0.01 | <0.01 |
| Iron-D | mg/L | -- | 0.47 | 0.08 | | | <0.03 | 0.05 | | <0.03 | <0.03 | <0.03 |
| Lead-D | mg/L | 0.1 | <0.001 | <0.001 | | | <0.001 | <0.001 | | <0.001 | <0.001 | <0.001 |
| Manganese-D | mg/L | -- | 0.93 | 0.23 | | | 0.06 | 0.07 | | 0.02 | 0.02 | 0.05 |
| Mercury-D | mg/L | 0.00005 | <0.001 | <0.001 | | | <0.001 | <0.001 | | <0.001 | <0.001 | <0.001 |
| Molybdenum-D | mg/L | -- | <0.1 | <0.1 | | | <0.1 | <0.1 | | <0.1 | <0.1 | <0.1 |
| Nickel-D | mg/L | -- | <0.05 | <0.05 | | | <0.05 | <0.05 | | <0.05 | <0.05 | <0.05 |
| Selenium-D | mg/L | 0.05 | <0.001 | 0.001 | <0.001 | 0.001 | <0.001 | <0.001 | <0.001 | 0.002 | <0.001 | 0.002 |
| Thallium-D | mg/L | -- | 0 | <0.001 | | | 0 | <0.001 | | <0.001 | <0.001 | <0.001 |
| Uranium-D | mg/L | -- | 0.0388 | 0.039 | 0.0355 | 0.035 | 0.0101 | 0.0106 | 0.0109 | 0.0372 | 0.0338 | 0.0365 |
| Vanadium-D | mg/L | 0.1 | <0.1 | <0.1 | | | <0.1 | <0.1 | | <0.1 | <0.1 | <0.1 |
| Zinc-D | mg/L | 25 | <0.01 | <0.01 | | | <0.01 | <0.01 | | <0.01 | <0.01 | <0.01 |
| Antimony-T | mg/L | -- | | | | | | | | | | |
| Beryllium-T | mg/L | -- | | | | | | | | | | |
| Iron-T | mg/L | -- | 2.07 | 1.07 | | | 0.84 | 0.16 | | 0.54 | 1.52 | 5.25 |
| Manganese-T | mg/L | -- | 0.96 | 0.25 | | | 0.08 | 0.08 | | 0.02 | 0.04 | 0.14 |
| Thallium-T | mg/L | -- | | | | | | | | | | |
| Gross Alpha - minus U - Calculated | pCi/L | 15 | 27.83 | 18.50 | | | 14.96 | 7.72 | | 23.12 | 31.62 | 21.49 |
| Gross Alpha - Unadjusted | pCi/L | -- | 54.1 | 44.9 | | | 21.8 | 14.9 | | 48.3 | 54.5 | 46.2 |
| Gross Alpha precision (±) | pCi/L | -- | 5.5 | 6.2 | | | 2.1 | 2 | | 3.1 | 3.1 | 3.8 |
| Gross Alpha MDC | pCi/L | -- | 5.5 | 7.9 | | | 2 | 2.4 | | 2.9 | 2.3 | 3.7 |
| Gross Beta | pCi/L | -- | 17.8 | 14.4 | | | 6.5 | 5.9 | | 14 | 9.2 | 15.4 |
| Gross Beta precision (±) | pCi/L | -- | 4.9 | 5.5 | | | 1.8 | 1.8 | | 2.1 | 2 | 3 |
| Gross Beta MDC | pCi/L | -- | 7.6 | 8.6 | | | 2.7 | 2.9 | | 3 | 2.9 | 4.5 |
| Radium 226 | pCi/L | -- | 1.6 | 1.2 | | | 0.38 | 0.39 | | 0.44 | 0.51 | 1.1 |
| Radium 226 precision (±) | pCi/L | -- | 0.22 | 0.22 | | | 0.12 | 0.14 | | 0.18 | 0.19 | 0.24 |
| Radium 226 MDC | pCi/L | -- | 0.1 | 0.14 | | | 0.1 | 0.14 | | 0.19 | 0.21 | 0.17 |
| Radium 228 | pCi/L | -- | 3.8 | 4 | | | 0.2 | <0.4 | | 0.9 | 1.1 | 3.3 |
| Radium 228 precision (±) | pCi/L | -- | 0.8 | 0.8 | | | 0.7 | 0.6 | | 1 | 1 | 1.2 |
| Radium 228 MDC | pCi/L | -- | 1 | 1 | | | 1.1 | 1 | | 1.6 | 1.5 | 1.8 |
| Combined Total Radium 226 and Radium 228 (Calculated) | pCi/L | 5 | 5.4 | 5.2 | | | 0.58 | 0.39 | | 1.34 | 1.61 | 4.4 |

* Duplicate sample

Table 10
F-Wellfield New
Well Water Quality Data

| Well ID | | WYDEQ | F28-3* | F28-3 | F29-1 | F31-1 | F31-1 | F31-1 | F31-1 | F31-2 | F31-2 | F31-2 | FBG-1 |
|---|----------|-----------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|-------|
| Sample Date/Time | | Class III | 10/17/2012 | 10/17/2012 | 11/1/2012 | 6/4/2012 | 8/22/2012 | 10/15/2012 | 6/4/2012 | 8/23/2012 | 10/17/2012 | 6/6/2012 | |
| Job Number | | Livestock | C12100755-008 | C12100755-009 | C12110079-004 | C12060177-001 | C12080977-001 | C12100696-001 | C12060177-002 | C12081030-001 | C12100755-006 | C12060299-004 | |
| HSU | | Standard | 120 | 120 | 120 | 120 | 120 | 120 | 110 | 110 | 110 | 120 | |
| Alkalinity, Total as CaCO3 | mg/L | -- | 234 | 232 | 253 | 206 | 211 | 212 | 140 | 139 | | 213 | |
| Carbonate as CO3 | mg/L | -- | <5 | <5 | <5 | <5 | <5 | <5 | <5 | <5 | | <5 | |
| Bicarbonate as HCO3 | mg/L | -- | 286 | 283 | 309 | 251 | 258 | 259 | 170 | 170 | 175 | 260 | |
| Calcium | mg/L | -- | 197 | 205 | 197 | 195 | 197 | 206 | 104 | 109 | | 65 | |
| Chloride | mg/L | 2000 | 7 | 7 | 9 | 14 | 15 | 37 | 7 | 7 | 7 | 5 | |
| Fluoride | mg/L | -- | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.3 | | 0.2 | |
| Magnesium | mg/L | -- | 36 | 36 | 35 | 35 | 34 | 38 | 18 | 18 | | 12 | |
| Nitrogen, Ammonia as N | mg/L | -- | <0.05 | <0.05 | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | | <0.05 | |
| Nitrogen, Nitrate+Nitrite as N | mg/L | 100 | 0.2 | 0.2 | <1 | 0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | 1.4 | |
| Potassium | mg/L | -- | 9 | 10 | 12 | 12 | 11 | 12 | 9 | 10 | | 7 | |
| Silica | mg/L | -- | 21.8 | 20.6 | 21.5 | 20.9 | 19.6 | 18.9 | 16.8 | 15.3 | | 18.2 | |
| Sodium | mg/L | -- | 86 | 81 | 65 | 94 | 109 | 99 | 67 | 76 | | 79 | |
| Sulfate | mg/L | 3000 | 544 | 543 | 533 | 612 | 633 | 643 | 330 | 338 | | 154 | |
| Conductivity @ 25 C | umhos/cm | -- | 1.36 | 1.35 | 1.38 | 1.49 | 1.5 | 1.51 | 0.934 | 0.925 | 0.4 | 0.729 | |
| pH | s.u. | 6.5-8.5 | 7.57 | 7.54 | 7.49 | 7.58 | 7.62 | 7.55 | 7.9 | 7.85 | | 7.79 | |
| Solids, Total Dissolved TDS @ 180 C | mg/L | 5000 | 1060 | 1070 | 1070 | 1170 | 1190 | 1170 | 674 | 661 | 670 | 85 | |
| Aluminum-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | <0.1 | |
| Antimony-D | mg/L | -- | <0.001 | <0.001 | <0.001 | 0 | <0.001 | <0.001 | 0 | <0.001 | | 0 | |
| Arsenic-D | mg/L | 0.2 | 0.004 | 0.003 | 0.002 | 0.001 | 0.002 | 0.002 | <0.001 | 0.001 | | 0.001 | |
| Barium-D | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | <0.1 | |
| Beryllium-D | mg/L | -- | <0.001 | <0.001 | <0.001 | 0 | <0.001 | <0.001 | 0 | <0.001 | | 0 | |
| Boron-D | mg/L | 5 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | <0.1 | |
| Cadmium-D | mg/L | 0.05 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | | <0.005 | |
| Chromium-D | mg/L | 0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | | <0.05 | |
| Copper-D | mg/L | 0.5 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | | <0.01 | |
| Iron-D | mg/L | -- | <0.03 | <0.03 | 0.18 | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | | <0.03 | |
| Lead-D | mg/L | 0.1 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | | <0.001 | |
| Manganese-D | mg/L | -- | 0.09 | 0.1 | 0.26 | 0.14 | 0.25 | 0.28 | 0.04 | 0.05 | | 0.05 | |
| Mercury-D | mg/L | 0.00005 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | | <0.001 | |
| Molybdenum-D | mg/L | -- | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | <0.1 | |
| Nickel-D | mg/L | -- | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | | <0.05 | |
| Selenium-D | mg/L | 0.05 | 0.002 | 0.002 | 0.017 | 0.034 | 0.027 | 0.03 | <0.001 | <0.001 | 0.001 | 0.031 | |
| Thallium-D | mg/L | -- | <0.001 | <0.001 | <0.001 | 0 | <0.001 | <0.001 | 0 | <0.001 | | 0 | |
| Uranium-D | mg/L | -- | 0.0433 | 0.043 | 0.0479 | 0.0431 | 0.0431 | 0.0509 | 0.036 | 0.0355 | 0.0325 | 0.0505 | |
| Vanadium-D | mg/L | 0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | <0.1 | |
| Zinc-D | mg/L | 25 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | | <0.01 | |
| Antimony-T | mg/L | -- | | | | | | | | | | | |
| Beryllium-T | mg/L | -- | | | | | | | | | | | |
| Iron-T | mg/L | -- | 0.62 | 1.3 | 7.62 | 0.24 | 0.07 | 0.18 | 3.82 | 0.62 | | 1.66 | |
| Manganese-T | mg/L | -- | 0.09 | 0.11 | 0.31 | 0.15 | 0.25 | 0.27 | 0.07 | 0.06 | | 0.06 | |
| Thallium-T | mg/L | -- | | | | | | | | | | | |
| Gross Alpha - minus U - Calculated | pCi/L | 15 | 40.29 | 28.49 | 34.57 | 35.62 | 20.82 | 29.54 | 45.63 | 21.17 | | 19.31 | |
| Gross Alpha - Unadjusted | pCi/L | -- | 69.6 | 57.6 | 67 | 64.8 | 50 | 64 | 70 | 45.2 | | 53.5 | |
| Gross Alpha precision (±) | pCi/L | -- | 4.6 | 4.3 | 4.6 | 4.9 | 4.7 | 4.8 | 3.7 | 3.1 | | 2.9 | |
| Gross Alpha MDC | pCi/L | -- | 3.6 | 3.5 | 3.5 | 4.3 | 5 | 4 | 2.4 | 2.5 | | 2.5 | |
| Gross Beta | pCi/L | -- | 12 | 14.2 | 29.4 | 18.3 | 15.3 | 22.9 | 11.5 | 13.9 | | 16 | |
| Gross Beta precision (±) | pCi/L | -- | 3.1 | 3.4 | 3.7 | 3.8 | 3.8 | 3.9 | 2.3 | 2.3 | | 1.9 | |
| Gross Beta MDC | pCi/L | -- | 4.7 | 5.1 | 5.2 | 5.7 | 5.9 | 5.7 | 3.4 | 3.3 | | 2.6 | |
| Radium 226 | pCi/L | -- | 1.5 | 1.6 | 1.9 | 0.99 | 0.92 | 1.4 | 0.78 | 0.63 | | 0.42 | |
| Radium 226 precision (±) | pCi/L | -- | 0.28 | 0.29 | 0.32 | 0.17 | 0.14 | 0.22 | 0.16 | 0.13 | | 0.18 | |
| Radium 226 MDC | pCi/L | -- | 0.2 | 0.21 | 0.22 | 0.09 | 0.1 | 0.14 | 0.1 | 0.12 | | 0.19 | |
| Radium 228 | pCi/L | -- | 3.3 | 5.2 | 3.2 | 4.2 | 3.9 | 2.8 | 1 | <1.3 | | 1.6 | |
| Radium 228 precision (±) | pCi/L | -- | 1 | 1 | 1 | 0.8 | 1 | 0.9 | 0.7 | 1 | | 1.2 | |
| Radium 228 MDC | pCi/L | -- | 1.5 | 1.3 | 1.5 | 0.9 | 1.3 | 1.3 | 1 | 1.5 | | 1.9 | |
| Combined Total Radium 226 and Radium 228 (Calculated) | pCi/L | 5 | 4.8 | 6.8 | 5.1 | 5.19 | 4.82 | 4.2 | 1.78 | 0.63 | | 2.02 | |

* Duplicate sample

Table 10
F-Wellfield New
Well Water Quality Data

| Well ID | Sample Date/Time | Job Number | WYDEQ Class III Livestock Standard | FBG-1 8/30/2012 C12081293-004 | FBG-1* 8/30/12 C12081293-005 | FBG-1 10/12/2012 C12100579-005 | FBG-2 6/6/2012 C12060299-005 | FBG-2 8/30/2012 C12081293-006 | FBG-2 10/12/2012 C12100579-006 |
|---|------------------|------------|------------------------------------|-------------------------------|------------------------------|--------------------------------|------------------------------|-------------------------------|--------------------------------|
| HSU | | | | 120 | 120 | 120 | 100 | 100 | 110 |
| Alkalinity, Total as CaCO3 | mg/L | -- | 229 | 230 | | | 101 | 105 | |
| Carbonate as CO3 | mg/L | -- | <5 | <5 | | | <5 | <5 | |
| Bicarbonate as HCO3 | mg/L | -- | 279 | 280 | 274 | | 123 | 128 | 120 |
| Calcium | mg/L | -- | 72 | 70 | | | 41 | 44 | |
| Chloride | mg/L | 2000 | 4 | 4 | 4 | | 5 | 5 | 5 |
| Fluoride | mg/L | -- | 0.3 | 0.3 | | | 0.4 | 0.3 | |
| Magnesium | mg/L | -- | 13 | 13 | | | 7 | 7 | |
| Nitrogen, Ammonia as N | mg/L | -- | <0.05 | <0.05 | | | <0.05 | <0.05 | |
| Nitrogen, Nitrate+Nitrite as N | mg/L | 100 | 1.7 | 1.7 | | | <0.1 | <0.1 | |
| Potassium | mg/L | -- | 7 | 7 | | | 5 | 5 | |
| Silica | mg/L | -- | 19.4 | 19.2 | | | 12.2 | 13.3 | |
| Sodium | mg/L | -- | 104 | 104 | | | 69 | 61 | |
| Sulfate | mg/L | 3000 | 213 | 214 | | | 165 | 170 | |
| Conductivity @ 25 C | umhos/cm | -- | 0.854 | 0.854 | 0.8 | | 0.563 | 0.556 | 0.512 |
| pH | s.u. | 6.5-8.5 | 7.86 | 7.88 | | | 8.14 | 8.2 | |
| Solids, Total Dissolved TDS @ 180 C | mg/L | 5000 | 577 | 572 | 536 | | 367 | 369 | 371 |
| Aluminum-D | mg/L | 5 | <0.1 | <0.1 | | | <0.1 | <0.1 | |
| Antimony-D | mg/L | -- | <0.001 | <0.001 | | | 0 | <0.001 | |
| Arsenic-D | mg/L | 0.2 | 0.003 | 0.003 | | | <0.001 | <0.001 | |
| Barium-D | mg/L | -- | <0.1 | <0.1 | | | <0.1 | <0.1 | |
| Beryllium-D | mg/L | -- | <0.001 | <0.001 | | | 0 | <0.001 | |
| Boron-D | mg/L | 5 | <0.1 | <0.1 | | | <0.1 | <0.1 | |
| Cadmium-D | mg/L | 0.05 | <0.005 | <0.005 | | | <0.005 | <0.005 | |
| Chromium-D | mg/L | 0.05 | <0.05 | <0.05 | | | <0.05 | <0.05 | |
| Copper-D | mg/L | 0.5 | <0.01 | <0.01 | | | <0.01 | <0.01 | |
| Iron-D | mg/L | -- | <0.03 | <0.03 | | | <0.03 | <0.03 | |
| Lead-D | mg/L | 0.1 | <0.001 | <0.001 | | | <0.001 | <0.001 | |
| Manganese-D | mg/L | -- | 0.02 | 0.02 | | | 0.04 | 0.15 | |
| Mercury-D | mg/L | 0.00005 | <0.001 | <0.001 | | | <0.001 | <0.001 | |
| Molybdenum-D | mg/L | -- | <0.1 | <0.1 | | | <0.1 | <0.1 | |
| Nickel-D | mg/L | -- | <0.05 | <0.05 | | | <0.05 | <0.05 | |
| Selenium-D | mg/L | 0.05 | 0.042 | 0.041 | 0.033 | | <0.001 | <0.001 | <0.001 |
| Thallium-D | mg/L | -- | <0.001 | <0.001 | | | 0 | <0.001 | |
| Uranium-D | mg/L | -- | 0.0672 | 0.0663 | 0.0527 | | 0.0006 | 0.0009 | 0.0008 |
| Vanadium-D | mg/L | 0.1 | <0.1 | <0.1 | | | <0.1 | <0.1 | |
| Zinc-D | mg/L | 25 | <0.01 | <0.01 | | | <0.01 | <0.01 | |
| Antimony-T | mg/L | -- | | | | | | | |
| Beryllium-T | mg/L | -- | | | | | | | |
| Iron-T | mg/L | -- | 0.49 | 0.48 | | | 0.05 | 0.06 | |
| Manganese-T | mg/L | -- | 0.02 | 0.03 | | | 0.06 | 0.15 | |
| Thallium-T | mg/L | -- | | | | | | | |
| Gross Alpha - minus U - Calculated | pCi/L | 15 | 15.91 | 20.21 | | | 0.49 | 1.09 | |
| Gross Alpha - Unadjusted | pCi/L | -- | 61.4 | 65.1 | | | 0.9 | 1.7 | |
| Gross Alpha precision (±) | pCi/L | -- | 3.2 | 3.3 | | | 1 | 1.1 | |
| Gross Alpha MDC | pCi/L | -- | 2.1 | 2.3 | | | 1.7 | 1.6 | |
| Gross Beta | pCi/L | -- | 18.8 | 16.9 | | | 0.5 | 4.3 | |
| Gross Beta precision (±) | pCi/L | -- | 2.1 | 2.1 | | | 2.3 | 1.6 | |
| Gross Beta MDC | pCi/L | -- | 2.9 | 3 | | | 3.9 | 2.6 | |
| Radium 226 | pCi/L | -- | 0.5 | 0.46 | | | 0.28 | 0.57 | |
| Radium 226 precision (±) | pCi/L | -- | 0.16 | 0.17 | | | 0.14 | 0.17 | |
| Radium 226 MDC | pCi/L | -- | 0.15 | 0.18 | | | 0.16 | 0.16 | |
| Radium 228 | pCi/L | -- | <0.3 | <0.2 | | | 0.7 | <0.5 | |
| Radium 228 precision (±) | pCi/L | -- | 0.8 | 0.9 | | | 1 | 0.9 | |
| Radium 228 MDC | pCi/L | -- | 1.3 | 1.5 | | | 1.6 | 1.6 | |
| Combined Total Radium 226 and Radium 228 (Calculated) | pCi/L | 5 | 0.5 | 9.29 | | | 0.98 | 0.57 | |

* Duplicate sample

Table 11 MX-2686A Water Quality

| Analyte | Units | MX-2686A 9/30/1981 |
|---------------------------|------------|--------------------|
| Ammonia as N | mg/L | <0.2 |
| Bicarbonate | mg/L | 22 |
| Boron | mg/L | 0.2 |
| Carbonate | mg/L | 0 |
| Chloride | mg/L | 190 |
| Conductivity | umhos | 2200 |
| Depth to Water | ft | 100.38 |
| Dissolved Aluminum | mg/L | <0.5 |
| Dissolved Arsenic | mg/L | <0.005 |
| Dissolved Barium | mg/L | <0.2 |
| Dissolved Cadmium | mg/L | <0.005 |
| Dissolved Calcium | mg/L | 370 |
| Dissolved Chromium | mg/L | 0.01 |
| Dissolved Cobalt | mg/L | 0.02 |
| Dissolved Copper | mg/L | 0.024 |
| Dissolved Iron | mg/L | 0.08 |
| Dissolved Lead | mg/L | <0.005 |
| Dissolved Lead 210 | PCI/L | 1.7 |
| Dissolved Magnesium | mg/L | 0.014 |
| Dissolved Manganese | mg/L | 120 |
| Dissolved Mercury | mg/L | <0.0001 |
| Dissolved Molybdenum | mg/L | <0.005 |
| Dissolved Natural Uranium | PCI/L | 75 |
| Dissolved Nickel | mg/L | <0.02 |
| Dissolved Oxygen | | 3.4 |
| Dissolved Polonium 210 | PCI/L | -0.2 |
| Dissolved Radium 226 | PCI/L | 2.5 |
| Dissolved Selenium | mg/L | 0.645 |
| Dissolved Silver | mg/L | <0.005 |
| Dissolved Thorium 230 | PCI/L | 15 |
| Dissolved Vanadium | mg/L | 0.005 |
| Dissolved Zinc | mg/L | 0.18 |
| Fluoride | mg/L | 0.7 |
| Groundwater Elevation | ft | 5323.37 |
| NO3 as N | mg/L | 12 |
| pH | std. units | 7.4 |
| Potassium | mg/L | 6.7 |
| Sodium | mg/L | 260 |
| Sulfate | mg/L | 1370 |
| Total Dissolved Solids | mg/L | 2678 |
| Total Gross Alpha | PCI/L | 62 |
| Total Suspended Solids | mg/L | 21 |

Table 12 Proposed Wells to Discontinue Sampling

| Well | Total Depth (ft) | Water in Casing (ft) | Sand Unit | Comments | CI | Notes |
|-------|------------------|----------------------|-----------|--|-----|------------|
| C3-5 | 61.8 | 5.31 | 140 | Multiple Day Bailing Well; Recovers in 24 hrs. fully after bailing well empty; rate of ~ 0.26 gal/hr | 313 | bail |
| C4-1 | 71.7 | 1.68 | 140 | Came back .06ft in 24hrs | | bailed dry |
| C4-5 | 122.1 | 31.09 | 130 | slow recharge of < 0.3 gpm | 78 | |
| C5-2 | 76.0 | 3.75 | 140 | Multiple Day Bailing Well; low recharge rate of ~0.15gal/hr | 233 | bail |
| C5-4 | 27.2 | DRY | 150 | | | |
| C6-1 | 76.7 | 4.59 | 140 | Multiple Day Bailing Well; low recharge rate of ~ 0.15gal/hr | 35 | bail |
| C6-2 | 126.9 | 27.13 | 130 | low recharge rate < 0.3gpm | 21 | |
| C8-1 | 61.4 | 0.41 | 140 | Unsampleable / Dry | | |
| C8-2 | 26.3 | DRY | 150 | DRY | | |
| C9-1 | 26.4 | DRY | 150 | DRY | | |
| C11-6 | 84.0 | 11.14 | 140 | Slow recharge rate of < 0.15gpm | 30 | |
| C16-1 | 22.6 | DRY | 150 | DRY | | |
| C18-1 | 63.2 | 0.84 | 150 | no recharge | | bailed dry |
| C20-1 | 48.8 | 2.99 | 150 | Multiple Day Bailing Well; recharge rate of < 0.8gal/min | 14 | bail |
| C22-4 | 254.3 | 151.9 | 100 | Slow recharge rate of < 1.0 gal/hr, takes 4-5 days to get a 3V sample | 4 | |
| E4-1 | | DRY | 140 | | | |
| E6-5 | 136.8 | 10.95 | 140 | broken casing | 4 | |
| E7-3 | | DRY | 150 | | | |
| E7-5 | 120.6 | 1.25 | 140 | unsampleable / dry | | |
| E9-6 | 86.3 | 5.5 | 110 | Multiple day bailer well for Low volume sample;slow recharge of < 0.3 gpm | 5 | bail |
| E10-2 | 71.8 | 6.45 | 140 | Multiple day pumping well, slow recharge <0.3GPM, pump in place | 3 | |
| E10-4 | 66.8 | 9.35 | 140 | Multiple day pumping well, slow recharge <0.3gpm, pump in place | 39 | |
| E14-2 | 76.7 | 4.69 | 146 | Multiple day bailer slow recharge ~0.02gal/hr | 9 | bail |
| E14-3 | 121.6 | 0.1 | 140 | unsampleable / DRY | | |
| E18-1 | 51.9 | DRY | 150 | DRY | | |
| E18-2 | 51.9 | DRY | 150 | | | |
| E18-7 | 50.5 | DRY | 150 | | | |
| E18-9 | 103.4 | DRY | 140 | | | |
| F3-2 | 97.4 | 15.09 | 140 | slow recharge < 0.45gpm | 9 | |
| F4-1 | 46.5 | 0.61 | 150 | extremely slow recharge, Dry | | |
| F13-1 | 182.3 | 15.89 | 140 | slow recharge | 6 | |
| F14-2 | 208.1 | 208.25 | 130 | Unsampleable | | |
| F14-3 | 286.2 | 105.65 | 110 | Unsampleable | | |
| F15-1 | 131.1 | 5.15 | 140 | Multiple day bailing well, Low Volume Sample Collected; recharge rate < 0.13gal/hr | 16 | bail |
| F23-1 | 301.3 | | 110 | WL indicator frequently gets stuck; slow recharge | 10 | |
| F25-1 | 142.4 | 142.3 | 150 | DRY | | |
| F26-1 | 75.6 | 0.54 | 160 | Unsampleable (0.54ft of water in well) | | |