

REGULATORY INFORMATION DISTRIBUTION SYSTEM

DOCKET NBR: 050-261 DOC DATE: 781003
 RECIPIENT: NOID ACCESSION NBR: 7810160149
 ORIGINATOR: Watford, M.L. EUTCPL COPIES RECEIVED:
 Carolina Pwr & Light, H.B. Robinson - 2 LTR 1 ENCL 10
 SUBJECT: SIZE: 4 + 1
Monthly Oper Rept for Sept, 1978.

DISTRIBUTION CODE: A008
 DISTRIBUTION TITLE:
 ANNUAL, SEMI-ANNUAL & MONTHLY OPERATING RPTS (OL STAGE)

NAME	ENCL?	FOR ACTION	
BR CHIEF	W/6 ENCL	<u>D. Eisenhut</u>	Moore
REG FILE	W/ENCL	<u>ORB#1 BC</u>	EPB#2 BC
NRC PDR	W/ENCL	<u>J. Neighbors</u>	S. Bajwa
I & E	W/2 ENCL	<u>ORB#1 LA</u>	EPB#2 LA
MIPC	W/2 ENCL		
HANAUER	W/ENCL		
DIRECTOR DOR	W/ENCL		
AD FOR SYS & PROJ	W/ENCL		
ENGINEERING HR	W/ENCL		
REACTOR SAFETY HR	W/ENCL		
PLANT SYSTEMS BR	W/ENCL		
EER	W/ENCL		
CORE PERFORMANCE BR	W/ENCL		
EFFLUENT TREAT SYS	W/ENCL		
LPDR	W/ENCL		
NATL LAB	W/ENCL		
TERA	W/ENCL		
NSIC	W/ENCL		
BROOKHAVEN	W/ENCL		
ACRS	W/15 ENCL		

TOTAL NUMBER OF COPIES REQUIRED:
 LTR 41
 ENCL 41

NOTES:



Carolina Power & Light Company

October 10, 1978

FILE: NG-3513(R)

SERIAL: GD-78-2700

Mr. John G. Davis, Acting Director
Office of Inspection and Enforcement
U.S. Nuclear Regulatory Commission
Washington, DC 20555

H. B. ROBINSON STEAM ELECTRIC PLANT, UNIT NO. 2
DOCKET NO. 50-261
LICENSE NO. DPR-23
MONTHLY OPERATIONS REPORT

Dear Mr. Davis:

In accordance with Technical Specification 6.9.1.c for the H. B. Robinson Steam Electric Plant, Unit No. 2, Carolina Power & Light Company herewith submits the report of operating statistics and shutdown experience for the month of September, 1978.

Yours very truly,

H. R. Banks
Manager
Nuclear Generation

DCS:cp

Enclosure

cc: Messrs. R. A. Hartfield
J. P. O'Reilly

781016 0149

A008/s*
1/10

OPERATING DATA REPORT

DOCKET NO. DPR-23
 DATE 781003
 COMPLETED BY M. L. Watford
 TELEPHONE 332-1351

OPERATING STATUS

1. Unit Name: H. B. Robinson
2. Reporting Period: 780901,0000/780930,2400
3. Licensed Thermal Power (MWt): 2200
4. Nameplate Rating (Gross MWe): 739
5. Design Electrical Rating (Net MWe): 700
6. Maximum Dependable Capacity (Gross MWe): 700
7. Maximum Dependable Capacity (Net MWe): 665

Notes

8. If Changes Occur in Capacity Ratings (Items Number 3 Through 7) Since Last Report, Give Reasons:

None

9. Power Level To Which Restricted, If Any (Net MWe): None

10. Reasons For Restrictions, If Any: None

	This Month	Yr.-to-Date	Cumulative
11. Hours In Reporting Period	<u>720</u>	<u>6551</u>	<u>66,413</u>
12. Number Of Hours Reactor Was Critical	<u>533.25</u>	<u>4,423.64</u>	<u>51,605.76</u>
13. Reactor Reserve Shutdown Hours	<u>66.75</u>	<u>253.26</u>	<u>678.31</u>
14. Hours Generator On-Line	<u>528.85</u>	<u>4,103.56</u>	<u>50,309.43</u>
15. Unit Reserve Shutdown Hours	<u>0</u>	<u>0</u>	<u>0</u>
16. Gross Thermal Energy Generated (MWH)	<u>1,124,957</u>	<u>8,585,333</u>	<u>102,852,829</u>
17. Gross Electrical Energy Generated (MWH)	<u>341,763</u>	<u>2,673,953</u>	<u>33,179,256</u>
18. Net Electrical Energy Generated (MWH)	<u>321,749</u>	<u>2,518,325</u>	<u>31,438,314</u>
19. Unit Service Factor	<u>73.45</u>	<u>62.64</u>	<u>75.75</u>
20. Unit Availability Factor	<u>73.45</u>	<u>62.64</u>	<u>75.75</u>
21. Unit Capacity Factor (Using MDC Net)	<u>67.20</u>	<u>57.81</u>	<u>71.18</u>
22. Unit Capacity Factor (Using DER Net)	<u>63.84</u>	<u>54.92</u>	<u>67.63</u>
23. Unit Forced Outage Rate	<u>26.55</u>	<u>10.98</u>	<u>14.58</u>

24. Shutdowns Scheduled Over Next 6 Months (Type, Date, and Duration of Each):

None

25. If Shut Down At End Of Report Period, Estimated Date of Startup: On Line

26. Units In Test Status (Prior to Commercial Operation):

	Forecast	Achieved
INITIAL CRITICALITY	<u>-</u>	<u>-</u>
INITIAL ELECTRICITY	<u>-</u>	<u>-</u>
COMMERCIAL OPERATION	<u>-</u>	<u>-</u>

INITIAL CRITICALITY
 INITIAL ELECTRICITY
 COMMERCIAL OPERATION

7810160149

AVERAGE DAILY UNIT POWER LEVEL

DOCKET NO. DPR-23
 UNIT H. B. Robinson Two
 DATE 781003
 COMPLETED BY M. L. Watford
 TELEPHONE (803) 332-1351

MONTH September 1978

DAY	AVERAGE DAILY POWER LEVEL (MWe-Net)	DAY	AVERAGE DAILY POWER LEVEL (MWe-Net)
1	637	17	495
2	636	18	641
3	594	19	640
4	609	20	635
5	635	21	503
6	637	22	0
7	638	23	0
8	637	24	0
9	609	25	0
10	492	26	0
11	636	27	0
12	637	28	0
13	634	29	23
14	636	30	610
15	638	31	-
16	625		

INSTRUCTIONS

On this format, list the average daily unit power level in MWe-Net for each day in the reporting month. Compute to the nearest whole megawatt.

UNIT SHUTDOWNS AND POWER REDUCTIONS

REPORT MONTH Sept. 1978

DOCKET NO. DPR-23
 UNIT NAME H. B. Robinson
 DATE 781004
 COMPLETED BY M. L. Watford
 TELEPHONE (803) 332-1351

No.	Date	Type ¹	Duration (hours)	Reason ²	Method of Shutting Down Reactor ³	Licensee Event Report #	System Code ⁴	Component Code ⁵	Cause & Corrective Action to Prevent Recurrence
9-01	780909	S	0	B	4	-	HC	HTEXCH	Inspection of Condenser Tubes
9-02	780916	S	0	B	4	-	HC	HTEXCH	Inspection of Condenser Tubes
9-03	780921	F	191.15	B	1	78-22	CB	HTEXCH	Excessive Primary to Secondary Leakage in "A" S/G - Leaking Tubes Identified and Plugged.

¹ F: Forced
S: Scheduled

² Reason:
A-Equipment Failure (Explain)
B-Maintenance of Test
C-Refueling
D-Regulatory Restriction
E-Operator Training & License Examination
F-Administrative
G-Operational Error (Explain)
H-Other (Explain)

³ Method:
1-Manual
2-Manual Scram.
3-Automatic Scram.
4-Other (Explain)

⁴ Exhibit G - Instructions for Preparation of Data Entry Sheets for Licensee Event Report (LER) File (NUREG-0161)

⁵ Exhibit I - Same Source

(9/77)

EQUIPMENT	EFFECT ON SAFE OPERATION	MALFUNCTION		CORRECTIVE/PREVENTIVE ACTION
		CAUSE	RESULTS	
CVC 311 Aux. Spray	none	faulty solenoid armature	inconsistent valve operation	armature replaced
CVC 310	none	improperly adjusted limit switch	mid position indication	limit switch adjusted
RTD. T. H. TE 432 Loop 3 Δ T Protection	none	malfunctioned while in service	failure to respond	RTD (T-Hot) replaced
Valve SW-V6-34B	none	top flange insecure	flange loose	bolts tightened
Valve SW-V6-34C	none	lubrication fitting slipped	could not be lubricated	fitting replaced
"C" S/G sample line Valve	none	faulty gaskets	excessive leakage	gaskets replaced
Spent Fuel Handling Tool	none	broken latch pin chain	latch pin not secure	reattached pin to handling tool
Engine Driven Emergency Fire Pump	none	damaged water pump seal	excessive leakage	seals & gaskets replaced
RMS-18	none	faulty preamplifier transistor	failed low	transistor renewed
"A" Emergency Diesel Start Air Solenoid	none	faulty core and spring assembly	solenoid leaking thru vent	core and spring assembly replaced
"C" Steam Line Transmitter Vent	none	bad drain valve	excessive leakage	drain valve renewed
Pressurizer Level Transmitter	none	leaking transmitter reference leg	transmitter reads high	reference leg fitting tightened
Safety Injection Valve 864B	none	loose bolts	loose connection between motor operator and valve yoke	valve yoke bolts tightened
NIS Intermediate Range #35	none	misadjusted trip points	high trip points	trip points reset

DISTRIBUTION AFTER ISSUANCE OF OPERATING LICENSE

NRC FORM 195
(2-76)

U.S. NUCLEAR REGULATORY COMMISSION

DOCKET NUMBER

50-261

FILE NUMBER

NRC DISTRIBUTION FOR PART 50 DOCKET MATERIAL

TO:
Mr. Reid

FROM:
Anita R. Whisenhunt
Florence, S. C.

DATE OF DOCUMENT
1/6/78

DATE RECEIVED
1/11/78

LETTER
 ORIGINAL
 COPY

NOTORIZED
 UNCLASSIFIED

PROP
INPUT FORM

NUMBER OF COPIES RECEIVED
1 signed

DESCRIPTION

Advising that John D. Whisenhunt died on June 12, 1977 and prior to his death he sold his property at Lake Robinson.....

(1-P)

PLANT NAME: H. B. Robinson Unit No. 2
RJL 1/11/78

ENCLOSURE

SAFETY		FOR ACTION/INFORMATION	
BRANCH CHIEF: (7)	Reid		

INTERNAL DISTRIBUTION			
<u>REG FILE</u>			
NRC PDR			
I & E (2)			
OELD			
HANAUER			
CHECK			
EISENHUT			
SHAO			
BAER			
BUTLER			
GRIMES			
J. COLLINS			
J. MCGOUGH			

EXTERNAL DISTRIBUTION		CONTROL NUMBER	
LPDR: HARTSVILLE, S.C.			
TIC			
NSIC			
ACRS 16 CYS SENT CATEGORY B			
			<i>acrs!</i>