

September 4, 2014

UNITED STATES OF AMERICA
NUCLEAR REGULATORY COMMISSION

BEFORE THE ATOMIC SAFETY AND LICENSING BOARD

In the Matter of)
)
POWERTECH (USA) INC.,) Docket No. 40-9075-MLA
) ASLBP No. 10-898-02-MLA-BD01
(Dewey-Burdock In Situ Uranium Recovery)
Facility))

NRC STAFF'S PROPOSED TRANSCRIPT CORRECTIONS

The NRC Staff submits its proposed corrections to the transcript of the August 19–21, 2014 oral hearing. The Staff respectfully requests that the transcript be revised to incorporate these corrections.¹

| Page | Line(s) | Delete | Insert |
|------|---------|----------------------|--------------------------|
| 718 | 3 | Class 3 | Class III |
| 757 | 5 | area potential | area of potential |
| 762 | 16 | which evaluating | which you are evaluating |
| 776 | 14 | tribe | tribes |
| 795 | 15 | approached | approach |
| 795 | 20 | included Powertech's | included in Powertech's |
| 808 | 2 | 250,000 | 2,500 |
| 817 | 23 | Mr. | Dr. |
| 836 | 23 | recognizance | reconnaissance |
| 837 | 19 | not | |
| 837 | 20 | that | like |

¹ During the hearing the Board set a deadline of September 19, 2014 for the parties to propose transcript corrections. Transcript at 1324.

| | | | |
|-----|-------|------------------------------|-----------------------------------|
| 837 | 25 | work all | work with all |
| 838 | 7 | on | |
| 838 | 12 | or | |
| 838 | 15 | tell | heard |
| 838 | 17 | changing | challenging |
| 838 | 23 | There are | Under |
| 838 | 24 | There are | Under |
| 839 | 2 | open-side | open-site |
| 839 | 8 | many | any |
| 839 | 20 | 08018-D | 018-D |
| 840 | 4 | they | there |
| 841 | 11 | in | |
| 841 | 24 | agencies need | agency needs |
| 841 | 25 | base on the level effort | based on the level of effort |
| 841 | 25 | then the | then a |
| 845 | 5 | Dr. Hsueh: | Dr. Sebastian: |
| 847 | 15 | open-side | open-site |
| 847 | 16 | open-side | open-site |
| 910 | 11 | or | of |
| 919 | 21–22 | to take from an application | a take permit application |
| 961 | 25 | in some to | in some way to |
| 962 | 4–5 | would conceivably considered | would conceivably have considered |
| 980 | 15 | contention | contentions |

| | | | |
|------|-----|--------------------------------------|---------------------------------------|
| 980 | 24 | submitted in the Staff's | submitted in response to the Staff's |
| 982 | 8-9 | water quality in aquifer confinement | water quality and aquifer confinement |
| 983 | 22 | Board on Monday | Board heard on Monday |
| 983 | 24 | from | found |
| 984 | 4 | rates | rights |
| 987 | 2 | make sure that | make sure you know that |
| 987 | 14 | Mr. Clark | Mr. Pugsley |
| 987 | 16 | Mr. Clark | Mr. Pugsley |
| 988 | 9 | Mr. Clark | Mr. Pugsley |
| 1021 | 21 | we'll | will |
| 1022 | 3 | their | the |
| 1023 | 7 | service measurements | serves as the measurement |
| 1023 | 24 | 1569 | NUREG-1569 |
| 1023 | 25 | 5783 | 5.7.8.3 |
| 1024 | 14 | isolated | isolation |
| 1034 | 14 | yearly | year |
| 1036 | 10 | can | |
| 1037 | 2 | Mr. Prikryl | Mr. Frankel |
| 1057 | 1 | REIs | RAIs |
| 1057 | 8 | that | |
| 1089 | 3 | 11-5 | 11.5 |
| 1095 | 14 | 11-5 | 11.5 |
| 1096 | 1 | aid | laid |

| | | | |
|------|-------|--|---|
| 1096 | 22 | surety estimates, the amount | or surety estimate, by the amount |
| 1120 | 19 | Mr. Parsons | Mr. Pugsley |
| 1121 | 5 | Mr. Parsons | Mr. Pugsley |
| 1121 | 9 | Mr. Parsons | Mr. Pugsley |
| 1123 | 18 | Participant | Mr. Ballanco |
| 1123 | 20 | Participant | Mr. Ballanco |
| 1124 | 1 | Participant | Mr. Ballanco |
| 1132 | 21 | be violated | be in violation of |
| 1133 | 7 | Mr. Clark | Mr. Pugsley |
| 1138 | 18 | 225 | 2-25 |
| 1139 | 19 | adds for | add to |
| 1146 | 18 | Chairman Froehlich | Mr. Prikryl |
| 1146 | 20 | counted | accounted |
| 1167 | 4 | radiant | gradient |
| 1185 | 9 | Mr. Parsons | Mr. Pugsley |
| 1205 | 19 | proposed action in Chapter 7 | proposed action and in Chapter 7 |
| 1207 | 15–16 | Commission's and Powertech's license very specifically described | Commission's regulations and Powertech's license very specifically describe |
| 1208 | 1 | Getting to | Setting aside |
| 1208 | 17 | these | the |
| 1208 | 23 | licensing decision. And so every other | licensing decision until every other |
| 1218 | 18 | on | |
| 1220 | 5 | appropriate | inappropriate |

| | | | |
|------|------|-----------------------------|--------------------------------|
| 1257 | 14 | strong | small |
| 1264 | 16 | use | take |
| 1273 | 16 | Female Participant | Ms. Yilma |
| 1283 | 25 | cord | corridor |
| 1285 | 21 | Male Participant | Mr. Lancaster |
| 1286 | 17 | Male Participant | Mr. Lancaster |
| 1286 | 22 | Male Participant | Mr. Lancaster |
| 1298 | 5 | and | on |
| 1301 | 16 | CLI 12-0575 NRC | CLI-12-05, 75 NRC |
| 1301 | 18 | CLI 02-2250 NRC | CLI-02-22, 50 NRC |
| 1302 | 2 | CLI 05-1561 NRC | CLI-05-15, 61 NRC |
| 1302 | 7 | about | by |
| 1302 | 10 | licensed | license |
| 1302 | 16 | licensed | license |
| 1302 | 19 | CLI 0601 | CLI-06-01 |
| 1302 | 19 | CLI 9922 | CLI-99-22 |
| 1302 | 20 | licensed | license |
| 1302 | 25 | on | in |
| 1302 | 25 | EAS | EIS |
| 1304 | 9–10 | consideration mitigation | consideration of mitigation |
| 1304 | 12 | law in mitigation | law on mitigation |

Respectfully submitted,

*/Signed (electronically) by/
Michael J. Clark*
Michael J. Clark
Counsel for the NRC Staff

*/Signed (electronically) by/
Patricia A. Jehle*
Patricia A. Jehle
Counsel for the NRC Staff

Dated at Rockville, Maryland
This 4th day of September 2014

UNITED STATES OF AMERICA
NUCLEAR REGULATORY COMMISSION

BEFORE THE ATOMIC SAFETY AND LICENSING BOARD

| | | |
|---|---|-------------------------------|
| In the Matter of |) | |
| |) | |
| POWERTECH (USA) INC |) | Docket No. 40-9075-MLA |
| |) | ASLBP No. 10-898-02- MLA-BD01 |
| |) | |
| (Dewey-Burdock In Situ Uranium Recovery |) | Date: September 4, 2014 |
| Facility) |) | |

CERTIFICATE OF SERVICE

Pursuant to 10 C.F.R. § 2.305, I certify that counsel for the NRC Staff served copies of the Staff's Proposed Transcript Corrections via the NRC's Electronic Information Exchange (EIE) on September 4, 2014. Counsel for the Staff served those representatives exempted from filing through the EIE with copies of its Proposed Transcript Corrections by electronic mail, also on September 4, 2014.

***/Signed (electronically) by/
Patricia A. Jehle***

Patricia A. Jehle
Counsel for the NRC Staff
U.S. Nuclear Regulatory Commission
Mail Stop O-15 D21
Washington, DC 20555-0001
(301) 415-8366
Patricia.Jehle@nrc.gov