

**From:** Stang, Annette  
**Sent:** Thursday, September 25, 2014 3:01 PM  
**To:** 'Richard.M.Locke@dhhs.state.nh.us'  
**Cc:** Milligan, Patricia  
**Subject:** KI Replenishment for NH

Good Afternoon Mr. Locke,

The NRC is preparing to replenish expiring stockpiles of KI tablets. According to our records your State has 666,000 (65mg) tablets with lot number NDC 51803-001-03YXS7 expiring in March 2015. The NRC will replace the expiring stockpiles during fiscal year 2015. Due to the ongoing budget pressures, it is unlikely that the NRC will be able to support any requests for increase tablet quantities. In order to facilitate replacement of your stockpiles, the tablets will be ordered to ensure timely replacement of expiring stockpiles. *If your State wishes to participate in the NRC KI tablet replenishment, please respond by **October 25, 2014**. Please include the delivery address, point of contact (including phone number) and any special delivery requests you have.* These tablets will not be shipped until 2015. We will notify you prior to shipment of the tablets to enable you to make any preparations necessary for receipt of the shipment.

Thank you,  
Annette Stang

***Annette Stang, Emergency Response Coordinator**  
U.S. Nuclear Regulatory Commission  
Office of Nuclear Security & Incident Response  
Three White Flint North, 3WFN-09A42  
11601 Landsdown Street  
North Bethesda, MD 20852  
301-287-3780*