NRC FORM 374	PAGEOF PAGES				
MATERIALS L Pursuant to the Atomic Energy Act of 1954, as amended, the Energy R Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, made by the licensee, a license is hereby issued authorizing the licens special nuclear material designated below; to use such material for the such material to persons authorized to receive it in accordance with the contain the conditions specified in Section 183 of the Atomic Energ regulations, and orders of the Nuclear Regulatory Commission now of	Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of and 70, and in reliance on statements and representations heretofore see to receive, acquire, possess, and transfer byproduct, source, and purpose(s) and at the place(s) designated below; to deliver or transfer e regulations of the applicable Part(s). This license shall be deemed to by Act of 1954, as amended, and is subject to all applicable rules,				
Licensee	In accordance with the letter dated				
	October 10, 2014,				
1. Vermont Testing & Consulting Corporation	3. License number 44-28180-02 is amended in its entirety to read as follows:				
CARF	IEG.				
2. P. O. Box 420 Waterbury Vermont 05676	4. Expiration date April 30, 2024				
Waterbury, Vermont 05676	5. Docket No. 030-36475				
S T S	Reference No. 44-28180-01				
B. Americium 241 B. Sealed Source (AEA Technolo Model Nos. AM Isotope Produc Model Nos. Ar and 3027)	 possess at any one time under this license A. 55 millicuries total and no single source to exceed the maximum activity specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission or an Agreement State B. 220 millicuries total and no single source to exceed the maximum activity specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission or an Agreement State B. 220 millicuries total and no single source to exceed the maximum activity specified in the certificate of registration 				
 9. Authorized use: A. and B. In Troxler Electronic Laboratories Model No. 3400 Series and Humbolt Scientific Inc. Model No. 5001 Series portable portable gauging devices for measuring physical properties of materials. 					
CONDI	TIONS				
10. Licensed material may be used or stored at the licensed moretown, Vermont and may be used at temporar States where the U.S. Nuclear Regulatory Commission licensed material, including areas of exclusive Feet	y job sites of the licensee anywhere in the United sion maintains jurisdiction for regulating the use of				

NRC	FORM	374A	PAGE 2 OF 4 PAGES	
			License Number 44-28180-02	
		MATERIALS LICENSE	Docket or Reference Number	
		SUPPLEMENTARY SHEET	030-36475	
			44-28180-01	
			Amendment No. 3	
	cont site in Ag	e jurisdiction status of a Federal facility within an Ag act the Federal agency controlling the job site in que is an area of exclusive Federal jurisdiction. Authoriz greement States not under exclusive Federal jurisdic latory agency.	estion to determine whether the proposed job zation for use of radioactive materials at job sites	
11.	Licensed material shall be used by, or under the supervision and in the physical presence of, individuals who have received the training described in the application dated December 23, 2013.			
12.	The	Radiation Safety Officer for this license is Jacques	B. Bouramia.	
13.	A.	Sealed sources shall be tested for leakage and/or months or at the intervals specified in the certifica Regulatory Commission under 10 CFR 32.210 or State.	te of registration issued by the U.S. Nuclear	
	Β.	In the absence of a certificate from a transferor in the intervals specified in the certificate of registrat Commission under 10 CFR 32.210 or under equiv the transfer, a sealed source received from anothe and the test results received.	ion issued by the U.S. Nuclear Regulatory alent regulations of an Agreement State, prior to	
	C.	Sealed sources need not be tested if they are in s they are removed from storage for use or transfer within the required leak test interval, they shall be shall be stored for a period of more than 10 years contamination.	red to another person and have not been tested tested before use or transfer. No sealed source	
	D.	The leak test shall be capable of detecting the pre- radioactive material on the test sample. If the test (185 becquerels) or more of removable contamina Regulatory Commission in accordance with 10 CF immediately from service and decontaminated, re- Commission regulations.	t reveals the presence of 0.005 microcurie ation, a report shall be filed with the U.S. Nuclear R 30.50(c)(2), and the source shall be removed	
	E.	Tests for leakage and/or contamination, limited to by the licensee or by other persons specifically lic Commission or an Agreement State to perform su perform the analysis; analysis of leak test samples licensed by U.S. Nuclear Regulatory Commission	ensed by the U.S. Nuclear Regulatory ich services. The licensee is not authorized to s must be performed by persons specifically	
	F.	Records of leak test results shall be kept in units of years.	of microcuries and shall be maintained for	

NRC	FORM 374A	PAGE 3 OF 4 PAGES
		License Number 44-28180-02
	MATERIALS LICENSE	Docket or Reference Number
	SUPPLEMENTARY SHEET	030-36475
		44-28180-01
		Amendment No. 3
14.	The licensee shall conduct a physical inventory every si U.S. Nuclear Regulatory Commission, to account for all under the license. Records of inventories shall be main inventory and shall include the radionuclides, quantities and the date of the inventory.	sources and/or devices received and possessed tained for 5 years from the date of each
15.	Sealed sources or detector cells containing licensed ma from source holders by the licensee.	terial shall not be opened or sources removed
16.	Each portable nuclear gauge shall have a lock or outer lunauthorized or accidental removal of the sealed source or its container must be locked when in transport or stor surveillance of an authorized user.	from its shielded position. The gauge
17.	Any cleaning, maintenance, or repair of the gauges that rod from the gauge shall be performed only by the manu licensed by the U.S. Nuclear Regulatory Commission or	facturer or by other persons specifically
18.	If the licensee uses unshielded sealed sources extende licensee shall use surface casing that extends from the other appropriate procedures to reduce the probability of the surface. If it is not feasible to extend the casing 12 is implement procedures to ensure that the cased hole is f	lowest depth to 12 inches above the surface and f the source or probe becoming lodged below nches above the surface, the licensee shall
19.	The licensee is authorized to transport licensed materia 10 CFR Part 71, "Packaging and Transportation of Radi	

NRC FORM 374A	PAGE 4 OF 4	PAGES
MATERIALS LICENSE SUPPLEMENTARY SHEET	License Number 44-28180-02	
	Docket or Reference Number 030-36475	
	44-28180-01	
	Amendment No. 3	

- 20. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
 - A. Application dated December 23, 2013 [ML14015A261]

For the U.S. Nuclear Regulatory Commission

Date October 29, 2014

Original signed by Dennis R. Lawyer

By

Dennis R. Lawyer Commercial, Industrial, R&D and Academic Branch Division of Nuclear Materials Safety Region I King of Prussia, Pennsylvania 19406