



**Region I Office**  
**Division of Nuclear Materials Safety**  
**2100 Renaissance Boulevard**  
**Suite 100**  
**King of Prussia, PA 19406-2713**  
**(610)337-5000**

## Telephone Conversation Record

Date: December 15, 2014

License No.: 55-31040-01

Docket No. (no hyphens): 03036921

Mail Control/Report No.: 2014001

Licensee Name: Virgin Islands Quality Control Services

Participant(s) Name/Title: Julio B. King, II

Work Telephone No.: 340-344-4717 (left message that was returned)

Business Cellphone No.: 340-690-6407

NRC Representative Name/Title: Todd Jackson, Sr. Health Physicist

Subject: Follow-up call to determine status of reply to NRC letter & NOV dated November 10, 2014

*(This is the title that will be used in ADAMS)*

Discussion: Reply to NOV was not yet received, so a call was made to determine status. Mr. King thought all necessary information had been provided on Oct 30, 2014. I informed him that additional information was necessary to be in a response to the NOV, including a description of corrective action to prevent recurrence of the failure to perform required leak tests. Mr. King apologized for the misunderstanding and said the response would be prepared and submitted quickly.

Action Required: Response to inspection letter and NOV is required.

### SUNSI REVIEW

Document Availability:  Public or  Non-Public

#### Document Sensitivity:

*(select "1" value to the right)*

- |   |   |
|---|---|
| <input checked="" type="checkbox"/> Non-Sensitive   | <input type="checkbox"/> MD 3.4 Non-Public B.1 (Non-Sensitive)              |
| <input type="checkbox"/> Non-Sensitive Copyright  | <input type="checkbox"/> MD 3.4 Non-Public A.3 (Sensitive Security Related) |
| <input type="checkbox"/> Sensitive – Proprietary  | <input type="checkbox"/> MD 3.4 Non-Public A.4 (Sensitive Proprietary)      |
| <input type="checkbox"/> Sensitive – Privacy Act (includes Personally Identifiable Information (PII)) | <input type="checkbox"/> MD 3.4 Non-Public A.5 (Sensitive-Privacy Act)      |
| <input type="checkbox"/> Sensitive – Internal, Periodic Review required                               | <input type="checkbox"/> MD 3.4 Non-Public A.6 (Sensitive-Federal,          |

(All Other Sensitive Internal Info.)  
Sensitive – Security-Related-Periodic Review  
Required

  

State, etc)  
MD 3.4 Non-Public A.7 ( Internal)

SUNSI Review Completed by:

: If applicable, add OFFICIAL USE ONLY – SECURITY RELATED INFORMATION banners and change SUNSI review to A.3.