



Region I Office
Division of Nuclear Materials Safety
2100 Renaissance Boulevard
Suite 100
King of Prussia, PA 19406-2713
(610)337-5000

Telephone Conversation Record

Date: December 18, 2014

License No.: 55-25624-01

Docket No.(no hyphens): 03036264

Mail Control/Report No.: 2014001

Licensee Name: Virgin Islands Paving

Participant(s) Name/Title: Robert Schierloh, President

Work Telephone No.: 340-778-5220

Business Cellphone No.:

NRC Representative Name/Title: Todd Jackson, Sr. Health Physicist

Subject: Follow-up call to determine status of reply to NRC letter & NOV dated November 21, 2014

(This is the title that will be used in ADAMS)

Discussion: Reply to NRC letter and NOV is due on December 21, 2014. I called to confirm that NRC letter had been received and that the licensee was aware a response was required. Mr. Schierloh was not in and I left a message with his secretary describing the reason for my call and encouraging him to call if he had any questions. I told her we are expecting their response.

Action Required: Response to inspection letter and NOV is required.

SUNSI REVIEW

Document Availability: ☒ Public or ☐ Non-Public

Document Sensitivity:

(select "1" value to the right)

- | | |
|--|--|
| <input checked="" type="checkbox"/> Non-Sensitive | <input type="checkbox"/> MD 3.4 Non-Public B.1 (Non-Sensitive) |
| <input type="checkbox"/> Non-Sensitive Copyright | <input type="checkbox"/> MD 3.4 Non-Public A.3 (Sensitive Security Related) |
| <input type="checkbox"/> Sensitive – Proprietary | <input type="checkbox"/> MD 3.4 Non-Public A.4 (Sensitive Proprietary) |
| <input type="checkbox"/> Sensitive – Privacy Act (includes Personally Identifiable Information (PII)) | <input type="checkbox"/> MD 3.4 Non-Public A.5 (Sensitive-Privacy Act) |
| <input type="checkbox"/> Sensitive – Internal, Periodic Review required (All Other Sensitive Internal Info.) | <input type="checkbox"/> MD 3.4 Non-Public A.6 (Sensitive-Federal, State, etc) |
| <input type="checkbox"/> Sensitive – Security-Related-Periodic Review Required | <input type="checkbox"/> MD 3.4 Non-Public A.7 (Internal) |

SUNSI Review Completed by:

: If applicable, add OFFICIAL USE ONLY – SECURITY RELATED INFORMATION banners and change SUNSI review to A.3.

